

WORKFLOW AND AGENTS

SUSHAN RAI




TITLE AND PROCESS CONTEXT

TITLE: SEMANTIC COMMUNICATION TRIGGERS:
WORKFLOW VS. AGENTIC AUTOMATION


SUBTITLE: IMPLEMENTING THE "WRITE A MAIL" INTENT FOR
AUTOMATED & INTELLIGENT WORKSPACES

CONTEXT: Modern communication systems require processing unstructured user intents into actionable API calls. This deck compares a rule-based deterministic workflow against an autonomous, multi-tool AI Agent execution loop when handling email generation.

THE FIXED WORKFLOW DESIGN



THE DYNAMIC AGENT DESIGN



SELECTION OF DESIGN

FIXED WORKFLOW

- Transactional Comms: Automated order confirmations, password reset magic links, and recurring weekly summary logs.
- Low Latency & High Volume: Situations where minimizing API compute costs and achieving sub-second response times matter most.

DYNAMIC AGENT

- Context-Dependent Communication: Ad-hoc follow-ups, escalating support tickets, or compilation-heavy summaries where information must be pulled from multiple data stores.
- Interactive Approvals: Scenarios where drafts must be contextualized, structured, and saved for human-in-the-loop validation before hitting the internet.