2024 International Conference on Computers, Information Processing and Advanced Education (CIPAE) | 979-8-3315-2766-2/24/$31.00 ©2024 IEEE | DOI: 10.1109/CIPAE64326.2024.00135

A Dynamic Psychological Health Assessment System for College Students Based on Machine Learning and Intelligent Algorithms

Xumei Chen
Mental Health Education Center, Sichuan University of Media and Communications, Chengdu, 611745, China
cxm112022@163.com

***Abstract*—Over the recent years, the psychological wellness and health of college students has turned out as a growing issue and concern, a factor that is attributed to the increase in pressures in balancing social challenges, academic life, and the transition made through adulthood. To this effect, the traditional approaches and models of psychological assessment as viewed in this case are widely static, unable to meet the dynamic nature of the learner's mental health, and time consuming. To effectively address these challenges, an effective psychological health assessment tool and system leverages the prospects of intelligent algorithm and machine learning as proposed in this article. The system provides personalized and real-time evaluations to learner's psychological issues and states through an analysis of data inputs that span from self-reported metrices, academic performances, and social interactions. Machine learning and intelligent algorithms as found in this article widely help in the detection and prediction of patterns that show the potential of psychological issues among learners, helping in establishing early supportive and interventive measures. As proposed, the continuous adoption of individual changes through intelligent algorithms and machine learning provides a timely and accurate understanding of the learner's mental states, a process that promotes learners wellness, academic success, and fosters a supporting coping environment.**

Keywords—Dynamic Psychology Health Assessment System, College Students, Machine Learning, Intelligent Algorithms, Mental Wellness, Coping Environment

I. Introduction

The psychological wellness and health of college learners remains a critical element in their academic success and overall well-being. Given the increase in the demand for academic responsibility, challenges in transitioning to adulthood, and social pressures, learners in colleges are widely at a heightened risk of suffering mental health problems that include stress, anxiety, and depression. The traditional methods and approaches of psychological interventions and assessments while considered as valuable have over the recent years been viewed as static or periodic, with this attributed to their inadequacies in capturing critical data on individual mental issues and state. The recognition of these limitations establishes the need for the development of an effective and dynamic psychological health assessment system that widely relies in intelligent algorithms and machine learning, thus presenting a promising alternative and solution to the issue [1]. The use of this innovative system widely relies on the inclusion of advanced machine learning models in the analysis of data inputs that include social media activities, academic performance metrices of the learners, self-reported surveys, and psychological data in underpinning the mental states of the learners. The leveraging of these data sources plays a critical role in enabling the system to constantly help in the monitoring and the evaluation of the psychological health and wellness of students in real-time. Min [2] further establishes that the inclusion of intelligent algorithms, designed to identify specific patterns and trends, detect anomalies, and properly detect some of the potential meant health challenges before their escalation into adverse conditions. The use of such proactive approaches therefore allows institutions to establish and design timely interventions, effective methods of resource allocations, and personalized support tailored to meet the unique demands and needs of the learners. Liu [3] establishes that the systems adaptivity and nature plays a critical role in evolving with the learners, thus providing recommendations and insights that are fundamental and relevant to the learner's mental states. Through the integration of the dynamic assessment system and model into the current mental health system in educational institutions makes it easier to enhance the efficiency as well as the reach of institutions in addressing mental health issues. This article therefore delves into the dynamics of a psychological health assessment system for college system based on machine learning and intelligent algorithms. The proposed model intends to significantly improve the psychological wellness of learners while equally fostering a resilient and supportive academic environment that remains conducive for the success and development of students.

II. Related works

A. Psychological Health Assessment System for College Students

A Psychological Health Assessment System provides a structured model and approach developed with the objective of evaluating and monitoring the prospects of individual mental health and wellbeing. The tool plays a critical role in the integration of methodologies and tools that help in assessing students' psychological conditions, this facilitating the identification of potential issues and the design of appropriate interventions. Within the context of learning institutions and colleges, these systems remain valuable given the existing unique challenges and stressors faced by learners. The designed system combines behavioral data, self-report questionnaires, and psychological metrices in the provision of a comprehensive approach to view issues of mental health. Guo [4] in this case establishes that advanced systems widely employee intelligent algorithms and machine learning in the analysis of data, the detection of patterns, and the prediction of potential mental health issues affecting individuals. Such insights play a critical role in enabling

979-8-3315-2766-2/24/$31.00 ©2024 IEEE
DOI 10.1109/CIPAE64326.2024.00135

Authorized licensed use limited to: MANIPAL INSTITUTE OF TECHNOLOGY. Downloaded on March 28,2026 at 09:03:58 UTC from IEEE Xplore. Restrictions apply.

mental health care givers and professionals to provide personalized and timely support measures intended at addressing the issues before they get out of hand. A continuous process of monitoring student's psychological health establishes the need for a system that ensures that the changes in student mental states are immediately and promptly identified. According to Ding and Zhong [5], the dynamic assessment model and capability of this system remains critical in the effective management of health issues given the fact that it allows for the inclusion of real-time solutions and interventions. More so, the proposed system may significantly help in the reduction of stigma's widely associated with the quest for mental health care and support through the normalization of regular checks-ups as well as the promotion of proactive approaches in managing mental issues. Overall, the design of this system remains vital in fostering a proper supportive environment that contributes to the wellness and success of learners while equally enhancing their mental states.

B. Machine Learning and Intelligence Systems in Psychological Health Assessment System

Intelligent systems and machine learning remain a transformative element in psychological health assessment systems as they enhance the personalization, accuracy, and efficiency of mental health evaluative procedures. The wide use of these technologies remains key in leveraging significant and vast amounts of health data, thus helping in the identification of patterns and the prediction of outcomes, a factor that varies from the traditional models. Machine learning for instance helps in the analysis of diverse sources of data that include academic performances, behavioral patterns, and social media activities among physiological metrices—efforts that play a critical role in the provision of holistic understanding and views of an individual's mental state and health. Li et al., [6] establish that the algorithms and modeled to detect an array of subtle changes as well as correlations in data, this serving as an indicator in determining the onset of a mental health condition as detailed in Figure 1.



Figure 1: Design Architecture of the Psychological Health Assessment System

Through a continuous approach of learning from an array of data, the designed systems help in the adoption of measures driven towards dealing with the unique behaviors and needs of individuals suffering from mental health conditions. This plays a critical role in providing tailored recommendations to varied mental health issues and support systems [7, 8]. On the other hand, intelligent systems, widely equipped with sentiment analysis capabilities and natural language processing systems equally help in the interpretation of text inputs from social media and self-report surveys in order to gauge the emotional state of individuals. The wide reliance on real-time data and analysis provides room for immediate support and feedback, a factor that makes mental healthcare responsive and accessible. To this effect, such systems remain critical in facilitating the process of communication between mental health professionals and students, thus providing more insights into the interventions and forms of treatment plans required for individual situations [9]. The integration of intelligent systems and machine learning in the process of psychological assessment as provided improves the process and accuracy of the diagnosis process while equally reducing the existing burdens placed on mental health professionals through the automation of routine assessments.

III. METHODS

The translation of temporal awareness primarily into quantifiable metrices on issues of psychological and mental health remains critical in enhancing the comprehension of models. This process primarily involves the conversion of the inherent understanding and comprehension of meaningful and measurable indicators that span from timestamps, sequenced events, historical trends, and frequencies on mental health issues among college learners in University. To this effect, the use of machine learning and intelligent algorithms such as KWA-K-means may plays a fundamental role in the optimization of addressing the issues of mental health [10]. This is primarily done through the issuance of poor reliability, low accuracy, and low efficiency in establishing and predicting the mental states of college learners. In this case, the use of the algorithm remains decisive, detailing the need for the explosion of the radius denoted as r_i as framed in:

$$\mathrm{r_i} = \frac{x - xmin}{\sum_{x=1}^{n}(x - xmin)}\mathrm{r} \tag{1}$$

As provided in this equation, x serves as a fitness function while the function r is further equated as:

Authorized licensed use limited to: MANIPAL INSTITUTE OF TECHNOLOGY. Downloaded on March 28,2026 at 09:03:58 UTC from IEEE Xplore. Restrictions apply.

$$r = \frac{\frac{\sum_{x=1}^{n} ri}{x=1}}{n} \quad (2)$$

Given this, a second fundamental parameter remains essential in establishing the numbers of sparks in the system denoted as x_i

$$x_i = \frac{xmax-y}{\sum_{x=1}^{x}(xmax-x)}y \quad (3)$$

As provided in this case, the function x is considered as a constant, thus establishing that xi < yi = [0.2max], establishing the need for the calculation of the fitness of the function through the use of a Gauss mutation and spark as detailed in the equations below:

$$x\ (y_i, y_j) = \sqrt[x]{\sum_{y=1}^{y}(yi-yj)^2} \quad (4)$$

$$w_i = \frac{\sum_{yi\in xi}^{x} yi}{|xi|} \quad (5)$$

To this effect, the need for a K-means model of clustering remains essential in updating the clustered points, efforts that are critical in determining the number of iterations that may be required as an objective function of the system [11]. As a factor, a loss function is in this case detailed as:

$$L = \sum_{x=1}^{x} y \sum_{x=1}^{n} |yi - xi|^2 \quad (6)$$

An update of the systems clustering within each of the categories of the subsets is established. This details the need for an iteration as provided in the Algorithm below:

Algorithm 1: Psychological Health Assessment Analysis
Algorithm: A K-Means of Clustering **Input:** Number of System Clusters K Data Points Y = x (y_i, y_j) = $\sqrt[x]{\sum_{y=1}^{y}(yi-yj)^2}$ **Output:** Cluster K Assignments X = [y1, y_2…, yn] Procedure of Clustering K-means (x, y) 1. Initializing the K centroids. 2. Repeat of the Process until Convergence 3. Random selection of Data points x_i based on the cluster on the closest centroid. 4. Update of the centroid Positions X_i = (2÷xn)× sum (y) in which x is construed from a cluster j **Return to the Final Cluster** Calculation of Euclidean Distance between the data points Distance = sum $(y_i-x_i)^2$ **Close**

IV. Results

As provided, the performance of the psychological health assessment system for college students is primarily evaluated based on the efficiency of the algorithms in establishing the mental states of learners in college. In this case, a number of factors that include precision and recall sensitivity were used in the quantification of the algorithms capacity to easily and correctly identify cases of mental health [12]. Notably, the recall factor was used in measuring the algorithms efficiency in correctly identifying the positive cases and actual instances o mental health within a provided dataset as provided in Table I.

TABLE I EFFICIENCY OF THE PSYCHOLOGICAL HEALTH ASSESSMENT EVALUATION ALGORITHMS

	SMH Data	V=Very	S=Sure	N=New	O=Old		
Cond1							
	VSN	MSN	LSN	LSO	MSO	VSO	Total
New	570	584	330	242	455	292	2473
P Cum FA		0.077	0.533	0.4	0.302	0.118	
z(FA)	0	0	0	0	0	0	0
Old	226	296	192	237	585	959	2495
Pcum H		0.909	0.791	0.714	0.619	0.384	
Z(H)	0	0	0	0	0	0	0
New	117	461	206	216	317	157	1534
P Cum FA		0.885	0.584	0.45	0.309	0.102	
z(FA)	1	1	1	1	1	1	1

As presented in Table I, the algorithms provide an insightful approach that may be used in the evaluation of college students' mental states, a factor that differs significantly from the traditional model [13, 14]. Table II provides the performance of the system based on a merging method and recursive partitioning in examining a myriad of datasets derived from students.

Authorized licensed use limited to: MANIPAL INSTITUTE OF TECHNOLOGY. Downloaded on March 28,2026 at 09:03:58 UTC from IEEE Xplore. Restrictions apply.

TABLE II MODEL EFFICIENCY AGAINST THE TRADITIONAL PSYCHOLOGICAL HEALTH ASSESSMENT SYSTEM

Cond1new	Cond1old	Cond2new	Cond2old
1	1	1	1
0.77	0.909	0.885	0.935
0.533	0.791	0.584	0.749
0.4	0.714	0.45	0.651
0.302	0.619	0.309	0.487
0.118	0.384	0.102	0.195
0	0	0	0



Figure 2: Model Efficiency Comparison against the Traditional System

Figure 2 therefore provides an in-depth comparison of the proposed systems efficiency based on the used algorithms. The findings clearly detail a competitive performance of the dynamic psychological health assessment system with an accuracy level of accuracy 0.2, a precision rate of 1, and a corresponding effectiveness of 0.83. To this effect, it is therefore assumable that machine learning and intelligent algorithms are critical in advancing the dynamic psychological health assessment system widely used in the assessment of college student mental states.

V. CONCLUSION

As provided in this article, the psychological wellness and health of college students has turned out as a growing issue and concern, a factor that is attributed to the increase in pressures in balancing social challenges, academic life, and the transition made through adulthood [15] [16]. To this effect, the traditional approaches and models of psychological assessment as viewed in this case are widely static, unable to meet the dynamic nature of the learner's mental health, and time consuming. To effectively address these challenges, an effective psychological health assessment tool and system leverages the prospects of intelligent algorithm and machine learning as proposed in this article. The system provides personalized and real-time evaluations to learner's psychological issues and states through an analysis of data inputs that span from self-reported metrices, academic performances, and social interactions. Machine learning and intelligent algorithms as found in this article widely help in the detection and prediction of patterns that show the potential of psychological issues among learners, helping in establishing early supportive and interventive measures [17]. As proposed, the continuous adoption of individual changes through intelligent algorithms and machine learning provides a timely and accurate understanding of the learner's mental states, a process that promotes learners wellness, academic success, and fosters a supporting coping environment. According to findings, the system provides a competitive performance of the dynamic psychological health assessment system with an accuracy level of accuracy 0.2, a precision rate of 1, and a corresponding effectiveness of 0.83. To this effect, it is therefore assumable that machine learning and intelligent algorithms are critical in advancing the dynamic psychological health assessment system widely used in the assessment of college student mental states.

REFERENCES

[1] C. Du, C. Liu, P. Balamurugan, and P. Selvaraj, "Deep Learning-based Mental Health Monitoring Scheme for College Students Using Convolutional Neural Network," International Journal on Artificial Intelligence Tools, vol. 30, no. 06n08, Dec. 2021, doi:https: //doi.org/10.1142/s0218213021400145.

[2] M. Luo, "Research on Students' Mental Health Based on Data Mining Algorithms," Journal of Healthcare Engineering, vol. 2021, pp. 1–14, Oct. 2021, doi:https: //doi.org/10.1155/2021/1382559.

[3] Y. Ren, Q. Min, and A. Jain, "Analysis of College Students' Mental Health Based on Machine Learning Algorithm," Feb. 2024, doi:https: //doi.org/10.1109/icicacs60521.2024.10498768.

[4] N. Aljarallah, A. Dutta, M. Alsanea, and A. Rahaman, "Intelligent Student Mental Health Assessment Model on Learning Management System," Computer Systems Science and Engineering, vol. 44, no. 2,

Authorized licensed use limited to: MANIPAL INSTITUTE OF TECHNOLOGY. Downloaded on March 28,2026 at 09:03:58 UTC from IEEE Xplore. Restrictions apply.

pp. 1853–1868, 2022, doi:https: //doi.org/10.32604/csse.2023.028755.

[5] R. Ahuja and A. Banga, "Mental Stress Detection in University Students using Machine Learning Algorithms," Procedia Computer Science, vol. 152, pp. 349–353, 2019, doi:https: //doi.org/10.1016/j.procs.2019.05.007.

[6] S. Bhatnagar, J. Agarwal, and O. R. Sharma, "Detection and classification of anxiety in university students through the application of machine learning," Procedia Computer Science, vol. 218, pp. 1542–1550, Jan. 2023, doi:https: //doi.org/10.1016/j.procs.2023.01.132.

[7] M. Srividya, S. Mohanavalli, and N. Bhalaji, "Behavioral Modeling for Mental Health using Machine Learning Algorithms," Journal of Medical Systems, vol. 42, no. 5, Apr. 2018, doi:https: //doi.org/10.1007/s10916-018-0934-5.

[8] N. S. Mohd Shafiee and S. Mutalib, "Prediction of Mental Health Problems among Higher Education Student Using Machine Learning," International Journal of Education and Management Engineering, vol. 10, no. 6, pp. 1–9, Dec. 2020, doi:https: //doi.org/10.5815/ijeme.2020.06.01.

[9] L. Lei, J. Li, and W. Li, "Assessing the role of artificial intelligence in the mental healthcare of teachers and students," Soft Computing, Apr. 2023, doi: https: //doi.org/10.1007/s00500-023-08072-5.

[10] Z. Min, "Design of interactive evaluation system for college students' psychological education based on improved KNN algorithm," Soft computing, Jun. 2023, doi:https://doi.org/10.1007/s00500-023-08794-6.

[11] C. Wang, "Application of MPP database and artificial intelligence system in online evaluation of college students' mental health," Preventive Medicine, vol. 173, p. 107580, Aug. 2023, doi: https: //doi.org/10.1016/j.ypmed.2023.107580.

[12] C. Li, M. Yang, Y. Zhang, and K. W. Lai, "An Intelligent Mental Health Identification Method for College Students: A Mixed-Method Study," International Journal of Environmental Research and Public Health, vol. 19, no. 22, p. 14976, Nov. 2022, doi:https: //doi.org/10.3390/ijerph192214976.

[13] Y. Ding, X. Chen, Q. Fu, and S. Zhong, "A Depression Recognition Method for College Students Using Deep Integrated Support Vector Algorithm," IEEE Access, vol. 8, pp. 75616–75629, 2020, doi:https: //doi.org/10.1109/access.2020.2987523.

[14] N. Guo, "Mental Health State Prediction Method of College Students Based on Integrated Algorithm," ebooks.iospress.nl, 2024. https://ebooks.iospress.nl/volumearticle/67372 (accessed Jun. 29, 2024).

[15] Y. Liu, "Analysis and Prediction of College Students' Mental Health Based on K-means Clustering Algorithm," Applied Mathematics and Nonlinear Sciences, Dec. 2021, doi:https://doi.org/10.2478/amns.2021.1.00099.

[16] Z. Min, "An interactive automatic evaluation system for college students' Psychological Education Based on improved KNN algorithm," Research Square (Research Square), Feb. 2023, doi:https: //doi.org/10.21203/rs.3.rs-2571790/v1.

[17] S. Mutalib and E. Al, "Mental Health Prediction Models Using Machine Learning in Higher Education Institution," Turkish Journal of Computer and Mathematics Education (TURCOMAT), vol. 12, no. 5, pp. 1782–1792, Apr. 2021, Available: https://turcomat.org/index.php/turkbilmat/article/view/2181

Authorized licensed use limited to: MANIPAL INSTITUTE OF TECHNOLOGY. Downloaded on March 28,2026 at 09:03:58 UTC from IEEE Xplore. Restrictions apply.