

Assessment Name - WD Fundamental Assessment

ATTEMPTS LEFT - 0

Total Questions - 50

Score - (46 / 50) 92%

- 1) Page information is given by which of the following tags? 1 M
- ☒ A) head
 - ☐ B) body
 - ☐ C) script
 - ☐ D) style
- 2) A program in HTML can be rendered and read by - 1 M
- ☒ A) Web browser
 - ☐ B) Server
 - ☐ C) Interpreter
 - ☐ D) None of the above
- 3) Which character is used to represent the closing of a tag in HTML? 1 M
- ☐ A) \
 - ☐ B) !
 - ☒ C) /
 - ☐ D) .
- 4) How to create a hyperlink in HTML 1 M
- ☒ A) '`<pre> itvedant </pre>`'
 - ☐ B) '`<pre><a url = "www.itvedant.com" itvedant</pre>`'
 - ☐ C) '`<pre> Itvedant</pre>`'
 - ☐ D) '`<pre> Itvedant</pre>`'
- 5) What are the types of lists available in HTML? 1 M
- ☒ A) Ordered and Unordered List
 - ☐ B) Bulleted, Numbered List
 - ☐ C) Named, Unnamed List
 - ☐ D) None of the above
- 6) In HTML, which attribute is used to create a link that opens in a new window tab?

- ☐ A) src='_blank' 1 M
- ☐ B) alt='_blank'
- ☐ C) target='_self'
- ☒ D) target='_blank'

7) How many Heading Tags are there in HTML? 1 M

- ☐ A) 2
- ☐ B) 4
- ☒ C) 6
- ☐ D) 8

8) The tag or element which occupy entire width of the browser irrespective of the content length is called as..... 1 M

- ☐ A) Inline level element
- ☒ B) Block level element
- ☐ C) Inline-Block level element
- ☐ D) None of these.

9) What are the properties of Block level element? 1 M

- ☐ A) It always starts on a new line
- ☐ B) It always takes the full width available
- ☐ C) It has top and bottom margin
- ☒ D) All of the above

10)

Which of the following tags is used to insert a line-break in HTML?

- ☒ A) br tag 1 M
- ☐ B) a tag
- ☐ C) pre tag
- ☐ D) b tag

11) HTML tags are enclosed in 1 M

- ☐ A) #html#
- ☐ B) {html}
- ☐ C) !html!
- ☒ D) <html>

12) Which of the following elements is responsible for making the text italic in HTML?

- ☒ A) i tag 1 M
- ☐ B) italic tag
- ☐ C) it tag
- ☐ D) pre tag

13) Choose the correct option.

- ☐ A) <th> is used for defining the heading of a table. 1 M
- ☐ B) By default, contents written between <th> and </th> are bold and centered.
- ☒ C) Both A and B
- ☐ D) None of the above

14) What is the use of Forms in HTML?

- ☐ A) to display contents of email. 1 M
- ☐ B) to display animation effect.
- ☒ C) to collect user's input.
- ☐ D) None of the Above.

15) Which of the following is not the form type for adding text?

- ☐ A) Text input 1 M
- ☐ B) Text area
- ☐ C) Password input
- ☒ D) Submit button

16) Which one of the following is incorrect?

- ☐ A) <label> tag in HTML is used for creating a tag for form elements. 1 M
- ☐ B) <label> can be used to increase the clickable area of buttons
- ☒ C) id attribute is used with <label> to increase the clickable area of form elements
- ☐ D) None of the above

17) Which one of the following does not hold true regarding GET method in HTML?

- ☒ A) Use of GET method in HTML is more secured. 1 M
- ☐ B) Use of GET method enables us to bookmark the page.
- ☐ C) GET has size limitation.
- ☐ D) None of the above

18) How more than one option can be selected in drop down?

- ☒ A) Use of multiple attribute inside option tag. 0 M
- ☒ B) Use of multiple attribute inside select tag.
- ☐ C) use of multiple attribute inside text tag.
- ☐ D) It is not possible to select more than one option in drop down.

19) Action attribute in HTML forms specifies that

- ☒ A) Where to submit form 1 M
- ☐ B) Which action is going on
- ☐ C) Which HTTP method is used

☐ D) The auto completion of form

20) which of the following attribute is used to control spacing between two cells in the table. 1 M

- ☐ A) cellpadding
- ☐ B) cellsize
- ☒ C) cellspacing
- ☐ D) cellwidth

21) Which of the following is the correct way to start an ordered list with the count of numeric value 4? 1 M

- ☐ A) <ol type = "1" initial = "4">
- ☐ B) <ol type = "1" begin = "4">
- ☐ C) <ol type = "1" num = "4">
- ☒ D) <ol type = "1" start = "4">

22) In HTML Audio/Video DOM, _____ sets or returns whether the audio/video should be loaded when the page loads.

- ☒ A) autoplay 0 M
- ☐ B) buffer
- ☒ C) preload
- ☐ D) controller

23) Which of the following HTML Video - Media Type is not supported in IE? 1 M

- ☒ A) ogg
- ☐ B) webm
- ☐ C) MP4
- ☐ D) None of above

24) Which of the following is not a new feature of HTML5? 1 M

- ☐ A) Use <canvas> element for 2D drawing
- ☐ B) Use <video> elements for media playback.
- ☐ C) Use <audio> elements for media playback.
- ☒ D) All of the above are new features.

25) Which of the following is not a semantic element? 0 M

- ☐ A) form
- ☐ B) article
- ☒ C) table
- ☒ D) span

26) Which HTML Element defines the title of a document? 1 M

- ☐ A) meta
- ☒ B) title
- ☐ C) head

☐ D) body

27) HTML files are saved by default with the extension? 1 M

- ☒ A) .html
☐ B) .h
☐ C) .ht
☐ D) None of the above

28) Which HTTP method is used by a client to request data from a server without modifying it? 1 M

- ☒ A) GET
☐ B) POST
☐ C) PUT
☐ D) DELETE

29) The page title is inside in which tag? 1 M

- ☐ A) body
☒ B) head
☐ C) paragraph
☐ D) table

30) In the client-server architecture, which component typically handles requests from clients and provides responses? 1 M

- ☐ A) Client
☒ B) Server
☐ C) Database
☐ D) Router

31) Which shortcut key is commonly used to open the developer tools in most web browsers? 1 M

- ☐ A) Ctrl + D
☒ B) Ctrl + Shift + I
☐ C) Alt + F4
☐ D) Ctrl + C

32) What is the purpose of the "Sources" tab in the browser developer tools? 1 M

- ☒ A) To view and debug JavaScript files
☐ B) To inspect and modify HTML elements
☐ C) To analyze network requests
☐ D) To manage browser extensions

33) What is the smallest header in HTML by default? 1 M

- ☐ A) h1
☐ B) h2
☒ C) h6

☐ D) h4

34) What HTML container tags do you apply to text to format the text as a paragraph?

1 M

- ☐ A) <para></para>
- ☐ B) <text></text>
- ☒ C) <p></p>
- ☐ D) None of these

35) The default alignment for paragraph is?

1 M

- ☒ A) left
- ☐ B) right
- ☐ C) centre
- ☐ D) None of the above

36) Which of the following is the correct syntax for creating an ordered list in HTML?

1 M

- ☒ A) Item 1Item 2
- ☐ B) Item 1Item 2
- ☐ C) Item 1Item 2
- ☐ D) Item 1Item 2

37) In HTML, which tag is used to define a block-level element?

1 M

- ☐ A) span
- ☒ B) div
- ☐ C) strong
- ☐ D) i

38) Which of the following tags is a block-level element by default?

1 M

- ☐ A) a
- ☐ B) span
- ☒ C) p
- ☐ D) em

39) Which of the following elements is NOT a block-level element in HTML?

1 M

- ☐ A) div
- ☐ B) h1
- ☒ C) span
- ☐ D) p

40) Which of the following is method of <video> element?

1 M

- ☐ A) play()
- ☐ B) pause()
- ☐ C) load()
- ☒ D) All of the above

- 41) Which are the Semantic tags in HTML? 1 M
- ☐ A) header
 - ☐ B) article
 - ☐ C) footer
 - ☒ D) All of the above
- 42) which of the following are not semantic tags in HTML? 1 M
- ☐ A) body
 - ☐ B) img
 - ☒ C) div
 - ☐ D) p
- 43) In HTML which attribute is used to specify that an input field must be filled out? 1 M
- ☒ A) required
 - ☐ B) placeholder
 - ☐ C) validate
 - ☐ D) formvalidate
- 44) Which HTML5 attribute is used to define a placeholder text within a form input field? 1 M
- ☒ A) placeholder
 - ☐ B) text
 - ☐ C) hint
 - ☐ D) value
- 45) Which of the following input types is used for email address in HTML5? 1 M
- ☒ A) input type="email"
 - ☐ B) input type="text"
 - ☐ C) input type="mail"
 - ☐ D) input type="emailaddress"
- 46) What does the <tr> tag represent in HTML table structure? 1 M
- ☒ A) Table row
 - ☐ B) Table data
 - ☐ C) Table header
 - ☐ D) Table cell
- 47) Which attribute of the <table> tag specifies the border width of the table? 1 M
- ☒ A) border
 - ☐ B) cellpadding
 - ☐ C) cellspacing
 - ☐ D) border-width
- 48) What is the purpose of the <th> tag in HTML table structure?

- ☐ A) To define a table row
- ☐ B) To define a table data cell
- ☒ C) To define a table header cell
- ☐ D) To define a table footer cell

1 M

49) What is the purpose of the <caption> tag in HTML table structure?

- ☒ A) To define a table caption or title
- ☐ B) To merge cells horizontally
- ☐ C) To merge cells vertically
- ☐ D) To define a table header row

1 M

50) Which attribute of the <table> tag specifies the space between cells?

- ☐ A) border-spacing
- ☒ B) cellpadding
- ☐ C) cellspacing
- ☐ D) cell-spacing

0 M