

Assessment Name – WD Final Assessment

ATTEMPTS LEFT – 1

FAKE ASSESSMENT ([HTTPS://WINGZ.ITVEDANT.COM/INDEX.PHP/ASSIGNMENT-TEST-STUDENT/RETAKE-TEST?ID=159168](https://wingz.itvedant.com/index.php/assignment-test-student/retake-test?id=159168))

Total Questions – 50

Score – (47 / 50) 94%

1) Which of the following are attributes of Font tag?

- ☐ A) Face
- ☐ B) Size
- ☐ C) Color
- ☒ D) All of above

1 M

2) In which part of the HTML metadata is contained?

- ☒ A) head tag
- ☐ B) title tag
- ☐ C) html tag
- ☐ D) body tag

1 M

3) Which character is used to represent the closing of a tag in HTML?

- ☐ A) \
- ☐ B) !
- ☒ C) /
- ☐ D) .

1 M

4) Which HTML tag is used to insert an image?

- ☐ A) `img url='htmllogo.jpg'`
- ☐ B) `img alt='htmllogo.jpg'`
- ☒ C) `img src='htmllogo.jpg'`
- ☐ D) `img link='htmllogo.jpg'`

1 M

5) How many Heading Tags are there in HTML?

- ☐ A) 2
- ☐ B) 4
- ☒ C) 6
- ☐ D) 8

1 M

6) Which HTML tag is used to define a table?

- ☐ A) tb

1 M

- ☐ B) tl
- ☒ C) table
- ☐ D) tab

7) Which of the following is not the form type for adding text?

- ☐ A) Text input
- ☐ B) Text area
- ☐ C) Password input
- ☒ D) Submit button

1 M

8) Which one of the following is incorrect?

- ☐ A) <label> tag in HTML is used for creating a tag for form elements.
- ☐ B) <label> can be used to increase the clickable area of buttons
- ☒ C) id attribute is used with <label> to increase the clickable area of form elements
- ☐ D) None of the above

1 M

9) Which tag is used to add columns in the tables?

- ☐ A) <colspan>
- ☒ B) <td>
- ☐ C) <tr>
- ☐ D) None of these

1 M

10) What is the default type of 'type' attribute of <input> element?

- ☒ A) Text
- ☐ B) Password
- ☐ C) Numerals
- ☐ D) Special Characters

1 M

11) which of the following attribute is used to control spacing between two cells in the table.

1 M

- ☐ A) celldifference
- ☐ B) cellsize
- ☒ C) cellspacing
- ☐ D) cellwidth

12) Which attribute is used to provide a unique name to an HTML element?

1 M

- ☒ A) id
- ☐ B) class
- ☐ C) type
- ☐ D) None of the above

13) How to create a checkbox in HTML?

1 M

- ☒ A) input type = "checkbox"
- ☐ B) input type = "button"

- ☐ C) checkbox
- ☐ D) input type = "check"

14) Which HTML element is used for YouTube videos? 1 M

- ☐ A) samp
- ☐ B) small
- ☐ C) frame
- ☒ D) iframe

15) Which of the following CSS selectors are used to specify a group of elements?

- ☐ A) tag 1 M
- ☒ B) class
- ☐ C) id
- ☐ D) Both class and id

16) Which of the following is the correct syntax to link an external style sheet in the HTML file?

- ☒ A) <link href="style.css" rel="stylesheet"> 1 M
- ☐ B) <link src="style.css" rel="stylesheet">
- ☐ C) <link link="style.css" rel="stylesheet">
- ☐ D) <link src="style.css" rel="stylesheet">

17) Which of the following is the correct way to apply CSS Styles?

- ☐ A) inside the <head> section of an HTML page 1 M
- ☐ B) inside an HTML element
- ☐ C) in an external CSS file
- ☒ D) All of the above

18) What type of selector is used in this case?

p {line-height: 150%;}

- ☐ A) id selector 1 M
- ☐ B) class selector
- ☒ C) element selector
- ☐ D) None of these

19) How can we select an element with a specific Class in CSS?

- ☐ A) # 1 M
- ☒ B) .
- ☐ C) ^
- ☐ D) None of the above

20) Which of the following is correct to set "Black" color as Background of page? 1 M

- ☒ A) bgcolor = "#000000"
- ☐ B) body background = "#000000"
- ☐ C) body Background = "#000000"

☐ D) All of the above

21) How can we change the background color of an element? 0 M

☒ A) background-color

☐ B) color

☒ C) Both A and B

☐ D) None of the above

22) "The default property of float element is right" 1 M

☐ A) True

☒ B) False

☐ C) -

☐ D) -

23) which css property keeps element on separate line? 1 M

☐ A) padding

☐ B) float

☐ C) margin

☒ D) clear

24) Which part of box model clears an area around the content?

☐ A) Border

1 M

☐ B) Margin

☒ C) Padding

☐ D) None of the above

25) which position property is used to fixed the position of the html element relative to the first element position in the html document? 1 M

☐ A) static

☒ B) absolute

☐ C) relative

☐ D) fixed

26) which of the following attribute and its value in meta tag view port allow the web page to take width of the device on which it get displayed. 1 M

☐ A) width=width-device

☒ B) width=device-width

☐ C) both A and B

☐ D) None of above

27) which of the following attribute control initial zooming level of webpage when it gets first loaded. 1 M

☐ A) scale-initial

☒ B) initial-scale

☐ C) both A and B

☐ D) none of them

28) How many columns are allowed in bootstrap grid system? 1 M

☐ A) 16

☒ B) 12

☐ C) 24

☐ D) All of above

29) which of the following class in bootstrap is used to indicate the uppercase text?

☐ A) .text-capitalize

☐ B) .text-upper

☐ C) .uppercase

☒ D) .text-uppercase

1 M

30) which class is used to create red color button in bootstrap

☐ A) .btn btn-red

☐ B) .btn button-red

☒ C) .btn btn-danger

☐ D) .btn button-danger

1 M

31) Is it true that the Bootstrap grid system works across multiple devices?

☒ A) True

☐ B) False

☐ C) -

☐ D) -

1 M

32) What are the three main elements of the Bootstrap grid listed in the proper order.

☐ A) GRC = .grid > .row > .col

☐ B) CRC = .col > .row > .container

☐ C) RC = .row > .col

☒ D) CRC = .container > .row > .col

1 M

33) Which of these are pseudo-classes in CSS?

☐ A) :link

☐ B) :visited

☐ C) :hover

☒ D) All the above

1 M

34) What are HTTP Methods?

☐ A) GET

☐ B) POST

1 M

- ☒ C) Both a and b
- ☐ D) None of the above

35) Which attribute is used to specify the character encoding of an HTML document in the section?

1 M

- ☒ A) charset
- ☐ B) type
- ☐ C) rel
- ☐ D) hreflang

36) Which HTTP method is used by a client to request data from a server without modifying it?

1 M

- ☒ A) GET
- ☐ B) POST
- ☐ C) PUT
- ☐ D) DELETE

37) The page title is inside in which tag?

1 M

- ☐ A) body
- ☒ B) head
- ☐ C) paragraph
- ☐ D) table

38) Which tool in the browser developer tools allows you to simulate different screen sizes and devices?

0 M

- ☐ A) Elements
- ☐ B) Network
- ☒ C) Device
- ☒ D) Application

39) What is the smallest header in HTML by default?

1 M

- ☐ A) h1
- ☐ B) h2
- ☒ C) h6
- ☐ D) h4

40) What is the purpose of the <dl> tag in HTML?

1 M

- ☒ A) To define a description list
- ☐ B) To define an ordered list
- ☐ C) To define an unordered list
- ☐ D) To define a list item

41) Which of the following is method of <video> element?

1 M

- ☐ A) play()
- ☐ B) pause()

- ☐ C) load()
- ☒ D) All of the above

42) What is the purpose of the <th> tag in HTML table structure?

- ☐ A) To define a table row
- ☐ B) To define a table data cell
- ☒ C) To define a table header cell
- ☐ D) To define a table footer cell

1 M

43) What is the purpose of the <caption> tag in HTML table structure?

- ☒ A) To define a table caption or title
- ☐ B) To merge cells horizontally
- ☐ C) To merge cells vertically
- ☐ D) To define a table header row

1 M

44) Which attribute of the <table> tag specifies the space between cells?

- ☐ A) border-spacing
- ☒ B) cellspacing
- ☐ C) cellpadding
- ☐ D) cell-spacing

1 M

45)

Which type of CSS is used in the below code?

```
<p style="border:2px solid red;">
```

- ☒ A) Inline CSS
- ☐ B) Internal CSS
- ☐ C) External CSS
- ☐ D) None of the above

1 M

46) How can you specify a custom font family in CSS?

- ☐ A) Using the @font-style property
- ☒ B) Using the @font-face property
- ☐ C) Using the @font-family property with a URL to the font file
- ☐ D) Using the @custom-font property

1 M

47) In Bootstrap, which class is used to make an image responsive?

- ☒ A) img-fluid
- ☐ B) img-responsive
- ☐ C) responsive-img
- ☐ D) image-fluid

1 M

48) In Flexbox, which property defines how the remaining space in a flex container should be distributed among the flex items?

- ☐ A) justify-content
- ☐ B) align-items

1 M

- ☒ C) flex-grow
- ☐ D) flex-wrap

49) Which property in Flexbox is used to align flex items along the main axis? 0 M

- ☐ A) align-content
- ☒ B) justify-content
- ☒ C) align-items
- ☐ D) flex-align

50) What does the "flex-wrap" property control in Flexbox? 1 M

- ☒ A) It determines whether flex items are forced onto a single line or can wrap onto multiple lines.
- ☐ B) It defines the size of flex items.
- ☐ C) It controls the space between flex items.
- ☐ D) It aligns flex items along the cross axis.