Assessment Name - SQL Final Assessment ATTEMPTS LEFT:1

RETAKE ASSESSMENT (HTTPS://WINGZ.ITVEDANT.COM/INDEX.PHP/ASSIGNMENT-TEST-STUDENT/RETAKE-TEST?ID=169698)

Total Questions - 50

Score - (45 / 50) 90%

 1) Function of arithmetic section is to perform arithmetic operations like addition, subtraction, multiplication, and division. A) TRUE B) FALSE C) Can be true or false D) Can not say 	1 M
 2) select one of the true statement for the compiler? A) the input of the compiler is source program B) it translates the source code into object code as a whole C) the output of the compiler is object code D) all of above 	1 M
 3) The language processor which translates the program into object code as a whole is called as A) linker B) debugger C) compiler D) interpreter 	1 M
 4) translates the source code into machine language. A) operating system B) programming language C) language processor D) all of these 	0 М
 5) C, BASIC, COBOL, and Java are examples of language. A) low-level B) computer C) system programming 	1 M

o D) high-level	
 6) which of the following is the component of a instruction? A) input B) process C) output D) all of the above 	1 M
 7) Flowchart and algorithm are used for: A) Better programming B) Easy testing and debugging C) Efficient coding D) All 	1 M
 8) What is an algorithm? A) A flowchart B) A flowchart or pseudo code C) A decision D) Step by step instructions used to solve a problem 	1 M
9) What is the output of the following expression? 12== 6 and 12! =6 A) True B) False C) - D) -	1 M
10) What is the output of the following expression?9%2	
○ A) 4○ B) 4.5○ C) 1○ D) 2	1 M
 11) 1. What is the full form of SQL? A) Structured Query List B) Structured Query Language C) Sample Query Language D) None of these 	1 M
12) which command is used to create database test	1 M

	 A) create test B) create db test C) create database test D) create table test 	
1	3) command used to delete table A) drop table tablename B) drop tablename C) delete table tablename D) remove tablename	1 M
1	4) command used to see all tables in database A) view table B) show table C) view tables D) show tables	1 M
1	5) what is default format of date datatype in sql A) dd-mm-yy B) yy-mm-dd C) yyyy-mm-dd D) dd-mm-yyyy	1 M
1	6) What command is used to create a new table in SQL? (A) CREATE table (B) BUILD table (C) GENERATE table (D) None of these	1 M
1	7) What does the following statement in SQL do? DROP TABLE student; (a) A) Deletes a table called student (b) Creates a table called student (c) C) Check if there is a table called student (d) D) None of the above	1 M
1	8) In order to sort the records according to the columns, which clause is used? A) HAVING B) GROUP BY C) ORDER BY D) None of the above	1 M

19) The query given below will not give an error. Which one of the following has to replaced to get the desired output? SELECT ID, name, dept name, salary * 1.1	be
WHERE instructor;	
 A) Salary*1.1 B) ID C) Where D) Instructor 	М
20) The clause is used to list the attributes desired in the result of a	
query. A) Where B) Select C) From D) Distinct	1 M
 21) The wildcard in a WHERE clause is useful when? A) An exact match is necessary in a SELECT statement B) An exact match is not possible in a SELECT statement C) An exact match is necessary in a CREATE statement D) An exact match is not possible in a CREATE statement 	1М
 22) Which of the following is not included in DML (Data Manipulation Language)? A) Insert B) Update C) Delete D) Alter 	1 M
23) Which keyword in the UPDATE statement is used to assign values to columns? A) ASSIGN B) SET C) MARK D) GET	1 M
 24) Which key declares that an index in one table is related to that in another? A) primary B) secondary C) foreign D) cross 	1 М

25) What does AVG() function returns?

 A) First value of the column B) Last value of the column C) Sum of rows of the table D) Average value of the column 	1 M
26) What does COUNT() function returns? A) Average value B) Largest value C) Smallest value D) Number of rows	1 M
27) The SQL statement: SELECT Name, COUNT(*) FROM NAME_TABLE; counts the number of name rows and displays this total in a table with a single row and a single column. O(A) True O(B) False C(C) - O(D) -	0 М
28) 'COUNT' keyword belongs to which categories in Mysql? A) Aggregate functions B) Operators C) Clauses D) All of the mentioned	1 M
29) What will be output of following code SELECT SUBSTR("QWERTY",2,4)	
□ A) WER□ B) WERT□ C) WERTY□ D) ERTY	0 M
30) clause is used to join tables where the column names don't match in both tables A) USING B) ON C) CLUB D) IS	1 M
31) Which join returns all records from the right table and the matching records from the left table \bigcirc A) Left Join	∍ 1M

B) Right JoinC) Full Outer JoinD) All of the above	
 32) is a join of every row of one table to every row of another table A) FULL JOIN B) INNER JOIN C) CROSS JOIN D) SELF JOIN 	1 M
33) Relation R1 has 10 tuples and 5 attributes. Relation R2 has 0 tuples and 7 attributes. When a CROSS JOIN is achieved between R1 and R2, how many tuples would the resultant set have? A) 28 B) 10 C) 0 D) 35	1 M
34) Which join is to be used between two tables A and B when the resultant table needs rows from A and B that matches the condition and rows from A that does match the condition? (a) A) Outer Join (b) Cross Join (c) Inner Join (d) D) None of the above	
 35) In inner join, result is produced by matching rows in one table with rows in another table. A) True B) False C) - D) - 	1 M
 36) The facility that allows nesting one select statement into another is called A) nesting B) binding C) subquery D) encapsulation 	1 M
 37) Advantage of SQL stored procedure A) Maintainability B) Re-use of code C) Security 	1 M

	`	
_	\sim 1	All
	1) 1	
	-	~II

 38) Which statement(S) is/are incorrect A) Stored procedure may return a value and function must return a value. B) Function has only IN parameter. C) Try and Catch can be used with both stored procedure and function. D) Stored procedure has IN and OUT parameter. 	0 M
 39) which keywords are used to indicate start and end of the stored procedure. A) start,end B) initial,final C) begin,end D) begin, final 	1 M
 40) The statement is used after the cursor has been declared. A) Open B) Close C) Begin D) End 	1 M
 41) Which of the following type of cursor supported by Mysql? A) Explicit B) Implicit C) Both A and B D) None of the Above 	1 M
 42) Which of the following keyword is used to end a cursor? A) end B) terminate C) final D) close 	1 M
 43) For which of the following are triggers not supported? A) delete B) update C) insert D) views 	1 M
44) What is abc in the following MySQL statement? CREATE TRIGGER abc () () ON def FOR EACH ROW ghi;	

A) trigger name

1 M

B) table nameC) trigger statementD) update statement	
 45) Which of the following specifies when the trigger will be executed? A) BEFORE B) AFTER C) INSTEAD OF D) All of the above 	1 M
46) Which of the following syntax is used to create a view in Mysql?	
 A) create view view_name select statement. B) create view view_name as select statement. C) create view_name view as select statement. D) create view viewname. 	1 M
Consider the following view:	
Create view dept as select empid,name,post from company. Relation or table company has the following attributes: empid,name,post,city,salary.	
For the query "insert into dept(empid,name,post)values(112,'Harry','Admin');" What are values of the attributes city and salary in the relation(table) company.	the
a. A) NOT NULL B) NULL C) 0 D) Error statement	1 M
48) Which one is not the Clause in SELECT statement? A) WHERE B) ORDER BY C) HAVE D) HAVING	1 M
49) Which statement is TRUE about the ORDER BY Clause?	

SQL Final Assessment

A) In order to return the rows in a specific order, ORDER BY Clause is used.B) In order to group the rows, ORDER BY Clause is used.	1 M
C) In order to select the defined groups, ORDER BY Clause is used.	
○ D) None of the above	
50) The clause is used to list the attributes desired in the result of a	
query.	
○ A) Where	1 M
○ C) From	
○ D) Distinct	

11/19/24, 3:23 PM