

Python from Scratch

Python Lambda

Lesson 18

- **Python Lambda**
- **Syntax**
- **Why Use Lambda Functions?**
- **Python - Lambda Exercises**

Python Lambda

A lambda function is a small anonymous function.

A lambda function can take any number of arguments, but can only have one expression.

Syntax

`lambda arguments : expression`

The expression is executed and the result is returned:

Example



Add 10 to argument **a**, and return the result:

```
x = lambda a : a + 10
print(x(5))
```

Lambda functions can take any number of arguments:

Example



Multiply argument **a** with argument **b** and return the result:

```
x = lambda a, b : a * b
print(x(5, 6))
```

Example

Summarize argument **a**, **b**, and **c** and return the result:

```
x = lambda a, b, c : a + b + c
print(x(5, 6, 2))
```

Why Use Lambda Functions?

The power of lambda is better shown when you use them as an anonymous function inside another function.

Say you have a function definition that takes one argument, and that argument will be multiplied with an unknown number:

```
def myfunc(n):  
    return lambda a : a * n
```

Use that function definition to make a function that always doubles the number you send in:

Example



```
def myfunc(n):  
    return lambda a : a * n  
  
mydoubler = myfunc(2)  
  
print(mydoubler(11))
```

Or, use the same function definition to make a function that always *triples* the number you send in:

Example

```
def myfunc(n):  
    return lambda a : a * n  
  
mytripler = myfunc(3)  
  
print(mytripler(11))
```

Or, use the same function definition to make both functions, in the same program:

Example

```
def myfunc(n):  
    return lambda a : a * n  
  
mydoubler = myfunc(2)  
mytripler = myfunc(3)  
  
print(mydoubler(11))  
print(mytripler(11))
```

Use lambda functions when an anonymous function is required for a short period of time.

Test Yourself With Exercises

Exercise:



Create a lambda function that takes one parameter (**a**) and returns it.

x =