Record - Week 01

Topic: HTML5 and CSS3

Name: K. Sushanth Sai Krishna Roll No: A24126552152 Date: _____

Aim

To design a responsive ExpenseWise landing page and expense-entry form using semantic HTML5, CSS3 and Flexbox.

Software Requirements

Google Chrome / Microsoft Edge, VS Code, Live Server extension

Procedure

1. Create index.html with a header, navigation, a row of feature cards and the Add Expense form.
2. Create contact.html with a subject and message form.
3. Create style.css with CSS variables, a Flexbox header and a Flexbox card row.
4. Link the stylesheet in both pages and open them in the browser.
5. Test the validation by submitting an empty form and a negative amount.

Program

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Week 01 - HTML5 &amp;amp; CSS3</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <header class="site-header">
    <h1>ExpenseWise</h1>
    <nav>
      <a href="index.html">Home</a>
      <a href="contact.html">Contact</a>
    </nav>
  </header>

  <main>
    <section class="card-row">
      <article class="card"><h2>Track</h2><p>Record every expense the moment it happens.</p></article>
      <article class="card"><h2>Categorise</h2><p>Group spending into Food, Travel, Bills and more.</p></article>
      <article class="card"><h2>Review</h2><p>See where your money goes each month.</p></article>
    </section>

    <section>
      <h2>Add Expense</h2>
      <form action="#" method="post">
        <label for="title">Title</label>
        <input type="text" id="title" name="title" required maxlength="80">

        <label for="amount">Amount (INR)</label>
        <input type="number" id="amount" name="amount" min="1" step="0.01" required>

        <label for="category">Category</label>
        <select id="category" name="category">
          <option>Food</option>
          <option>Travel</option>
          <option>Bills</option>
          <option>Shopping</option>
        </select>

        <label for="date">Date</label>
        <input type="date" id="date" name="date" required>

        <button type="submit">Save Expense</button>
      </form>
    </section>
  </main>

  <footer><p>&copy; 2026 ExpenseWise</p></footer>
</body>
</html>
```

contact.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Contact</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <header class="site-header">
    <h1>Contact Us</h1>
    <nav><a href="index.html">Home</a></nav>
  </header>
  <main>
    <form action="#" method="post">
      <label for="subject">Subject</label>
      <input type="text" id="subject" required>

      <label for="msg">Message</label>
      <textarea id="msg" rows="5" required></textarea>

      <button type="submit">Send</button>
    </form>
  </main>
</body>
</html>
```

style.css

```
:root {
  --brand: #0f766e;
  --brand-dark: #115e59;
  --bg: #f4f7f6;
  --text: #1f2933;
}

* { box-sizing: border-box; }

body {
  margin: 0;
  font-family: "Segoe UI", Arial, sans-serif;
  background: var(--bg);
  color: var(--text);
}

/* Flexbox header */
.site-header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 1rem 2rem;
  background: var(--brand);
  color: #fff;
}
.site-header nav a { color: #fff; margin-left: 1rem; text-decoration: none; }
.site-header nav a:hover { text-decoration: underline; }

main { max-width: 900px; margin: 0 auto; padding: 1.5rem; }

/* Flexbox card row */
.card-row { display: flex; gap: 1rem; flex-wrap: wrap; }
.card {
  flex: 1 1 220px;
  background: #fff;
  padding: 1rem 1.25rem;
  border-radius: 8px;
  border-top: 4px solid var(--brand);
  box-shadow: 0 1px 4px rgba(0, 0, 0, 0.12);
}

/* Form */
form { display: grid; gap: 0.5rem; max-width: 420px; }
input, select, textarea { padding: 0.5rem; border: 1px solid #b6c2c0; border-radius: 4px; font: inherit; }
button { padding: 0.6rem; background: var(--brand); color: #fff; border: 0; border-radius: 4px; cursor: pointer; }
button:hover { background: var(--brand-dark); }

footer { text-align: center; padding: 1rem; color: #52606d; }
```

Output



Fig: program1 form output



Fig: program2 flexbox output

Result

The program was executed successfully and the expected output was obtained.