

COMPANY PRODUCT







Documentation "How to use File"

Script Name : Codelgniter Insert Data into Database

Author Name : FormGet.com


Support Email: formgetapp@gmail.com

Demo URL: http://www.formget.com/insert-data-into-database-using-codeigniter/

Install local server- Wamp

(You can also use other local server softwares too like Xampp, EasyPHP etc., here we have explained steps for wamp)

- 1. Download Wamp from http://www.wampserver.com/en/
- 2. Run .exe file to install Wamp on your PC.
- 3. Once your Wamp will be installed, you can run Wamp via http://localhost/
- 4. You will see a screen like this. Its means your Wamp is working properly.



Or if you find any error, you can search for the solution in the web.

Files used in script

1. CSS Folder: You can find the style-sheet in this folder

2. JS Folder: You can find the JavaScript in folder

3. Images: You can find all images in this folder

4. .php file :You can find all php files in root folder

How to Execute Files

(It comprises of two steps: 1. Import Database 2. Run the script.)

- 1. It's simple to run your project.
- 2. Extract your project folder at:

If using Wamp : C:\wamp\www\projectFolder.

• If using Xampp : C:\xampp\htdocs\projectFolder.

3. Start Wamp server and open http://localhost/projectFolder on your browser.

1. Import DataBase

(Note: If you get any .sql file in the downloaded zip folder then only follow the process that is mentioned below, otherwise switch to next step)

1. Click on **PhpMyadmin** (http://localhost/phpmyadmin/) to access database.

2. Import .sql file in your database. Click on the Import option present in the toolbar and choose the file from the PC and click on ok.



- 3. Once it's successful get uploaded, you will get a success message.
- 4. You can also view the database file listed in the left side of the panel which means that you are done with this step. :)

2. Run the script

- **For PHP Scripts:** (*Note*: Only follow this step if download file contains connection.php file)
 - 1. Check that you have a proper connection maintain in database file.
 - 2. You can find connection.php file on "config" folder/directory.
 - 3. Open connection.php file and put your database credentials init.

```
<?php

$servername = "localhost";

$username = "root";

$password = "";

$dbname = "Db_File_One";

?>
```

- For Codelgniter Scripts: (Note: Only follow step 1-3 if script requires database connectivity, or you have .sql file in the download code)
 - 1. Check that you have a proper connection maintain in database file.
 - You can find database.php file at wamp\www\ci_demo\application\config\database.php.
 - 3. Change the credentials according to you.

```
$db['default']['hostname'] = 'localhost';
$db['default']['username'] = 'root';
$db['default']['password'] = '';
$db['default']['database'] = '';
$db['default']['dbdriver'] = 'mysql';
```

4. htaccess file: (optional)

This file is required if you want to remove index.php from url.

5. Project Path Setup: (optional)

For running Codelgniter application, you need to setup the right base URL of the app.

We have already wrote the base URL, but if you need to change it then, open up

C:/wamp/www/Codelgniter/application/config/config.php and edit the base url array item to point to your server and Codelgniter folder.

//you can find this at line number 17

```
$config['base_url'] = "http://localhost/projectFolder/";
```

- 6. Now open the browser and open the local server (http://localhost/).
- 7. Append your folder/directory name at the end of the link. eg. http://localhost/projectFolder

In case you still find any problem, you can ask your query at www.formget.com.

Thanks & Regards
FormGet Team
http://www.formget.com