

## QUICK LEATHERS CATALOGUE



.... *Reliability, Innovation, Quality*



VBL Leather Name	VBL CODE	CHARACTERISTICS					
		GRAIN		FEEL/TOUCH		LOOK	
ADAMARIS	NAM - (01-80)	Natural Fine Grain Softy Nappa		Natural Waxy Touch		Medium Shine	
AS ON LEATHER	TEST		DRY RUB		WET RUB		
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4	5	3	
AS ON STRAP	TEST		DRY RUB		WET RUB		Strap Flex (Cycles) UV Test (72 Hours) Grey Scale ± 3
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	3/4	5	2/3	

**NOTE:** The Results are indicative, tested under normal testing conditions and may vary in different constructions.



ADAMARIS



COLOURWAYS




NAM-01




NAM-02



NAM-03



NAM-04



NAM-05



NAM-06



NAM-07



NAM-08



NAM-09




NAM-10



NAM-11



NAM-12



NAM-13



NAM-14




NAM-15



NAM-16



NAM-17



NAM-18



NAM-19



NAM-20



NAM-21



NAM-22



NAM-23



NAM-24



NAM-25



NAM-26



NAM-27



NAM-28



NAM-29



NAM-30



NAM-31



NAM-32



NAM-33



NAM-34



NAM-35



NAM-36



NAM-37



NAM-38



NAM-39



NAM-40



## COLOURWAYS



NAM-41



NAM-42



NAM-43



NAM-44




NAM-45




NAM-46




NAM-47



NAM-48



NAM-49



NAM-50



NAM-51



NAM-52



NAM-53



NAM-54



NAM-55



NAM-56



NAM-57



NAM-58



NAM-59




NAM-60



NAM-61



NAM-62




NAM-63



NAM-64



NAM-65



NAM-66




NAM-67




NAM-68



NAM-69



NAM-70



NAM-71



NAM-72



NAM-73



NAM-74




NAM-75



NAM-76




NAM-77



NAM-78



NAM-79



NAM-80



VBL Leather Name	VBL CODE	CHARACTERISTICS					
		GRAIN		FEEL/TOUCH		LOOK	
ARAMINTA	52M - (01-96)	Natural Grainy Nappa		Natural Grainy Touch		Matt	
AS ON LEATHER	TEST		DRY RUB		WET RUB		
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4/5	5	4	
AS ON STRAP	TEST		DRY RUB		WET RUB		Strop Flex (Cycles) U.V Test (72 Hours) Grey Scale 1-3
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4	5	3/4	

**NOTE:** The Results are indicative, tested under normal testing conditions and may vary in different constructions.



ARAMINTA



COLOURWAYS



SEM-01




SEM-02



SEM-03



SEM-04



SEM-05



SEM-06



SEM-07



SEM-08



SEM-09




SEM-10



SEM-11




SEM-12



SEM-13



SEM-14



SEM-15



SEM-16



SEM-17



SEM-18



SEM-19



SEM-20



SEM-21



SEM-22




SEM-23



SEM-24



SEM-25



SEM-26




SEM-27



SEM-28



SEM-29



SEM-30



SEM-31



SEM-32



SEM-33



SEM-34



SEM-35




SEM-36



SEM-37



SEM-38



SEM-39



SEM-40



COLOURWAYS



SEM-41



SEM-42



SEM-43



SEM-44




SEM-45



SEM-46




SEM-47



SEM-48



SEM-49



SEM-50




SEM-51




SEM-52




SEM-53



SEM-54



SEM-55



SEM-56

VBL Leather Name	VBL CODE	CHARACTERISTICS					
		GRAIN		FEEL/TOUCH		LOOK	
<b>SLYTHE</b>	<b>JOM - (OF-45)</b>	Natural Fine Grain Softy Nappa		Smooth Natural Touch		Mod Shine	
<b>AS ON LEATHER</b>	TEST		DRY RUB		WET RUB		
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4/5	4	2	
<b>AS ON STRAP</b>	TEST		DRY RUB		WET RUB		Strap Flex (Cycles)
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4	3/4	1/2	
							UV Test (72 Hours) Grey Scale 1-3
							Pass





































**NOTE:** The Results are indicative, tested under normal testing conditions and may vary in different constructions.



BLYTHE



COLOURWAYS

				
JOM-01	JOM-02	JOM-03	JOM-04	JOM-05
				
JOM-06	JOM-07	JOM-08	JOM-09	JOM-10
				
JOM-11	JOM-12	JOM-13	JOM-14	JOM-15
				
JOM-16	JOM-17	JOM-18	JOM-19	JOM-20
				
JOM-21	JOM-22	JOM-23	JOM-24	JOM-25
				
JOM-26	JOM-27	JOM-28	JOM-29	JOM-30
				
JOM-31	JOM-32	JOM-33	JOM-34	JOM-35
				
JOM-36	JOM-37	JOM-38	JOM-39	JOM-40
				
JOM-41	JOM-42	JOM-43	JOM-44	JOM-45



VBL Leather Name	VBL CODE	CHARACTERISTICS					
		GRAIN		FEEL/TOUCH		LOOK	
KATLU	AMD - (01-60)	Big Grain		Natural Grainy Touch		Matt	
AS ON LEATHER	TEST		DRY RUB		WET RUB		
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	5	5	4	
AS ON STRAP	TEST		DRY RUB		WET RUB		Strap Flex (Cycles) U.V Test (72 Hours) Grey Scale 1-3
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4	5	3/4	


**NOTE:** The Results are indicative, tested under normal testing conditions and may vary in different constructions.



KATLU



COLOURWAYS



ADM-01




ADM-02




ADM-03



ADM-04



ADM-05



ADM-06



ADM-07



ADM-08




ADM-09




ADM-10



ADM-11




ADM-12



ADM-13



ADM-14



ADM-15



ADM-16



ADM-17



ADM-18



ADM-19



ADM-20



ADM-21



ADM-22



ADM-23



ADM-24




ADM-25




ADM-26



ADM-27



ADM-28



ADM-29



ADM-30



ADM-31



ADM-32



ADM-33



ADM-34



ADM-35



ADM-36



ADM-37



ADM-38



ADM-39



ADM-40



## COLOURWAYS



ADM-41




ADM-42



ADM-43




ADM-44



ADM-45



ADM-46



ADM-47



ADM-48




ADM-49




ADM-50



ADM-51



ADM-52



ADM-53



ADM-54




ADM-55



ADM-56




ADM-57



ADM-58



ADM-59



ADM-60



VBL Leather Name	VBL CODE	CHARACTERISTICS					
		GRAIN		FEEL/TOUCH		LOOK	
<b>SOUMY</b>	<b>NLF - (01-12)</b>	Natural Milled Grain Nappe		Silky Touch		Mod Shine	
<b>AS ON LEATHER</b>	TEST		DRY RUB		WET RUB		
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4/5	5	3	
<b>AS ON STRAP</b>	TEST		DRY RUB		WET RUB		Strap Flex (Cycles) UV Test (72 Hours) Grey Scale 1-3
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4	5	2/3	

**NOTE:** The Results are indicative, tested under normal testing conditions and may vary in different constructions.



SOUMY



COLOURWAYS



NLF-01



NLF-02



NLF-03



NLF-04



NLF-05



NLF-06



NLF-07




NLF-08



NLF-09



NLF-10



NLF-11



NLF-12



VBL Leather Name	VBL CODE	CHARACTERISTICS					
		GRAIN		FEEL/TOUCH		LOOK	
TAHITI	FLD - (01-10)	Small Grainy Nappe		Natural Grainy Touch		Matt	
AS ON LEATHER	TEST		DRY RUB		WET RUB		
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4/5	4/5	3/4	
AS ON STRAP	TEST		DRY RUB		WET RUB		Strap Flex (Cycles) U.V Test (72 Hours) Grey Scale ± 3
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4	4	3	


**NOTE:** The Results are indicative, tested under normal testing conditions and may vary in different constructions.



TAHITI



COLOURWAYS



FLD-01



FLD-02



FLD-03



FLD-04



FLD-05



FLD-06



FLD-07



FLD-08



FLD-09



FLD-10



FLD-11



FLD-12



FLD-13



FLD-14



FLD-15



FLD-16



FLD-17



FLD-18



FLD-19



FLD-20



FLD-21



FLD-22



FLD-23




FLD-24




FLD-25




FLD-26



FLD-27



FLD-28



FLD-29



FLD-30



FLD-31



FLD-32



FLD-33




FLD-34



FLD-35



FLD-36



FLD-37



FLD-38



FLD-39



FLD-40



## COLOURWAYS



FLD-41



FLD-42



FLD-43



FLD-44



FLD-45



FLD-46



FLD-47



FLD-48



FLD-49




FLD-50



FLD-51



FLD-52



FLD-53



FLD-54



FLD-55



FLD-56




FLD-57



FLD-58



FLD-59



FLD-60



FLD-61



FLD-62



FLD-63



FLD-64




FLD-65




FLD-66




FLD-67



FLD-68



FLD-69




FLD-70




FLD-71




FLD-72



FLD-73



FLD-74



FLD-75



FLD-76



FLD-77



FLD-78




FLD-79



FLD-80



COLOURWAYS



FLD-81




FLD-82



FLD-83



FLD-84



FLD-85



FLD-86



FLD-87




FLD-88



FLD-89



FLD-90



FLD-91



FLD-92




FLD-93




FLD-94




FLD-95



FLD-96




FLD-97



FLD-98



FLD-99



FLD-100



FLD-101



FLD-102



FLD-103



FLD-104



FLD-105



FLD-106




FLD-107



FLD-108



FLD-109



FLD-110



VBL Leather Name	VBL CODE	CHARACTERISTICS					
		GRAIN		FEEL/TOUCH		LOOK	
UNO	ALD - (DR-38)	Milled Grain Soft Nappe		Natural Grainy Touch		Matt	
AS ON LEATHER	TEST		DRY RUB		WET RUB		
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4	5	4	
AS ON STRAP	TEST		DRY RUB		WET RUB		Strop Flex (Cycles) U.V Test (72 Hours) Grey Scale 1-3
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	3/4	5	3/4	


**NOTE:** The Results are indicative, tested under normal testing conditions and may vary in different constructions.



UNO



COLOURWAYS



A1D-01



A1D-02



A1D-03



A1D-04



A1D-05



A1D-06



A1D-07



A1D-08



A1D-09



A1D-10



A1D-11



A1D-12



A1D-13



A1D-14



A1D-15



A1D-16



A1D-17



A1D-18



A1D-19



A1D-20



A1D-21



A1D-22



A1D-23



A1D-24




A1D-25




A1D-26




A1D-27



A1D-28



A1D-29



A1D-30



A1D-31



VBL Leather Name	VBL CODE	CHARACTERISTICS					
		GRAIN		FEEL/TOUCH		LOOK	
VINTAGE	VID - (01-13)	Natural Grain		Smooth Waxy Touch		Med Matt	
AS ON LEATHER	TEST		DRY RUB		WET RUB		
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		4/5	3	4	1	
AS ON STRAP	TEST		DRY RUB		WET RUB		Strop Flex (Cycles) U.V Test (72 Hours) Grey Scale 1-3
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		4	2/3	3/4	1	

**NOTE:** The Results are indicative, tested under normal testing conditions and may vary in different constructions.



VINTAGE



COLOURWAYS



VID-01



VID-02



VID-03



VID-04



VID-05



VID-06



VID-07



VID-08



VID-09




VID-10



VID-11



VID-12



VID-13



VBL Leather Name	VBL CODE	CHARACTERISTICS					
		GRAIN		FEEL/TOUCH		LOOK	
NABUK 3M	N3D - (08-07)	Tumbled Grain		Nubuck		Matt	
AS ON LEATHER	TEST		DRY RUB		WET RUB		
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	4	4/5	2	
AS ON STRAP	TEST		DRY RUB		WET RUB		Strop Flex (Cycles) U.V Test (72 Hours) Grey Scale 1-3
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		4/5	3/4	4	1/2	


**NOTE:** The Results are indicative, tested under normal testing conditions and may vary in different constructions.



NABUK 3M



COLOURWAYS



N3D-01



N3D-02



N3D-03



N3D-04



N3D-05



N3D-06



N3D-07



VBL Leather Name	VBL CODE	CHARACTERISTICS					
		GRAIN		FEEL/TOUCH		LOOK	
CLARISSA	ACD - (01-07)	Natural Grain		Smooth Waxy Touch		Mod Shine	
AS ON LEATHER	TEST		DRY RUB		WET RUB		
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		5	3	4/5	2/3	
AS ON STRAP	TEST		DRY RUB		WET RUB		Strap Flex (Cycles)
	TESTING STANDARD		10 Cycles	150 Cycles	10 Cycles	150 Cycles	
	RESULT IN GREY SCALE		4/5	2/3	4	2	
						2000	UV Test (72 Hours) Grey Scale 1-3

**NOTE:** The Results are indicative, tested under normal testing conditions and may vary in different constructions.



CLARISSA




COLOURWAYS



ACD-01



ACD-02




ACD-03



ACD-04



ACD-05



ACD-06



ACD-07



