28/30

Question 1 1
What is Node.js?
O A web browser
O A web development framework
O A runtime environment for JavaScript
O A database management system
Question 2
Which programming language is used in Node.js?
○ Java
OPython
JavaScript
ORuby
Question 3
Which module is used to create a server in Node.js?
http
○fs
Opath
Ourl

about:blank 7/16

Question 4	1
Which command is used to install Node.js modules?	
npm install	
Onpm create	
Onpm add	
Onpm build	
Question 5	1
Which method is used to read data from a file in Node.js?	
Ofs.read()	
Ofs.open()	
Ofs.write()	
• fs.readFile()	
Question 6	1
What is the purpose of the Node.js event loop?	
○ To execute JavaScript code asynchronously	
O To handle server requests and responses	
○ To manage the flow of events and callbacks	
● To handle file I/O operations	
Question 7	1

8/16 about:blank

Which module is used to work with the file system in Node.js?

Ohttp ofs Opath Ourl Question 8 What is npm in Node.js? A package manager O A web server O A programming language O A database Question 9 Which module is used to work with path in Node.js? Ohttp \bigcirc fs o path Ourl Question 10

about:blank 9/16

Which command is used to start a Node.js server?

Question 13

o node server.js	
O start server.js	
Orun server.js	
O startNode server.js	
Question 11	1
What is the purpose of the 'require' function in Node.js?	
○ To create a new server instance	
○ To define a new route	
○ To execute a function asynchronously	
To import modules	
Question 12	1
Which method is used to start listening for incoming requests on a Node.js server?	
Orun()	
Ostart()	
Oconnect()	
listen()	

about:blank 10/16

What is the purpose of the 'Buffer' class in Node.js?

○ To manage Node.js packages	
○ To create a new server instance	
○ To define a new route	
To store binary data	
Question 14	1
Which module is used to work with query strings in Node.js?	
○fs	
Ohttp	
● url	
Opath	
Question 15	1
What is the purpose of the 'async' module in Node.js?	
To create asynchronous functions	
○ To define a new route	
○ To manage Node.js packages	
○ To create a new server instance	
Question 16	1

about:blank 11/16

What is the purpose of the 'process' object in Node.js?

○ To define a new route
O To create a new server instance
O To manage Node.js packages
To access command-line arguments
Question 17
is an interactive shell that processes Node.
● REPL
OREAL
ORESP
ONone
Question 18
What is the full form of REPL?
© REPL-Read Eval Print Loop
OREAL-Research Eval Program Learn
ORESP-Read Earn Point Loop
ONone
Question 19

about:blank 12/16

How can we install the node body-parser module?

npm install body-parser	
Onde install body-parser	
O node.js body-parser	
Onone	
Question 20	1
Which of the following are examples of node modules?	
○ Express	
O Body-parser	
○ Socket.io	
All the above	
Question 21	1
How can we expose node modules?	
○ exports	
Oexpose	
Orequires	
None of the above	
Question 22	1

about:blank 13/16

What method is used to return the current working directory of the process?

● cwd()
Opwd()
○ cmd()
O None of the above
Question 23
Default scope in Node.js application is?
O Local to Object
○ Global
local
O None of the above
Question 24
How many node objects methods are available?
O21
● 18
O19
○20

about:blank 14/16

1

Question 25

We can kill a process in Node.js using the keyboard shortcut? OCtrl+C OCtrl+B OCtrl+K O None Question 26 How can we initiate a NodeJS file called Hello in Node? O Hello.js onode Hello.j OjavaScript Hello.js Onode Hello Question 27 The node object property which is used to return the node just before the current node is? localName

○index

OpreviousSibling

○ None

Question 28

about:blank 15/16

The advantages of using node modules are?
O Provides a means of dividing up task
O Provides a mean of reuse of program code
O Provides a mean of testing individual parts of a program
O All the above
Question 29
Which of the following are built-in node modules?
○zlib
Ohttps
Odgram
All the above
Question 30
Which of the following operations can we do with the NodeJS events module?
○ Create
O Listen for
○ Fire
• All the above

about:blank 16/16