

Supermarket E-commerce Website & Local Event Management Website - HTML/CSS/Bootstrap Code

Part 1 — Supermarket E-commerce Website

css/style.css

```
body {
  font-family: Arial, sans-serif;
  background-color: #f8f9fa;
}
.navbar-brand img {
  height: 40px;
}
footer {
  background: #343a40;
  color: white;
  text-align: center;
  padding: 10px;
}
.card img {
  height: 200px;
  object-fit: cover;
}
```

index.html (Home Page)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Supermarket - Home</title>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
  <link rel="stylesheet" href="css/style.css">
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <div class="container">
      <a class="navbar-brand" href="index.html"> Supermarket</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNav">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarNav">
```

```

        <ul class="navbar-nav ms-auto">
            <li class="nav-item"><a class="nav-link"
href="index.html">Home</a></li>
            <li class="nav-item"><a class="nav-link"
href="products.html">Products</a></li>
            <li class="nav-item"><a class="nav-link"
href="register.html">Register</a></li>
            <li class="nav-item"><a class="nav-link"
href="login.html">Login</a></li>
            <li class="nav-item"><a class="nav-link"
href="contact.html">Contact</a></li>
        </ul>
    </div>
</div>
</nav>

<div id="carouselExample" class="carousel slide" data-bs-ride="carousel">
    <div class="carousel-inner">
        <div class="carousel-item active"></div>
        <div class="carousel-item"></div>
        <div class="carousel-item"></div>
    </div>
</div>

<div class="container my-5">
    <h2 class="mb-4">Featured Products</h2>
    <div class="row g-4">
        <div class="col-md-3">
            <div class="card">
                
                <div class="card-body">
                    <h5 class="card-title">Product 1</h5>
                    <p class="card-text">$10</p>
                </div>
            </div>
        </div>
    </div>
</div>

<footer>© 2025 Supermarket</footer>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.
js"></script>
</body>
</html>

```

products.html (Page 1)

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Products</title>

    <link rel="stylesheet" href="css/style.css">

    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

</head>

<body>

    <nav class="navbar navbar-expand-lg navbar-light bg-light">

        <div class="container-fluid">

            <a class="navbar-brand" href="index.html">Supermarket</a>

            <button      class="navbar-toggler"      type="button"      data-bs-
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">

                <span class="navbar-toggler-icon"></span>

            </button>

            <div class="collapse navbar-collapse" id="navbarNav">

                <ul class="navbar-nav ms-auto">

                    <li      class="nav-item"><a      class="nav-link"
href="index.html">Home</a></li>

                    <li      class="nav-item"><a      class="nav-link      active"
href="products.html">Products</a></li>

                    <li      class="nav-item"><a      class="nav-link"
href="register.html">Register</a></li>

                    <li      class="nav-item"><a      class="nav-link"
href="login.html">Login</a></li>

                    <li      class="nav-item"><a      class="nav-link"
href="contact.html">Contact</a></li>

                </ul>

            </div>

        </div>

    </nav>


```

```

        </ul>

    </div>

</div>

</nav>

<main class="container my-5">

    <h2 class="text-center mb-4">All Products</h2>

    <div class="row row-cols-1 row-cols-md-4 g-4">

        <div class="col">

            <div class="card h-100">

                

                    <h5 class="card-title">Product 4</h5>

                    <p class="card-text">Short description of Product

4.</p>

                    <a href="#" class="btn btn-primary">Add to Cart</a>

                </div>

            </div>

        </div>

        <div class="col">

            <div class="card h-100">

                

                    <h5 class="card-title">Product 5</h5>

                    <p class="card-text">Short description of Product

5.</p>

                    <a href="#" class="btn btn-primary">Add to Cart</a>

                </div>

            </div>

        </div>

    </div>

```

```

        </div>

</main>

<nav aria-label="Product Page navigation" class="mb-5">
    <ul class="pagination justify-content-center">
        <li class="page-item active"><a class="page-link"
href="products.html">1</a></li>

        <li class="page-item"><a class="page-link" href="products-
page2.html">2</a></li>

        <li class="page-item"><a class="page-link" href="products-
page3.html">3</a></li>

    </ul>

</nav>

<footer class="bg-dark text-white text-center py-3">
    <div class="container">

        <p>&copy; 2024 Supermarket. All rights reserved.</p>

    </div>

</footer>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.
js"></script>

</body>

</html>

```

register.html

```

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Register</title>

```

```

    <link rel="stylesheet" href="css/style.css">

    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

</head>

<body>

    <nav class="navbar navbar-expand-lg navbar-light bg-light">

        <div class="container-fluid">

            <a class="navbar-brand" href="index.html">Supermarket</a>

            <button      class="navbar-toggler"      type="button"      data-bs-
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">

                <span class="navbar-toggler-icon"></span>

            </button>

            <div class="collapse navbar-collapse" id="navbarNav">

                <ul class="navbar-nav ms-auto">

                    <li      class="nav-item"><a      class="nav-link"
href="index.html">Home</a></li>

                    <li      class="nav-item"><a      class="nav-link"
href="products.html">Products</a></li>

                    <li      class="nav-item"><a      class="nav-link  active"
href="register.html">Register</a></li>

                    <li      class="nav-item"><a      class="nav-link"
href="login.html">Login</a></li>

                    <li      class="nav-item"><a      class="nav-link"
href="contact.html">Contact</a></li>

                </ul>

            </div>

        </div>

    </nav>

    <main class="container my-5">

        <div class="row justify-content-center">

```

```

<div class="col-md-6">

    <div class="card">

        <div class="card-header text-center">

            <h2>Register</h2>

        </div>

        <div class="card-body">

            <form>

                <div class="mb-3">

                    <label                for="name"                class="form-
label">Name</label>

                    <input                type="text"                class="form-control"
id="name" required>

                </div>

                <div class="mb-3">

                    <label    for="email"    class="form-label">Email
address</label>

                    <input                type="email"                class="form-control"
id="email" required>

                </div>

                <div class="mb-3">

                    <label                for="password"                class="form-
label">Password</label>

                    <input                type="password"                class="form-control"
id="password"                required                pattern="(?=.*\d) (?=.*[a-z]) (?=.*[A-Z]).{8,}"
title="Must contain at least one number and one uppercase and lowercase letter,
and at least 8 or more characters">

                </div>

                <div class="mb-3">

                    <label    for="confirm-password"                class="form-
label">Confirm Password</label>

                    <input                type="password"                class="form-control"
id="confirm-password" required>

                </div>

                <div class="mb-3">

```

```

        <label        for="address"        class="form-
label">Address</label>

        <textarea    class="form-control"    id="address"
rows="3"></textarea>

        </div>

        <button    type="submit"    class="btn    btn-primary    w-
100">Submit</button>

        </form>

    </div>

</div>

</div>

</main>

<footer class="bg-dark text-white text-center py-3 mt-5">
    <div class="container">
        <p>&copy; 2024 Supermarket. All rights reserved.</p>
    </div>
</footer>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.
js"></script>

</body>

</html>

```

login.html

```

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Login</title>

```



```
<link rel="stylesheet" href="css/style.css">

<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

</head>

<body>

<nav class="navbar navbar-expand-lg navbar-light bg-light">

<div class="container-fluid">

<a class="navbar-brand" href="index.html">Supermarket</a>

<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-
label="Toggle navigation">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarNav">

<ul class="navbar-nav ms-auto">

<li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>

<li class="nav-item"><a class="nav-link" href="products.html">Products</a></li>

<li class="nav-item"><a class="nav-link" href="register.html">Register</a></li>

<li class="nav-item"><a class="nav-link" href="login.html">Login</a></li>

<li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>

</ul>

</div>

</div>

</nav>

<main class="container my-5">

<div class="row justify-content-center">

<div class="col-md-6">

<div class="card">
```

```
<div class="card-header text-center">

<h2>Login</h2>

</div>

<div class="card-body">

<form>

<div class="mb-3">

<label for="email" class="form-label">Email address</label>

<input type="email" class="form-control" id="email" required>

</div>

<div class="mb-3">

<label for="password" class="form-label">Password</label>

<input type="password" class="form-control" id="password" required>

</div>

<button type="submit" class="btn btn-primary w-100">Login</button>

</form>

</div>

</div>

</div>

</div>

</main>

<footer class="bg-dark text-white text-center py-3 mt-5">

<div class="container">

<p>&copy; 2024 Supermarket. All rights reserved.</p>

</div>

</footer>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.
js"></script>

</body></html>
```

[contact.html](#)

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Contact Us</title>
```

```
<link rel="stylesheet" href="css/style.css">
```

```
<link  
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"  
rel="stylesheet">
```

```
</head>
```

```
<body>
```

```
<nav class="navbar navbar-expand-lg navbar-light bg-light">
```

```
<div class="container-fluid">
```

```
<a class="navbar-brand" href="index.html">Supermarket</a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-  
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-  
label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarNav">

<ul class="navbar-nav ms-auto">

<li class="nav-item"><a class="nav-link" href="index.html">Home</a></li>

<li class="nav-item"><a class="nav-link" href="products.html">Products</a></li>

<li class="nav-item"><a class="nav-link" href="register.html">Register</a></li>

<li class="nav-item"><a class="nav-link" href="login.html">Login</a></li>

<li class="nav-item"><a class="nav-link" href="contact.html">Contact</a></li>

</ul>

</div>

</div>

</nav>
```

```
<main class="container my-5">

<div class="row justify-content-center">

<div class="col-md-6">

<div class="card">

<div class="card-header text-center">

<h2>Contact Us</h2>
```

</div>

<div class="card-body">

<form>

<div class="mb-3">

<label for="name" class="form-label">Name</label>

<input type="text" class="form-control" id="name" required>

</div>

<div class="mb-3">

<label for="email" class="form-label">Email address</label>

<input type="email" class="form-control" id="email" required>

</div>

<div class="mb-3">

<label for="message" class="form-label">Message</label>

<textarea class="form-control" id="message" rows="5" required></textarea>

</div>

<button type="submit" class="btn btn-primary w-100">Send Message</button>

</form>

</div>

```
</div>
```

```
</div>
```

```
</div>
```

```
</main>
```

```
<footer class="bg-dark text-white text-center py-3 mt-5">
```

```
<div class="container">
```

```
<p>&copy; 2024 Supermarket. All rights reserved.</p>
```

```
</div>
```

```
</footer>
```

```
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.  
js"></script>
```

```
</body>
```

```
</html>
```

Part 2 — Local Event Management Website

style.css (Event Website)

```
body {  
  font-family: Arial, sans-serif;  
}  
header, footer {  
  background: #0d6efd;  
  color: white;
```

```

padding: 1rem;
}
footer {
text-align: center;
}

```

index.html (Event Website)

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Community Event</title>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <header><h1>Community Event 2025</h1></header>
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <div class="container">
      <a class="navbar-brand" href="#">Event</a>
      <div class="collapse navbar-collapse">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item"><a href="index.html" class="nav-
link">Home</a></li>
          <li class="nav-item"><a href="about.html" class="nav-
link">About</a></li>
          <li class="nav-item"><a href="register.html" class="nav-
link">Register</a></li>
        </ul>
      </div>
    </div>
  </nav>
  <main class="container my-4">
    <h2>Event Schedule</h2>
    <table class="table table-striped table-bordered">
      <thead><tr><th>Time</th><th>Activity</th></tr></thead>
      <tbody><tr><td>10:00 AM</td><td>Opening Ceremony</td></tr></tbody>
    </table>
    <h3>Activities</h3>
    <ul><li>Music</li><li>Food</li></ul>
    <video controls width="100%"><source src="assets/promo.mp4"
type="video/mp4"></video>
    <audio controls><source src="assets/theme.mp3" type="audio/mpeg"></audio>
  </main>
  <footer>© 2025 Community Event</footer>
</body>
</html>

```