```
Sushma Hegde
1NT19IS169
C2 Batch
package sushma169;
import java.io.IOException;
import java.util.*;
import org.apache.hadoop.fs.Path;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.LongWritable;
import org.apache.hadoop.io.Text;
import org.apache.hadoop.mapred.FileInputFormat;
import org.apache.hadoop.mapred.FileOutputFormat;
import org.apache.hadoop.mapred.JobClient;
import org.apache.hadoop.mapred.JobConf;
import org.apache.hadoop.mapred.MapReduceBase;
import org.apache.hadoop.mapred.Mapper;
import org.apache.hadoop.mapred.OutputCollector;
import org.apache.hadoop.mapred.Reducer;
import org.apache.hadoop.mapred.Reporter;
import org.apache.hadoop.mapred.TextOutputFormat;
import org.apache.hadoop.mapred.TextInputFormat;
public class WordCount {
  public static class Map extends MapReduceBase implements
  Mapper<LongWritable, Text, Text, IntWritable> {
  private final static IntWritable one = new IntWritable(1);
  private Text word = new Text();
  public void map(LongWritable key, Text value, OutputCollector<Text, IntWritable>
  output, Reporter reporter) throws IOException {
  String line = value.toString();
  StringTokenizer tokenizer = new StringTokenizer(line);
  while (tokenizer.hasMoreTokens()) {
  word.set(tokenizer.nextToken());
  output.collect(word, one);
  }
  }
  }
  public static class Reduce extends MapReduceBase implements
  Reducer<Text, IntWritable, Text, IntWritable> {
  public void reduce(Text key, Iterator<IntWritable> values,
  OutputCollector<Text, IntWritable> output, Reporter reporter)
```

```
throws IOException {
  int sum = 0;
  while (values.hasNext()) {
  sum += values.next().get();
  output.collect(key, new IntWritable(sum));
  }
  public static void main(String[] args) throws Exception {
       JobConf conf = new JobConf(WordCount.class);
       conf.setJobName("wordcount");
       conf.setOutputKeyClass(Text.class);
       conf.setOutputValueClass(IntWritable.class);
       conf.setMapperClass(Map.class);
       conf.setCombinerClass(Reduce.class);
       conf.setReducerClass(Reduce.class);
       conf.setInputFormat(TextInputFormat.class);
       conf.setOutputFormat(TextOutputFormat.class);
       FileInputFormat.setInputPaths(conf, new Path(args[0]));
       FileOutputFormat.setOutputPath(conf, new Path(args[1]));
       JobClient.runJob(conf);
  }
}
```









