## **ACTIVITY LIFECYCLE**

```
package com.example.activitylc;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.widget.Toast;
public class MainActivity extends AppCompatActivity {
   @Override
  protected void onCreate(Bundle savedInstanceState) {
       super.onCreate(savedInstanceState);
       setContentView(R.layout.activity main);
       Toast.makeText(this, "Activity Created", Toast.LENGTH LONG).show();
   }
   @Override
   protected void onStart() {
       super.onStart();
       Toast.makeText(this, "Activity Started", Toast.LENGTH LONG).show();
   }
   @Override
  protected void onPause() {
       super.onPause();
       Toast.makeText(this, "Activity Paused", Toast.LENGTH LONG).show();
   }
   @Override
   protected void onResume() {
       super.onResume();
       Toast.makeText(this, "Activity Resumed", Toast.LENGTH LONG).show();
   }
   @Override
   protected void onStop() {
       super.onStop();
       Toast.makeText(this, "Activity Stopped", Toast.LENGTH LONG).show();
   }
   @Override
   protected void onDestroy() {
       super.onDestroy();
       Toast.makeText(this, "Activity Destroyed", Toast.LENGTH LONG).show();
```



**Activity Created** 




**Activity Started** 



**Activity Paused** 



**Activity Resumed** 





Activity Destroyed