```
In []: Linear Regression

In [1]: import numpy as np
    import pandas as pd
    import seaborn as sns
    import matplotlib.pyplot as plt
    from sklearn import preprocessing,svm
    from sklearn.model_selection import train_test_split
    from sklearn.linear_model import LinearRegression
```

In [2]: df=pd.read_csv(r"C:\Users\Sushma sree\OneDrive\Desktop\CSE\bottle.csv")
 df

C:\Users\Sushma sree\AppData\Local\Temp\ipykernel_14548\287795336.py:1: Dtype Warning: Columns (47,73) have mixed types. Specify dtype option on import or set low_memory=False.

df=pd.read_csv(r"C:\Users\Sushma sree\OneDrive\Desktop\CSE\bottle.csv")

	Cst_Cnt	Btl_Cnt	Sta_ID	Depth_ID	Depthm	T_degC	SaInty	O2ml_L	STheta	028
0	1	1	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0000A-3	0	10.500	33.4400	NaN	25.64900	Ni
1	1	2	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0008A-3	8	10.460	33.4400	NaN	25.65600	Ni
2	1	3	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0010A-7	10	10.460	33.4370	NaN	25.65400	Ni
3	1	4	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0019A-3	19	10.450	33.4200	NaN	25.64300	Ni
4	1	5	054.0 056.0	19- 4903CR- HY-060- 0930- 05400560- 0020A-7	20	10.450	33.4210	NaN	25.64300	Ni
864858	34404	864859	093.4 026.4	20- 1611SR- MX-310- 2239- 09340264- 0000A-7	0	18.744	33.4083	5.805	23.87055	108.
864859	34404	864860	093.4 026.4	20- 1611SR- MX-310- 2239- 09340264- 0002A-3	2	18.744	33.4083	5.805	23.87072	108.
864860	34404	864861	093.4 026.4	20- 1611SR- MX-310- 2239- 09340264- 0005A-3	5	18.692	33.4150	5.796	23.88911	108.
864861	34404	864862	093.4 026.4	20- 1611SR- MX-310- 2239- 09340264- 0010A-3	10	18.161	33.4062	5.816	24.01426	107.

20-1611SR-864862 34404 864863 093.4 MX-310-026.4 2239-09340264-0015A-3 15 17.533 33.3880 5.774 24.15297 105.

864863 rows × 74 columns

```
In [3]: df=df[['Salnty','T_degC']]
df.columns=['Sal','Temp']
```


In [4]: df.head(10)

Out[4]: Sal

	Sal	Temp
0	33.440	10.50
1	33.440	10.46
2	33.437	10.46
3	33.420	10.45
4	33.421	10.45
5	33.431	10.45
6	33.440	10.45
7	33.424	10.24
8	33.420	10.06
9	33.494	9.86

```
In [5]: sns.lmplot(x="Sal",y="Temp",data=df,order=2,ci=None)
```

Out[5]: <seaborn.axisgrid.FacetGrid at 0x18820b5d750>




In [6]: df.describe()

Out[6]:

	Sal	Temp
count	817509.000000	853900.000000
mean	33.840350	10.799677
std	0.461843	4.243825
min	28.431000	1.440000
25%	33.488000	7.680000
50%	33.863000	10.060000
75%	34.196900	13.880000
max	37.034000	31.140000


```
In [7]: | df.info()
         <class 'pandas.core.frame.DataFrame'>
         RangeIndex: 864863 entries, 0 to 864862
         Data columns (total 2 columns):
              Column Non-Null Count
                                       Dtype
                     _____
          0
              Sal
                      817509 non-null float64
                      853900 non-null float64
          1
              Temp
         dtypes: float64(2)
         memory usage: 13.2 MB
 In [8]: | df.fillna(method="ffill",inplace=True)
         C:\Users\Sushma sree\AppData\Local\Temp\ipykernel 14548\1844562654.py:1: Sett
         ingWithCopyWarning:
         A value is trying to be set on a copy of a slice from a DataFrame
         See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/s
         table/user guide/indexing.html#returning-a-view-versus-a-copy (https://panda
         s.pydata.org/pandas-docs/stable/user guide/indexing.html#returning-a-view-ver
         sus-a-copy)
           df.fillna(method="ffill",inplace=True)
In [11]: | x=np.array(df['Sal']).reshape(-1,1)
         y=np.array(df['Temp']).reshape(-1,1)
In [10]: | df.dropna(inplace=True)
         C:\Users\Sushma sree\AppData\Local\Temp\ipykernel_14548\1379821321.py:1: Sett
         ingWithCopyWarning:
         A value is trying to be set on a copy of a slice from a DataFrame
         See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/s
         table/user_guide/indexing.html#returning-a-view-versus-a-copy (https://panda
         s.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-ver
         sus-a-copy)
           df.dropna(inplace=True)
In [14]: |x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.25)
         regr=LinearRegression()
         regr.fit(x_train,y_train)
         print(regr.score(x_test,y_test))
         0.2027246381747182
```

```
In [15]: y_pred=regr.predict(x_test)
plt.scatter(x_test,y_test,color='b')
plt.plot(x_test,y_pred,color='k')
plt.show()
```




```
In [17]: df500=df[:][:500]
sns.lmplot(x='Sal',y='Temp',data=df500,order=1,ci=None)
```

Out[17]: <seaborn.axisgrid.FacetGrid at 0x1887cf71780>



```
In [18]: x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.25)
    regr=LinearRegression()
    regr.fit(x_train,y_train)
    print("Regression: ",regr.score(x_test,y_test))
    y_pred=regr.predict(x_test)
    plt.scatter(x_test,y_test,color='b')
    plt.plot(x_test,y_pred,color='k')
    plt.show()
```

Regression: 0.20929545322063214



```
In [19]: from sklearn.linear_model import LinearRegression
    from sklearn.metrics import r2_score
    model=LinearRegression()
    model.fit(x_train,y_train)
    y_pred=model.predict(x_test)
    r2=r2_score(y_test,y_pred)
    print("R2 score:",r2)
```

R2 score: 0.20929545322063214

```
In [ ]:
```