STORAGE ACCOUNT:

Storage account : Simple object storage

images, video, files, doc
it is similar like google drive

storage account name should be unique across all azure accounts
all should be lowercase letters and numbers
3-24 character longs

four data storages:

container (blob storage):

a. block blob : can store massive unstructured data , images, videos, etc.,
b. page blob : it is recommended to store virtual machine files .vhd
c. append blob : can store all log files

file shares

file shares : Network shared folder

Tables : NoSQL, or cosmos db,

Queues: messaging system,

Service bus



- **Locally redundant storage (LRS)** replicates the data within your storage accounts to a single physical datacenter located in the primary region of your choice.
- **Zone-redundant storage (ZRS)** copies your data synchronously across three or more Azure availability zones in the primary region. For applications requiring high availability, Microsoft recommends using ZRS in the primary region, and also replicating to a secondary region.

Locally redundant storage



Zone-redundant storage



- **Geo-redundant storage (GRS)** copies your data synchronously within one or more Azure availability zones in the primary region using LRS. It then copies your data asynchronously to the secondary region. Within the secondary region, your data is copied synchronously using LRS.
- **Geo-zone-redundant storage (GZRS)** copies your data synchronously across three or more Azure availability zones in the primary region using ZRS. It then copies your data asynchronously to the secondary region. Within the secondary region, your data is copied synchronously using LRS.

Geo-redundant storage



Soft delete:

When you enable blob soft delete for a storage account, you specify a retention period for deleted objects of between 1 and 365 days. The retention period indicates how long the data remains available after it's deleted or overwritten. The clock starts on the retention period as soon as an object is deleted or overwritten.

Geo-zone-redundant storage



Access tier:

Data stored in the cloud grows at an exponential pace. To manage costs for your expanding storage needs, it can be helpful to organize your data based on how frequently it will be accessed and how long it will be retained. Azure storage offers different access tiers so that you can store your blob data in the most cost-effective manner based on how it's being used. Azure Storage access tiers include:

- **Hot tier** - An online tier optimized for storing data that is accessed or modified frequently. The hot tier has the highest storage costs, but the lowest access costs.
- **Cool tier** - An online tier optimized for storing data that is infrequently accessed or modified. Data in the cool tier should be stored for a minimum of **30** days. The cool tier has lower storage costs and higher access costs compared to the hot tier.
- **Cold tier** - An online tier optimized for storing data that is rarely accessed or modified, but still requires fast retrieval. Data in the cold tier should be stored for a minimum of **90** days. The cold tier has lower storage costs and higher access costs compared to the cool tier.
- **Archive tier** - An offline tier optimized for storing data that is rarely accessed, and that has flexible latency requirements, on the order of hours. Data in the archive tier should be stored for a minimum of **180** days.

Home > Storage center | Blob Storage

Create a storage account ...

Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.

Subscription * — Azure subscription 1

Resource group * — (New) storage-sushmi

Create new

Instance details

Storage account name * — susmitha123

Region * — (Asia Pacific) Southeast Asia

Deploy to an Azure Extended Zone

Preferred storage type — Choose preferred storage type

This helps us provide relevant guidance. It doesn't restrict your storage to this resource type. Learn more

Performance *

- (selected) **Standard:** Recommended for most scenarios (general-purpose v2 account)
- **Premium:** Recommended for scenarios that require low latency.

Redundancy * — Locally-redundant storage (LRS)

Previous | Next | Review + create

Give

Home > Storage center | Blob Storage

Create a storage account ...

Require secure transfer for REST API operations — [x]

Allow enabling anonymous access on individual containers — [x]

Enable storage account key access — [x]

Default to Microsoft Entra authorization in the Azure portal — [ ]

Minimum TLS version — Version 1.2

Permitted scope for copy operations — From any storage account

Hierarchical Namespace

Hierarchical namespace, complemented by Data Lake Storage Gen2 endpoint, enables file and directory semantics, accelerates big data analytics workloads, and enables access control lists (ACLs) Learn more

Enable hierarchical namespace — [ ]

Access protocols

Blob and Data Lake Gen2 endpoints are provisioned by default Learn more

Enable SFTP — [ ]

SFTP can only be enabled for hierarchical namespace accounts

Previous | Next | Review + create

Create a storage account ...

Basics | Advanced | Networking | Data protection | Encryption | Tags | Review + create

Public access

Access your resource from anywhere through a public network.

Note: Allowing access to your resource through a public network increases security risk. Learn more

Public network access *

- (selected) Enable
  Allow inbound and outbound access with the option to restrict select inbound access using resource access configurations for this resource.
- Disable
  Restrict inbound access while allowing outbound access.
- Secure by perimeter (Most restricted)
  Restrict inbound and outbound access using a network security perimeter. Secure by perimeter offers the greatest level of inbound and outbound restriction to secure your resource.

Public network access scope *

- (selected) Enable from all networks
- Enable from selected virtual networks and IP addresses

Enabling public network access will make this resource available publicly. Unless public access is required, consider using the most restricted access

Previous | Next | Review + create

Give feedba

Create a storage account

Basics | Advanced | Networking | Data protection | **Encryption** | Tags | Review + create

Encryption type *
- (●) Microsoft-managed keys (MMK)
- ( ) Customer-managed keys (CMK)

Enable support for customer-managed keys
- (●) Blobs and files only
- ( ) All service types (blobs, files, tables, and queues)

⚠ This option cannot be changed after this storage account is created.

Enable infrastructure encryption [ ]

Home

susmitha123_1771501441459 | Overview

Deployment

Search

- Overview
- Inputs
- Outputs
- Template

Delete | Cancel | Redeploy | Download | Refresh

Your deployment is complete

Deployment name : susmitha123_1771501441459
Subscription : Azure subscription 1
Resource group : storage-sushmi

Start time : 2/19/2026, 5:15:13 PM
Correlation ID : 08d775b3-ae28-468e-be29-9a2e2a086cf0

Deployment details

Next steps

Go to resource

---

https://portal.azure.com/?l=en.en-us#@lskr2026outlook.onmicrosoft.com/resource/subscriptions/a3107e0d-376f-4650-b383-aa7b2b3c0c9a/resourcegroups/storage-sushmi/providers/Mi...

Microsoft Azure | Upgrade | Search resources, services, and docs (G+/) | Copilot | lskr2026@outlook.com DEFAULT DIRECTORY (LSKR2026...

Home > susmitha123_1771501441459 | Overview > susmitha123

susmitha123 | Containers

Storage account

Search

- Data migration
- Events
- Storage browser
- Storage Mover
- Partner solutions
- Resource visualizer
- Data storage
  - Containers
  - File shares
  - Queues
  - Tables
- Security + networking
- Data management
- Settings
- Monitoring
- Monitoring (classic)
- Automation

Add or remove favorites by pressing Ctrl+Shift+F

Add container | Upload | Refresh | Delete | Change access level | Restore containers | Edit columns

Search containers by prefix

Showing all 1 items

Name	Last modifiec
con1	2/19/2026, 5:

New container

Name *
con2

Anonymous access level
Container (anonymous read access for containers and blobs)

⚠ All container and blob data can be read by anonymous request. Clients can enumerate blobs within the container by anonymous request, but cannot enumerate containers within the storage account.

Advanced

Create | Give feedback


https://portal.azure.com/?l=en.en-us#@lskr2026outlook.onmicrosoft.com/resource/subscriptions/a3107e0d-376f-4650-b383-aa7b2b3c0c9a/resourcegroups/storage-sushmi/providers/Mi...
Microsoft Azure
Upgrade
Search resources, services, and docs (G+/)
Copilot
lskr2026@outlook.com
DEFAULT DIRECTORY (LSKR2026...
Home > susmitha123_1771501441459 | Overview > susmitha123
susmitha123 | Containers
Storage account
Search
Data migration
Events
Storage browser
Storage Mover
Partner solutions
Resource visualizer
Data storage
Containers
File shares
Queues
Tables
Security + networking
Add container
Upload
Refresh
Delete
Change access level
Restore container
Search containers by prefix
Showing all 2 items
Name
con1
con2
Upload blob
1 file(s) selected: Screenshot 2025-08-01 110711.png
Drag and drop files here or Browse for files
Select an existing container
con2
Create new
Overwrite if files already exist
Advanced
Upload
Give feedback


https://portal.azure.com/?l=en.en-us#view/Microsoft_Azure_Storage/ContainerMenuBlade/~/overview/storageAccountId/%2Fsubscriptions%2Fa3107e0d-376f-4650-b383-aa7b2b3c0c9a...
Microsoft Azure
Upgrade
Search resources, services, and docs (G+/)
Copilot
lskr2026@outlook.com
DEFAULT DIRECTORY (LSKR2026...
Home > susmitha123_1771501441459 | Overview > susmit
con1
Container
Search
Overview
Diagnose and solve problems
Access Control (IAM)
Settings
Add Directory
con1
Authentication metho
Add filter
Search blobs by
Showing all 1 items
Name
walldog
Add or remove favorites by pressing Ctrl+Shift+F
walldog.jpg
Blob
Save
Discard
Download
Refresh
Delete
Change tier
Acquire lease
Break lease
Give feedback
Overview
Versions
Snapshots
Edit
Generate SAS
Properties
URL
https://susmitha123.blo...
LAST MODIFIED
2/19/2026, 5:19:47 PM
CREATION TIME
2/19/2026, 5:19:47 PM
VERSION ID
-
TYPE
Block blob
SIZE
41.57 KiB
ACCESS TIER
Hot (Inferred)
ACCESS TIER LAST MODIFIED
N/A
ARCHIVE STATUS
-
REHYDRATE PRIORITY
-
SERVER ENCRYPTED
true
ETAG
0x8DE6FACFB6AAAA9
VERSION-LEVEL IMMUTABILITY POLICY
Disabled
CACHE-CONTROL
CONTENT-TYPE
image/jpeg
CONTENT-MD5
I5Rdf+42ZrenPJSe363gFA==
CONTENT-ENCODING
CONTENT-LANGUAGE


susmitha123 - Microsoft Azure
walldog.jpg (736×460)
Screenshot 2025-08-01 110711
https://susmitha123.blob.core.windows.net/con1/walldog.jpg
29°C
Sunny
Search
ENG
IN
17:28
19-02-2026


con1
Container
Search
Overview
Diagnose and solve problems
Access Control (IAM)
Settings
Add Directory
Upload
Change access level
Refresh
Delete
Copy
Paste
Rename
Acquire lease
Break lease
Edit columns
con1
Authentication method: Access key (Switch to Microsoft Entra user account)
Add filter
Search blobs by prefix (case-sensitive)
Only show active blobs
Showing all 7 items
Name
Last modified
Access tier
Blob type
Size
Lease state
Screenshot 2025-07-21 174642.png 2/19/2026, 5:31:33 PM Hot (Inferred) Block blob 176.5 KiB Available
Screenshot 2025-07-21 174834.png 2/19/2026, 5:31:33 PM Hot (Inferred) Block blob 192.91 KiB Available
Screenshot 2025-07-21 174919.png 2/19/2026, 5:31:33 PM Hot (Inferred) Block blob 195.95 KiB Available
Screenshot 2025-07-22 115151.png 2/19/2026, 5:31:33 PM Hot (Inferred) Block blob 248.3 KiB Available
Screenshot 2025-07-22 115213.png 2/19/2026, 5:31:33 PM Hot (Inferred) Block blob 241.2 KiB Available
Screenshot 2025-07-22 115239.png 2/19/2026, 5:31:34 PM Hot (Inferred) Block blob 252.44 KiB Available
walldog.jpg 2/19/2026, 5:19:47 PM Hot (Inferred) Block blob 41.57 KiB Available


https://susmitha123.blob.core.windows.net/con1/
This XML file does not appear to have any style information associated with it. The document tree is shown below.
<Error>
<Code>ResourceNotFound</Code>
<Message>The specified resource does not exist. RequestId:119cf68d-201e-0077-6a97-a1b2dd000000 Time:2026-02-19T12:04:57.7694442Z</Message>
</Error>

con2 ···
Container

Search

- Overview
- Diagnose and solve problems
- Access Control (IAM)
- Settings

Add Directory | Upload | Change access level | Refresh | Delete | Copy | Paste | Rename | Acquire lease | Break lease | Edit columns

con2

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive) | Only show active blobs

Showing all 3 items

Name	Last modified	Access tier	Blob type	Size	Lease state
APPLICATION SECURITY GROUP.pdf	2/19/2026, 5:32:07 PM	Hot (Inferred)	Block blob	2.53 MiB	Available
NETWORK SECURITY GROUP.pdf	2/19/2026, 5:32:07 PM	Hot (Inferred)	Block blob	1.37 MiB	Available
Screenshot 2025-08-01 110711.png	2/19/2026, 5:22:01 PM	Hot (Inferred)	Block blob	182.69 KiB	Available

https://susmitha123.blob.core.windows.net/con2/?restype=container&comp=list

This XML file does not appear to have any style information associated with it. The document tree is shown below.


```
▼<EnumerationResults ContainerName="https://susmitha123.blob.core.windows.net/con2/">
  ▼<Blobs>
    ▼<Blob>
      <Name>APPLICATION SECURITY GROUP.pdf</Name>
      <Url>https://susmitha123.blob.core.windows.net/con2/APPLICATION SECURITY GROUP.pdf</Url>
    ▼<Properties>
        <Last-Modified>Thu, 19 Feb 2026 12:02:07 GMT</Last-Modified>
        <Etag>0x8DE6FAEB45FEC34</Etag>
        <Content-Length>2650173</Content-Length>
        <Content-Type>application/pdf</Content-Type>
        <Content-Encoding/>
        <Content-Language/>
        <Content-MD5>TET/Pt13OXO4lH7Pm0Y2cg==</Content-MD5>
        <Cache-Control/>
        <BlobType>BlockBlob</BlobType>
        <LeaseStatus>unlocked</LeaseStatus>
      </Properties>
    </Blob>
    ▼<Blob>
      <Name>NETWORK SECURITY GROUP.pdf</Name>
      <Url>https://susmitha123.blob.core.windows.net/con2/NETWORK SECURITY GROUP.pdf</Url>
    ▼<Properties>
        <Last-Modified>Thu, 19 Feb 2026 12:02:07 GMT</Last-Modified>
        <Etag>0x8DE6FAEB462F903</Etag>
        <Content-Length>1431354</Content-Length>
        <Content-Type>application/pdf</Content-Type>
        <Content-Encoding/>
        <Content-Language/>
        <Content-MD5>EnG1CIZA+tE60pHbFQZKJg==</Content-MD5>
        <Cache-Control/>
        <BlobType>BlockBlob</BlobType>
        <LeaseStatus>unlocked</LeaseStatus>
      </Properties>
    </Blob>
    ▼<Blob>
      <Name>Screenshot 2025-08-01 110711.png</Name>
      <Url>https://susmitha123.blob.core.windows.net/con2/Screenshot 2025-08-01 110711.png</Url>
    ▼<Properties>
        <Last-Modified>Thu, 19 Feb 2026 11:52:01 GMT</Last-Modified>
        <Etag>0x8DE6FAD4B325CBD</Etag>
        <Content-Length>187071</Content-Length>
        <Content-Type>image/png</Content-Type>
        <Content-Encoding/>
        <Content-Language/>
```


Home

susmitha123 | Containers ☆ ···
Storage account

Search

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Partner solutions

Add container | Upload | Refresh | Delete | Change access level | Restore containers | Edit columns

Search containers by prefix | Only show active containers

Showing all 4 items

Name	Last modified	Anonymous access level	Lease state
$logs	2/19/2026, 5:41:54 PM	Private	Available
$web	2/19/2026, 5:41:54 PM	Private	Available
con1	2/19/2026, 5:17:09 PM	Blob	Available
con2	2/19/2026, 5:20:31 PM	Container	Available


Home › susmitha123 | Containers
$web
Container
Search
Overview
Diagnose and solve problems
Access Control (IAM)
Settings
Add Directory
Upload
Change access level
Refresh
Delete
Copy
Paste
Rename
Acquire lease
Break lease
Edit columns
$web
Authentication method: Access key (Switch to Microsoft Entra user account)
Add filter
Search blobs by prefix (case-sensitive)
Only show active blobs
Showing all 1 items
Name
Last modified
Access tier
Blob type
Size
Lease state
index.html
2/19/2026, 5:42:41 PM
Hot (Inferred)
Block blob
2.24 KiB
Available


Swiggy
Search
Offers
Help
Sign In
Cart
Order food from your favourite restaurants
Fast delivery | Best offers
Enter delivery location
Search
Popular Restaurants
Biryani House 4.3
Pizza Hub 4.5
Burger King 4.2
Sweet Treats 4.6