APPLICATION GATE-WAY

TO CREATE A 2 VIRTUAL MACHINES

HOME-PAGE AND PERSONAL-PAGE



Home > Compute infrastructure | Virtual machines

Create a virtual machine

Help me create a low cost VM | Help me choose the right VM size for my workload | Help me creat

VM applications contain application files that are securely and reliably downloaded on your VM after deployment. In addition to the application files, an install and uninstall script are included in the application. You can easily add or remove applications on your VM after create. Learn more

Select a VM application to install

Custom data and cloud init

Pass a cloud-init script, configuration file, or other data into the virtual machine **while it is being provisioned**. The data will be saved on the VM in a known location. Learn more about custom data for VMs

Custom data

```
#!/bin/bash
sudo su
apt update
apt install nginx -y
```

Custom data on the selected image will be processed by cloud-init.
Learn more about custom data for VMs

User data

Pass a script, configuration file, or other data that will be accessible to your applications throughout the lifetime of the virtual machine. Don't use user data for storing your secrets or passwords. Learn more about user data for VMs

Enable user data ☐

< Previous | Next : Tags > | Review + create

Home

CreateVm-canonical.ubuntu-24_04-lts-server-20260203095441 | Overview

Deployment

Search

- Overview
- Inputs
- Outputs
- Template

Delete | Cancel | Redeploy | Download | Refresh

Your deployment is complete

Deployment name: CreateVm-canonical.ubuntu-24_04-lts-server-2...
Subscription: Azure subscription 1
Resource group: sushmi

Start time: 2/3/2026, 10:02:06 AM
Correlation ID: 7f252e1f-859f-4ab0-8072-41a1ad2b59a4

Deployment details

Next steps

Setup auto-shutdown Recommended

Monitor VM health, performance and network dependencies Recommended

Run a script inside the virtual machine Recommended

Go to resource | Create another VM

Give feedback

Tell us about your experience with deployment

Remote monitoring

```
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status


/usr/bin/xauth:  file /home/sushmi/.Xauthority does not exist
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

sushmi@personal-page-s:~$ sudo su
root@personal-page-s:/home/sushmi# cd /var/www/html
root@personal-page-s:/var/www/html# ls
index.nginx-debian.html
root@personal-page-s:/var/www/html# mkdir personal
root@personal-page-s:/var/www/html# ls
index.nginx-debian.html  personal
root@personal-page-s:/var/www/html# mv index.nginx-debian.html personal
root@personal-page-s:/var/www/html# ls
personal
root@personal-page-s:/var/www/html# cd personal/
root@personal-page-s:/var/www/html/personal# ls
index.nginx-debian.html
root@personal-page-s:/var/www/html/personal# pwd
/var/www/html/personal
root@personal-page-s:/var/www/html/personal#
```




```
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to personal-page!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
~
~
~
~
```



TO CREATE A APPLICATION GATE-WAY



ADD THE FRONTEND IP FOR IP ADDRESS





ADD THE BACKEND POOLS




sushmi-api | Backend pools
Application gateway
Search
Overview
Activity log
Access control (IAM)
Tags
Diagnose and solve problems
Resource visualizer
Settings
Configuration
Web application firewall
Backend pools
Backend settings
Frontend IP configurations
Add
Search bac
Name
sdd
Add backend pool
A backend pool is a collection of resources to which your application gateway can send traffic. A backend pool can contain virtual machines, virtual machines scale sets, IP addresses, domain names, or an App Service.
Name *
home-pool
Add backend pool without targets
Yes
No
Backend targets
1 item
Target type
Target
Virtual machine
home-page-s21 (172.17.0.4)
IP address or FQDN


sushmi-api | Backend pools
Application gateway
Search
Overview
Activity log
Access control (IAM)
Tags
Diagnose and solve problems
Resource visualizer
Settings
Configuration
Web application firewall
Backend pools
Backend settings
Add
Search bac
Name
sdd
home-pool
Add backend pool
A backend pool is a collection of resources to which your application gateway can send traffic. A backend pool can contain virtual machines, virtual machines scale sets, IP addresses, domain names, or an App Service.
Name *
personal-pool
Add backend pool without targets
Yes
No
Backend targets
1 item
Target type
Target
Virtual machine
personal-page-s376 (172.17.2.4)
IP address or FQDN

ADD THE BACKEND-SETTINGS




sushmi-api | Listeners
Application gateway
Search
Diagnose and solve problems
Resource visualizer
Settings
Configuration
Web application firewall
Backend pools
Backend settings
Frontend IP configurations
Private link
SSL settings
Listeners
Rules
Listeners
Name
ingnore
SSL Policy
Add listener
sushmi-api
Listener name *
app-list
Frontend IP *
Public
Protocol
HTTP HTTPS TCP TLS
Port *
80
Listener type
Basic Multi site
Custom error pages
Show customized error pages for different response codes generated by Application Gateway. This section lets you configure Listener-specific error pages. Learn more
Please verify that the url(s) being added here is reachable from your application gateway using the connection troubleshoot tool to prevent any deployment error.


Add health probe
sushmi-api
Name *
personal
Protocol *
HTTP HTTPS TCP TLS
Pick host name from backend settings
Yes No
Host *
104.46.223.183
Pick port from backend settings
Yes No
Path *
/personal/
Interval (seconds) *
30
Timeout (seconds) *
30
Unhealthy threshold *
3
Use probe matching conditions
Yes No
Backend settings
personal-setting
I want to test the backend health before adding the health probe
Add
Cancel

Add a routing rule

sushmi-api

contain a listener and at least one backend target.

Rule name * app

Priority * 100

* Listener * Backend targets

Choose a backend pool to which this routing rule will send traffic. You will also need to specify a set of Backend settings that define the behavior of the routing rule.

Target type: Backend pool / Redirection

Backend target * home-pool

Backend settings * home-setting

Path-based routing

You can route traffic from this rule's listener to different backend targets based on the URL path of the request. You can also apply a different set of Backend settings based on the URL path.

Path based rules

Path	Target name	Backend setting name	Backend pool
No additional targets to display			

Add multiple targets to create a path-based rule

Add a routing rule

sushmi-api

← Discard changes and go back to routing rules

Target type: Backend pool / Redirection

Path * /personal/*

Target name * personal

Backend settings * personal-setting

Backend target * personal-pool

sushmi-api | Frontend IP configurations

Application gateway

Search

Resource visualizer

Settings

Configuration

Web application firewall

Backend pools

Backend settings

Frontend IP configurations

Feedback

Search frontend IP configurations

Status	Name	IP address	Associated listeners
Configured	appGwPublicFrontend...	20.210.31.128 (app-pip)	ingnore, 1 more
Not configured	-	-	-

Not secure http://20.210.31.128

Welcome to nginx!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.

Not secure http://20.210.31.128/personal/

Welcome to personal-page!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.