

Cucumber Report

Feb 6, 2023, 3:11:46 PM

Start : Feb 06, 3:11:26.541 PM

End : Feb 06, 3:11:44.811 PM

Duration : 18.270 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 3


FAILED - 1

SKIPPED - 0


PASSED - 28

FAILED - 1


SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validation of Array Page</u>	18.270 s	4	3	1	0	29	28	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Validation of Array Page</u>	4	3	1	0	18.270 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validation of Array Page</u>	<u>Validation of Array page</u>	7	7	0	0	1.614 s
2	<u>Validation of Array Page</u>	<u>Validation of Arrays in Python link</u>	7	7	0	0	1.480 s
3	<u>Validation of Array Page</u>	<u>Validation of Try Here button</u>	7	7	0	0	1.571 s
4	<u>Validation of Array Page</u>	<u>Validation of valid python code in TryEditor page</u>	8	7	1	0	13.335 s

Validation of Array Page


FAILED	DURATION - 18.270 s	Scenarios		Steps	
/ 3:11:26.541 PM // 3:11:44.811 PM /		Total - 4		Total - 29	
		Pass - 3		Pass - 28	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Validation of Array page

<div>PASSED</div>	<div>DURATION - 1.614 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 3:11:26.551 PM // 3:11:28.165 PM /</div>			<div>Total - 7</div>	
<div>Validation of Array Page</div>			<div>Pass - 7</div>	
			<div>Fail - 0</div>	
			<div>Skip - 0</div>	


#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.395 s
2	When The user enter valid "Ninjauser1" and "Secret123#"	PASSED	0.189 s
3	And The user click on login button	PASSED	0.581 s
4	Then The user redirected to homepage	PASSED	0.108 s
5	Given The user is on Home page after logged in	PASSED	0.018 s
6	When user clicks on Array getstarted	PASSED	0.264 s
7	Then User should be redirected to "Array" page	PASSED	0.016 s

Validation of Arrays in Python link



#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.136 s
2	When The user enter valid "Ninjauser1" and "Secret123#"	PASSED	0.168 s
3	And The user click on login button	PASSED	0.518 s
4	Then The user redirected to homepage	PASSED	0.142 s
5	Given User is on "Array page" after logged in	PASSED	0.174 s
6	When User clicks on Arrays in Python link	PASSED	0.310 s
7	Then User should be redirected to "Arrays in Python" page	PASSED	0.013 s



Validation of Try Here button



#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.122 s
2	When The user enter valid "Ninjauser1" and "Secret123#"	PASSED	0.179 s
3	And The user click on login button	PASSED	0.523 s
4	Then The user redirected to homepage	PASSED	0.102 s
5	Given User is on "Arrays in Python page" after logged in	PASSED	0.243 s
6	When User clicks on "Try Here" button in "Arrays in Python page"	PASSED	0.375 s

#	Step / Hook Details	Status	Duration
7	Then User should be redirected to a page having an tryEditor with a Run button to test	PASSED	0.011 s

Validation of valid python code in TryEditor page

<div>FAILED</div> <div>DURATION - 13.335 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:11:31.476 PM // 3:11:44.811 PM /				
Validation of Array Page				

#	Step / Hook Details	Status	Duration
1	Given The user is on Signin page of DS Algo portal	PASSED	0.146 s
2	When The user enter valid "Ninjauser1" and "Secret123#"	PASSED	0.187 s
3	And The user click on login button	PASSED	0.539 s
4	Then The user redirected to homepage	PASSED	0.126 s
5	Given User is on "Try Editor Page" after logged in	PASSED	0.216 s
6	When User enters valid Python code from sheet "PythonCode" and 0	PASSED	1.550 s
7	And User clicks on Run button	PASSED	0.124 s
8	Then User should be able to see the output	FAILED	10.086 s
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //pre[@id='output']' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at utils.Utility.waitForElement(Utility.java:15) at pageobjectmodel.ArrayPage_POM.fetchOutput(ArrayPage_POM.java:79) at stepdefinition.ArrayPage_SD.user_should_be_able_to_see_the_output(ArrayPage_SD.java:111) at ?.User should be able to see the output(file:///C:/Users/aranm/git/ds_algo_ninjaricos/src/test/resources/Features/TC05_Array.feature:28) Caused by: org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //pre[@id='output'] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//pre[@id='output']' is not a valid XPath expression. (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.5.0', revision: 'fe167b119a' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '16.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cb255316902eefc76e674b52c796ed7, findElement {using=xpath, value=//pre[@id='output']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Users\aranm\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:63592}, networkConnectionEnabled: false,			

#	Step / Hook Details	Status	Duration
	<p>pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63592/devtoo..., se:cdpVersion: 109.0.5414.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cb255316902eefcf76e674b52c796ed7</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor29.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy44.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at utils.Utility.waitForElement(Utility.java:15) at pageobjectmodel.ArrayPage_POM.fetchOutput(ArrayPage_POM.java:79) at stepdefinition.ArrayPage_SD.user_should_be_able_to_see_the_output(ArrayPage_SD.java:111) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:567) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:962) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:806) at org.testng.TestRunner.run(TestRunner.java:601) at org.testng.SuiteRunner.runTest(SuiteRunner.java:433) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:427) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:387) at org.testng.SuiteRunner.run(SuiteRunner.java:330) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) at org.testng.TestNG.runSuites(TestNG.java:1099) at org.testng.TestNG.run(TestNG.java:1067) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - hooks.Hooks.afterstep(io.cucumber.java.Scenario)	PASSED	0.341 s

#	Step / Hook Details	Status	Duration
	My screenshot		
			