

Python_basic_programming_4

1. Write a Python Program to find the factorial of a number ?

```
In [1]: def factorial(num):  
        if (num < 1):  
            return 1  
        else:  
            return num*factorial(num-1)  
  
num = int(input('Enter a number: '))  
value = factorial(num)  
print(f'The Factorial of {num} is {value}')
```

```
Enter a number: 5  
The Factorial of 5 is 120
```

2. Write a Python Program to display the multiplication table ?

```
In [2]: def generateTable(base, entries):  
        for x in range(1, entries+1):  
            print(f'{base} X {x} = {base*x}')
```



```
num = int(input('Enter a number: '))  
values = int(input('Enter no of entries: '))  
generateTable(num, values)
```

```
Enter a number: 5  
Enter no of entries: 8  
5 X 1 = 5  
5 X 2 = 10  
5 X 3 = 15  
5 X 4 = 20  
5 X 5 = 25  
5 X 6 = 30  
5 X 7 = 35  
5 X 8 = 40
```

3. Write a Python Program to print the fibonacci sequence ?

```
In [3]: s_count = int(input('Enter the no of fibonacci sequences you want? '))  
initial_list = [0,1]  
if s_count < 0:  
    print('Fibonacci Numbers are not available for Negative Numbers')  
elif s_count <= 2 and s_count >= 0:  
    print(initial_list)  
else:  
    for ins in range(s_count):  
        if ins >= 2:  
            initial_list.append(initial_list[ins-1]+initial_list[ins-2])  
print(f'The First {s_count} fibonacci series are: ', initial_list)
```

```
Enter the no of fibonacci sequences you want? 10  
The First 10 fibonacci series are: [0, 1, 1, 2, 3, 5, 8, 13, 21, 34]
```

4. Write a Python Program to check Armstrong number?

```
In [5]: def checkArmstrongNumber():  
        in_num = input('Enter a number: ')  
        sum = 0  
        for char in range(len(in_num)):
```

```

        sum = sum + pow(int(in_num[char]),3)
    if sum == int(in_num):
        print(f'{in_num} is a Armstrong Number')
    else:
        print(f'{in_num} is a Not Armstrong Number')

for x in range(2):
    checkArmstrongNumber()

```

```

Enter a number: 1
1 is a Armstrong Number
Enter a number: 2
2 is a Not Armstrong Number

```

5. Write a Python Program to Find Armstrong number in an interval

```

In [2]: def checkArmstrongNumber(in_num, storage):
        sum = 0
        for char in range(len(in_num)):
            sum = sum + pow(int(in_num[char]),3)
        if sum == int(in_num):
            storage.append(int(in_num))

start_interval = int(input('Enter the Start of the Interval: '))
end_interval = int(input('Enter the End of the Interval: '))
list_of_armstrong = []

if start_interval > end_interval:
    print("Start Interval Cannot be Greater than End Interval")
else:
    for number in range(start_interval, end_interval+1):
        checkArmstrongNumber(str(number), list_of_armstrong)
    print(f'The Armstrong numbers between {start_interval} and {end_interval} are {list_of_armstrong}')

```

```

Enter the Start of the Interval: 1
Enter the End of the Interval: 100
The Armstrong numbers between 1 and 100 are [1]

```

6. Write a Python Program to sum of natural numbers ?

```

In [3]: def sumOfNaturalNumbers(num):
        sum = num*(num+1)/2
        print(f'Sum of {num} natural numbers is {sum}')

num = int(input('Enter a number: '))
sumOfNaturalNumbers(num)

```

```

Enter a number: 100
Sum of 100 natural numbers is 5050.0

```