

# Efficient image blocking using perceptive hashes

Paolo Ragone, CTO, Gumtree Australia

**Abstract**—Providing a platform for commerce makes you a desirable target for spam and scam. Many tools have been created to tackle the issues of content filtering, but efficiently blocking images has been a rather complex problem to solve.

**Index Terms**—Spam, scam, perceptual hash, hash, image blocking.

## I. INTRODUCTION

THE introduction goes here!!!... you should get a sense of what is it we don in this article in the intro.

## II. HASH SIMILARITY

First we need a similarity measure.

**Definition 1.** We define the similarity between two hashes as their Cross Correlation.

Let  $\mathbf{x}, \mathbf{y} \in \mathbb{R}^N$  be two hashes, composed of  $N$  coordinates. Their cross-correlation  $\theta : \{\mathbb{R}^N, \mathbb{R}^N\} \rightarrow [0, 1]$  is defined as:

$$\theta(\mathbf{x}, \mathbf{y}) = \max_{0 < d < N} [\theta_d(\mathbf{x}, \mathbf{y})] \quad (1)$$

where

$$\theta_d(\mathbf{x}, \mathbf{y}) = \frac{\sum_i (x_i - \mu_{\mathbf{x}})(y_{i-d} - \mu_{\mathbf{y}})}{\sqrt{\sum_i (x_i - \mu_{\mathbf{x}})^2 \sum_i (y_{i-d} - \mu_{\mathbf{y}})^2}} \quad (2)$$

$$\mu_{\mathbf{x}} = \frac{1}{N} \sum_i x_i, \quad \mu_{\mathbf{y}} = \frac{1}{N} \sum_i y_i,$$

## III. SEARCH PROBLEM

Now that we have a hash function and a similarity function, let's define the Search Problem as follows:

**Definition 2.** Let  $\mathbf{y} \in \mathbb{R}^N$  be the hash of the query image, and  $\mathbb{S} = \{\mathbf{x}_1, \mathbf{x}_2, \dots, \mathbf{x}_M\} \subset \mathbb{R}^N$  the corpus of image hashes to search in.

The search function  $\lambda : \mathbb{R}^N \rightarrow \mathbb{S}$  is

$$\lambda_{\mathbb{S}}(\mathbf{y}) = \arg \max_{\mathbf{t} \in \mathbb{S}} [\theta(\mathbf{y}, \mathbf{t})]$$

This search problem can be restated by splitting the search in many searches with a simplified similarity metric.

Let  $\rho_d : \mathbb{R}^N \rightarrow \mathbb{R}^N$  defined as

$$\rho_d(\mathbf{v}) = (v_{1-d}, v_{2-d}, \dots, v_{N-d}) \quad (3)$$

a “rotation” function that moves the components of the vector by  $d$  positions. In this rotation, if the index  $(i - d) \leq 0$  then we use instead  $(N + i - d) \bmod N$ .

Then the search function can be rewritten as:

$$\lambda_{\mathbb{S}}(\mathbf{y}) = \arg \max_d [\lambda_{\mathbb{S}}(\rho_d(\mathbf{y}))]$$

where  $\lambda_{\mathbb{S}}$  is a search with a simplified similarity function:

$$\lambda_{\mathbb{S}}(\mathbf{z}) = \arg \max_{\mathbf{t} \in \mathbb{S}} [\theta(\mathbf{z}, \mathbf{t})]$$

$$\theta(\mathbf{x}, \mathbf{y}) = \frac{\sum_i (x_i - \mu_{\mathbf{x}})(y_i - \mu_{\mathbf{y}})}{\sqrt{\sum_i (x_i - \mu_{\mathbf{x}})^2 \sum_i (y_i - \mu_{\mathbf{y}})^2}}$$

As  $\sqrt{\sum_i (x_i - \mu_{\mathbf{x}})^2}$  is constant for the query vector (and always positive), we can pre-calculate it and apply it after the maximum is found:

$$\lambda_{\mathbb{S}}(\mathbf{z}) = \frac{1}{\sqrt{\sum_i (x_i - \mu_{\mathbf{x}})^2}} \lambda'_{\mathbb{S}}(\mathbf{z})$$

$$\begin{aligned} \lambda'_{\mathbb{S}}(\mathbf{z}) &= \arg \max_{\mathbf{t} \in \mathbb{S}} \left\{ \frac{\sum_i (z_i - \mu_{\mathbf{z}})(t_i - \mu_{\mathbf{t}})}{\sqrt{\sum_i (t_i - \mu_{\mathbf{t}})^2}} \right\} \\ &= \arg \max_{\mathbf{t} \in \mathbb{S}} \left\{ \sum_i (z_i - \mu_{\mathbf{z}}) \frac{(t_i - \mu_{\mathbf{t}})}{\sqrt{\sum_i (t_i - \mu_{\mathbf{t}})^2}} \right\} \end{aligned}$$

So, finally, it can be rewritten as:

$$\lambda'_{\mathbb{S}}(\mathbf{z}) = \arg \max_{\mathbf{t} \in \mathbb{S}'} \{ \langle \tilde{\mathbf{z}}, \mathbf{t} \rangle \}$$

where

$$\mathbb{S}' = \left( \frac{1}{\|\mathbf{x}_i\|} (\mathbf{x}_i - \mu_{\mathbf{x}_i}) \right) \forall \mathbf{x}_i \in \mathbb{S}$$

So, the problem may be represented as a maximum inner product search as defined in XXX.

## APPENDIX A

### PROOF OF THE FIRST ZONKLAR EQUATION

Appendix one text goes here.

## APPENDIX B

Appendix two text goes here.

## ACKNOWLEDGMENT

The authors would like to thank...

## REFERENCES

- [1] H. Kopka and P. W. Daly, *A Guide to L<sup>A</sup>T<sub>E</sub>X*, 3rd ed. Harlow, England: Addison-Wesley, 1999.