



www.accesshardware.net
dale@accesshardware.net
Cell: (808) 870-4200

Card Access Control Systems • Security Cameras • Automatic Doors • Parking Controls • ADA Operators

DATE: July 6, 2026
VOICE: 808.264.6256
E-MAIL: managhernhom@hotmail.com
TO: Molly Duncan, Manager
FROM: Dale De Salvo@ Access Hardware Inc.
RE: Hale O Makena ButterflyMX Cloud based Access and Tele Entry System

JOB DESCRIPTION: Furnish and install the following list with all "Exclusions" and "Terms" understood and agreed to.
This proposal will be for the ButterflyMX Equipment and the installations at each location only. All Conduits, trenching, electrical cabling from telecom to door and gate locations as well as any other infrastructure required, to be performed by the Clients Electrical Contractor

EXECUTION OF LIST:

- | | | |
|-----|-------|---|
| 1) | 3ea | Butterfly 12" Recessed Intercoms for Vehicle Gates |
| 2) | 6ea | Butterfly 8" Recessed Intercoms for Building entries |
| 3) | 3ea | Butterfly RFID Vehicle Readers |
| 4) | 7ea | Butterfly Keypad Readers for Pedestrian Gates In/Out & Fitness |
| 5) | 7ea | Butterfly 2-Door Controllers for all Readers |
| 6) | 1ea | Butterfly Windshield Tag Programmer |
| 7) | 100ea | Butterfly Windshield Tags |
| 8) | 3ea | Butterfly Vehicle Reader 1-Year Software Subscription |
| 9) | 40ea | Butterfly Multi Family 1-Year Software Subscription |
| 10) | 3ea | Pedestal 12" Recessed Back Box |
| 11) | 6ea | Pedestal Pro 8" Recessed Back Box |
| 12) | 1ea | Remove all existing systems – Install new – Terminate & Butterfly to do Programming |

NOTES:

1. All 120vac power and internet must be present at all locations and operational by others
2. Any conduits or cabling required to be by others
3. Reuse existing electrified locks and power supplies – no warranties for these devices.

TOTAL COST FOR THIS PACKAGE IS:	\$93,970.00
Approx. Freight:	\$1,000.00
Sub Total:	\$94,970.00
Tax @ 4.712%	\$4,474.99
Total:	\$99,444.99

PRICE INCLUDES: ALL TAX, FREIGHT TO PROJECT SITE AND INSTALLATION LABOR.

EXCLUSIONS: ANY PAINTING TO BE BY OTHERS. ALL 110VAC POWER MUST BE EXISTING. ANY CONDUITS REQUIRED AND HAUL AWAY OF OLD MATERIAL BY OTHERS. IF A MANLIFT WILL BE REQUIRED FOR THIS PROJECT, IT WILL BE INVOICED AT THE TIME OF BILLING AND IS NOT ANY PART OF THE COST OF THIS ESTIMATE. ALL WORK TO BE PERFORMED DURING NORMAL BUSINESS HOURS OF MONDAY-FRIDAY 8AM-5PM. ALL OTHER HOURS ARE AFTER HOURS AND WILL BE SUBJECT TO ADDITIONAL RATES.

DELIVERY: ITEMS IN STOCK ALLOW 3 TO 5 BUSINESS WEEKS. ORDERS SHIPPING AIR OR SURFACE FREIGHT, MAYBE SUBJECT TO CARRIER DELAYS AND ARE NOT UNDER OUR CONTROL. ACCESS HARDWARE INC. WILL NOT BE HELD LIABLE FOR SHIPPERS DELAYS.

TERMS A 50% DEPOSIT AND A SIGNED COPY OF THIS DOCUMENT IS REQUIRED TO ORDER EQUIPMENT FOR THIS PROJECT. BALANCE DUE NET 10-DAYS, ANY BALANCES THAT ARE UNPAID WITHIN 30 DAYS OF THE INVOICE DATE WILL BE CHARGED A 6% LATE FEE AND WILL BE COMPOUNDED EVERY 30 DAYS AFTER UNTIL PAID IN FULL.

QUOTATION EXPIRATION: QUOTE WILL EXPIRE 30-DAYS FROM ABOVE DATE.

THIS DOCUMENT MUST BE SIGNED AND EMAILED BACK TO dale@accesshardware.net BEFORE ANY WORK WILL BEGIN.

Thank you for the invitation to estimate this Project.

Dale De Salvo, President, RME

Approved By \Signature: _____

Approved By \Print: _____

Date Approved: _____

285 Hukilike St. B102 • Kahului, HI 96732 • (808) 871-4200 • eFax (808) 356-0600



NOTICE:
C-15 LICENSE REQUIRED BY LAW TO PERFORM THIS WORK.
USE LICENSED CONTRACTORS ONLY.
CALL THE STATE DCCA OFFICE @ (808) 586-3000 TO CONFIRM

www.accesshardware.net
dale@accesshardware.net
Cell: (808) 870-4200

Card Access Control Systems • Security Cameras • Automatic Doors • Parking Controls • ADA Door Controls

WARRANTY POLICY

Terms and Conditions

LIMITED WARRANTY

ACCESS HARDWARE, INC. warrants products against defects in material and workmanship under normal use and service for one (1) year. All warranty periods for ACCESS HARDWARE, INC. start from the shipment to date to the customer and/or date of system installation. Warranty service hours are from 8:00am to 4:30 PM Monday through Friday excluding holidays.

ACCESS HARDWARE, INC. will, at our sole discretion, repair or replace, a product determined to be defective under the terms of this warranty. The repaired or replaced product will be warranted for the term balance of the original warranty period. If determined the installation was correct and did not in any part cause the malfunction, the labor and freight costs will be billable charges. Only the items Factory Warranty will cover the part.

WARRANTY EXCLUSIONS

- Use with incompatible products.
- Damage caused by accident, abuse, misuse, flood, fire, earthquake, lightning, power surges or other external causes.
- Damage caused by operating the product outside the permitted or intended use as described by ACCESS HARDWARE, INC.
- Damage resulting from service (including upgrades and expansions) performed by anyone not previously authorized by ACCESS HARDWARE, INC.
- Any product or part that has been modified without prior, written permission from ACCESS HARDWARE, INC.
- Any consumable parts, such as batteries.
- Any product, in which the serial number has been removed, tampered with or defaced.
- We Do Not Warranty ANY Existing or Owner Provided Parts.

ACCESS HARDWARE, INC. assumes no liability for damage or losses resulting from the use or misuse of products. Further, ACCESS HARDWARE, INC.'s liability for a claim relating to our products shall not exceed the price paid by the customer and received by ACCESS HARDWARE, INC. for said products.

In no event is ACCESS HARDWARE, INC. responsible for special, incidental or consequential damages, including but not limited to the loss of profit, the loss of data, and the loss of damages whether by error, omission or negligence on the part of ACCESS HARDWARE, INC. or our employees.

EXCLUSIVE REMEDY


ACCESS HARDWARE, INC. MAKES NO OTHER EXPRESS WARRANTY, WHETHER WRITTEN OR ORAL. ACCESS HARDWARE, INC. EXPRESSLY DISCLAIMS ALL WARRANTIES NOT STATED IN THIS LIMITED WARRANTY. ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, SATISFACTORY QUALITY, OR FITNESS FOR A PARTICULAR PURPOSE IS LIMITED TO THE DURATION OF THE EXPRESS LIMITED WARRANTY SET FORTH ABOVE AS PERMITTED BY LOCAL LAW.

THE LIMITED WARRANTY TERMS ABOVE, EXCEPT TO THE EXTENT LAWFULLY PERMITTED, DO NOT EXCLUDE, RESTRICT OR MODIFY, BUT ARE IN ADDITION TO THE MANDATORY STATUTORY RIGHTS APPLICABLE TO THE SALE OF THIS PRODUCT TO THE CUSTOMER.


285 Hukilike St. B102 • Kahului, HI 96732 • (808) 871-4200 • Fax (808) 877-0306



Property access made simple



www.accesshardware.net
contact@accesshardware.net
808.871.4200



ButterflyMX makes property access simple

Our products enable you to get video and open doors and gates from any smartphone — ensuring you never miss another delivery or visitor. And with easy installation and powerful integrations to popular access control and property management systems, you'll save time and money. Join more than 10,000 multifamily, student housing, commercial, and gated communities today.

Visit www.accesshardware.net or call **808.871.4200** to get your free quote.

CLICK TO LEARN MORE >

Contents

HARDWARE


8" SURFACE INTERCOM	6
8" RECESSED INTERCOM	7
12" SURFACE INTERCOM	8
12" RECESSED INTERCOM	9
BULLET CAMERA	10
DOME CAMERA	11
ACCESS CONTROL SYSTEM	12
VEHICLE ACCESS	13
PACKAGE ROOM	14
ELEVATOR CONTROLS	15
SMART LOCKS	16
SELF-GUIDED TOURS	17

FRONT DESK STATION	18
---------------------------	----


MOBILE APP	19
-------------------	----

PROPERTY ADMIN DASHBOARD	20
---------------------------------	----

TESTIMONIALS	21
---------------------	----



Designed for any type of property



Access solutions that are easy to use and ready to withstand any weather conditions


Give your residents, visitors, and staff a property access experience unlike any other. Easily open and manage doors and gates from a smartphone or computer, see who you are letting in, and connect to your property management & access control system.

CLICK TO LEARN MORE >



8" Surface intercom

Mounted on a wall or pedestal, the 8" surface video intercom makes a big impact in small entryways. This intercom offers flexibility and easy installation on all surfaces, whether you're installing it at a door or a gate. Weather-proof and vandal-resistant, the 8" surface intercom can withstand even the most extreme conditions.



(includes 2-year warranty)

[CLICK TO LEARN MORE >](#)

IP65 RATED

Dust, Water, Chemicals

TEMPERATURE

-40F to +140F (-40C to +60C)

RESOLUTION

720 × 1280 LED

RELAYS

4 dry contacts w/ adjustable timing

DIMENSIONS

11.54" H x 5.67" W x 2.43" D

POWER

9-24VDC output

NETWORK

Wired and wireless

VIDEO

1080p 2-megapixel high-definition

HD CERTIFICATIONS

UL, FCC, CE, IC

CONNECTIVITY OPTIONS

WiFi, RFID

CAMERA

156° wide-angle field-of-view

HOUSING

Cast aluminum

(Coming soon)

8" Recessed intercom

Maximize curb appeal at smaller entrances with the 8" recessed video intercom, which mounts seamlessly into the wall or pedestal at your entryway. With a sleek touchscreen, hardened aluminum enclosure, and weatherized casing, this intercom is safe from even the harshest elements, rain or shine.

IP65 RATED

Dust, Water, Chemicals

TEMPERATURE

-40F to +140F (-40C to +60C)

RESOLUTION

720 × 1280 LED

RELAYS

4 dry contacts w/ adjustable timing

DIMENSIONS

15.3" H x 8.7" W x 2.43" D

POWER

9-24VDC output

NETWORK

Wired and wireless

VIDEO

1080p 2-megapixel high-definition

HD CERTIFICATIONS

UL, FCC, CE, IC

CONNECTIVITY OPTIONS

WiFi, RFID

CAMERA

156° wide-angle field-of-view

HOUSING

Cast aluminum



(includes 2-year warranty)

CLICK TO LEARN MORE >

12" Surface intercom

Welcome residents and guests inside with the 12" surface-mounted intercom. Designed for larger entryways, this intercom can be mounted on a wall or pedestal to elevate any entrance. With an intuitive touchscreen, polycarbonate glass construction, and a weatherized casing, the intercom is easy to use but difficult to damage.



IP65 RATED

Dust, Water,
Chemicals

TEMPERATURE

-40F to +140F
(-40C to +60C)

RESOLUTION

1280 × 800 LED

RELAYS

4 dry contacts w/
adjustable timing

DIMENSIONS

12.45" H x 11.63" W x 2.43" D

POWER

9-24VDC input

NETWORK

Wired and wireless

VIDEO

1080p 2-megapixel
high-definition

CERTIFICATIONS

UL, FCC, CE, IC

CONNECTIVITY OPTIONS

WiFi, RFID

CAMERA

156° wide-angle
field-of-view

HOUSING

Cast aluminum



(includes 2-year warranty) [CLICK TO LEARN MORE >](#)

12" Recessed intercom

Mounted into a wall or pedestal, the 12" recessed video intercom is a showstopper at any door or gate. Don't let this intercom's elegant touchscreen design fool you — it's ready to withstand even the harshest weather. Protected by a hardened aluminum housing and a weatherized casing, this intercom is safe in rain, snow, wind, or sun.

IP65 RATED

Dust, Water, Chemicals

TEMPERATURE

-40F to +140F
(-40C to +60C)

RESOLUTION

1280 × 800 LED

RELAYS

4 dry contacts w/
adjustable timing

DIMENSIONS

13.3" H x 13.6" W x 2.43" D

POWER

9-24VDC input

NETWORK

Wired and wireless

VIDEO

1080p 2-megapixel
high-definition

CERTIFICATIONS

UL, FCC, CE, IC

CONNECTIVITY OPTIONS


WiFi, RFID

CAMERA

156° wide-angle
field-of-view

HOUSING

Cast aluminum



(includes 2-year warranty)

CLICK TO LEARN MORE >

Access control system

Our cloud-based access controller and readers allow you to open and manage doors and gates with a smartphone, fob, keycard, or PIN code. All of our access control products connect seamlessly with our video intercoms, key lockers, elevator controls, and smart locks for a unified property access solution.

Access
controller



Fob



Keypad
reader



Mullion
reader



Single
gang
reader



OUTDOOR RATED

Water, dust,
chemicals

TEMPERATURE

-31° F to 150°F
(-35° C to 66°C)
& 95% humidity

ENCLOSURE

ABS plastic

CONNECTIVITY

Ethernet; WiFi

RF

TECHNOLOGIES

Mobile app, RFID

INPUTS & OUTPUTS

Inputs: 2 peripheral; 2 REX;
fire switch override;
Ethernet port (RJ45)

Outputs: 2 dry relay; 2 wet
(12VDC, 1A) relay; 2 aux relay

DIMENSIONS

Controller: 4.74" x 5.87" x 1.28"

Mullion: 5.1"H x 1.7"W x 0.71"D

Single gang & Keypad: 5.1"H x
3.25"W x 0.71"D

POWER

Controller: 12-24VDC, 60W

Readers: 5-16 VDC

CERTIFICATIONS

Controller: FCC, IEC 62599,
UL 294, UL 62368 IC, CAN/
ULC 60839

Readers: FCC, IC, CE, UL
294, UL 62368, EN (302291,
301489, 300330, 50130-4),
IP55, BIS IS 13252

[CLICK TO LEARN MORE >](#)



Vehicle access

Our vehicle access reader and windshield tag enable hands-free entry to gates, garages, and other vehicle access points. Give your tenants an effortless access experience that doesn't require remotes, fobs, or keys — vehicles simply approach the entryway and the reader scans their windshield tag, granting them instant access to the property.

OUTDOOR RATED

Water, dust, chemicals

TEMPERATURE

Vehicle access reader:

-22°F to 140°F
(-30°C to 60°C)

Windshield tag:

-40°F to 185°F
(-40° to +85°C)

ENCLOSURE

ABS Plastic

RF TECHNOLOGIES

UHF: 902 - 928 MHz;
Passive UHF RFID

INPUTS & OUTPUTS

Outputs: Power relay of 24 VDC 2A; Control traffic lights

Input: Control by ground loop / presence detector

POWER

12 VDC (9 - 36 VDC)
(900 mA)

DIMENSIONS

Vehicle access reader:

7.2" H x 9.1" W x 1.4" D

Windshield tag:

1.2" H x 3.9" W

CONNECTIVITY

Ethernet; WiFi


CERTIFICATIONS

CE, FCC, UL, IP65,
IK10

Vehicle access reader



Windshield Tag



[CLICK TO LEARN MORE >](#)