Continuous Monitoring on Docker with ELK Stack

```
SOURCE CODE:
package com.example.demo;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import org.springframework.boot.SpringApplication;
import org.springframework.boot.autoconfigure.SpringBootApplication;
import org.springframework.web.bind.annotation.GetMapping;
import org.springframework.web.bind.annotation.RestController;
@SpringBootApplication
@RestController
public class DemoApplication {
      private static final Logger logger =
LoggerFactory.getLogger(DemoApplication.class);
      public static void main(String[] args) {
             SpringApplication.run(DemoApplication.class, args);
      }
      @GetMapping("/")
      public String hello() {
             logger.info("Hello World");
             logger.error("Ooops, there was an error", new RuntimeException("I am a
runtime exception"));
             return "Hello World";
      }
}
FROM openidk:8-jdk-alpine
VOLUME /tmp
ADD target/demo-0.0.1-SNAPSHOT.jar app.jar
ENTRYPOINT ["java","-Djava.security.egd=file:/dev/./urandom","-jar","/app.jar"]
```

POM.XML:

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
project xmlns="http://maven.apache.org/POM/4.0.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
http://maven.apache.org/xsd/maven-4.0.0.xsd">
 properties>
   <maven.compiler.source>1.8</maven.compiler.source>
   <maven.compiler.target>1.8</maven.compiler.target>
 </properties>
 <modelVersion>4.0.0</modelVersion>
 <groupId>com.example
 <artifactId>demo</artifactId>
 <version>0.0.1-SNAPSHOT
 <packaging>jar</packaging>
 <name>demo</name>
 <description>Demo project for Spring Boot</description>
 <parent>
   <groupId>org.springframework.boot
   <artifactId>spring-boot-starter-parent</artifactId>
   <version>1.5.9.RELEASE
   <relativePath/>
   <!-- lookup parent from repository -->
 </parent>
 properties>
   project.reporting.outputEncoding>UTF-8</project.reporting.outputEncodin</pre>
   g>
```

```
<java.version>1.8</java.version>
</properties>
<dependencies>
 <dependency>
   <groupId>org.springframework.boot
   <artifactId>spring-boot-starter-web</artifactId>
 </dependency>
 <dependency>
   <groupId>net.logstash.logback
   <artifactId>logstash-logback-encoder</artifactId>
   <version>4.11
 </dependency>
 <dependency>
   <groupId>org.springframework.cloud
   <artifactId>spring-cloud-starter-sleuth</artifactId>
   <version>1.3.0.RELEASE
 </dependency>
 <dependency>
   <groupId>org.springframework.boot
   <artifactId>spring-boot-starter-test</artifactId>
   <scope>test</scope>
 </dependency>
</dependencies>
<build>
 <plugins>
   <plugin>
    <groupId>org.springframework.boot</groupId>
```

```
<artifactId>spring-boot-maven-plugin</artifactId>
    </plugin>
     <plugin>
      <groupId>com.spotify</groupId>
      <artifactId>dockerfile-maven-plugin</artifactId>
      <version>1.3.6
      <configuration>
        <repository>${project.artifactId}</repository>
        <buildArgs>
         <JAR_FILE>target/${project.build.finalName}.jar</JAR_FILE>
        </buildArgs>
      </configuration>
    </plugin>
   </plugins>
 </build>
</project>
```