OO Code Review Report

This table contains the overall information of code review report.

Flow count	System properties	System accounts	Error count	Warning count
4	1	1	445	260

OO Code Review Details

This table contains all issues information of each variables.

Step	Variable Type	Name	Assign From	Default Value	Remarks
Read Email	Input Variable	host		outlook.office365.com	Varible is defined but not assigned
Read Email	Input Variable	folder		InformaticaDemo	Varible is defined but not assigned
Retrieve User ID	Input Variable	request		self	Varible is defined but not assigned
Retrieve User ID	Input Variable	DBServerName		localhost	Varible is defined but not assigned
Retrieve User ID	Input Variable	DbType		PostgreSQL	Varible is defined but not assigned
Retrieve User ID	Input Variable	Username		postgres	Varible is defined but not assigned
Retrieve User ID	Input Variable	Password			Varible is defined but not assigned
Retrieve User ID	Input Variable	instance			Varible is defined but not assigned
Retrieve User ID	Input Variable	DBPort		5432	Varible is defined but not assigned
Retrieve User ID	Input Variable	Database		postgres	Varible is defined but not assigned
Retrieve User ID	Input Variable	authenticationType			Varible is defined but not assigned
Retrieve User ID	Input Variable	dbClass			Varible is defined but not assigned
Retrieve User ID	Input Variable	dbURL			Varible is defined but not assigned
Retrieve User ID	Input Variable	Command		SELECT "Eld","Ename" FROM public."Automati onTable" where "MailAd dress"='\${emailAddress} }';	Varible is defined but not assigned
Retrieve User ID	Input Variable	Delimiter		II	Varible is defined but not assigned
Retrieve User ID	Input Variable	Key			Varible is defined but not assigned

Retrieve User ID	Input Variable	timeout		Varible is defined but not assigned
Retrieve User ID	Input Variable	databasePoolingProper ties		Varible is defined but not assigned
Retrieve User ID	Input Variable	resultSetType		Varible is defined but not assigned
Retrieve User ID	Input Variable	resultSetConcurrency		Varible is defined but not assigned
Retrieve User ID	Input Variable	ignoreCase	true	Varible is defined but not assigned
Retrieve User ID	Input Variable	DBServerName	localhost	Varible is defined but not assigned
Retrieve User ID	Input Variable	request	other	Varible is defined but not assigned
Retrieve User ID	Input Variable	DbType	PostgreSQL	Varible is defined but not assigned
Retrieve User ID	Input Variable	Username	postgres	Varible is defined but not assigned
Retrieve User ID	Input Variable	Password		Varible is defined but not assigned
Retrieve User ID	Input Variable	instance		Varible is defined but not assigned
Retrieve User ID	Input Variable	DBPort	5432	Varible is defined but not assigned
Retrieve User ID	Input Variable	Database	postgres	Varible is defined but not assigned
Retrieve User ID	Input Variable	authenticationType		Varible is defined but not assigned
Retrieve User ID	Input Variable	dbClass		Varible is defined but not assigned
Retrieve User ID	Input Variable	dbURL		Varible is defined but not assigned
Retrieve User ID	Input Variable	Command	SELECT "Eld","Ename" FROM public."Automati onTable" where "Enam e"='\${extractedName}';	Varible is defined but not assigned
Retrieve User ID	Input Variable	Delimiter		Varible is defined but not assigned
Retrieve User ID	Input Variable	Key		Varible is defined but not assigned
Retrieve User ID	Input Variable	timeout		Varible is defined but not assigned
Retrieve User ID	Input Variable	databasePoolingProper ties		Varible is defined but not assigned
Retrieve User ID	Input Variable	resultSetType		Varible is defined but not assigned
Retrieve User ID	Input Variable	resultSetConcurrency		Varible is defined but not assigned
Retrieve User ID	Input Variable	ignoreCase	true	Varible is defined but not assigned

			\$requestType="\${categ ory}" \$request="\${request}" if(\$requestType -eq "GrantAccess") { if(\$request -eq "self") { write-output " Server access provided successfully for \${eName}" } else { write-output " Server access provided to \${eName} as requested" } } else { if(\$request -eq "self") { write-output " Server access removed successfully for \${eName}" } else { write-output " Server access removed for	
Daywoodh all Oarint		- wind	\${eName} as	Varible is defined but
PowerShell Script	Input Variable	script	requested" } }	not assigned
Send Notification	Input Variable	SMTPServer	smtp.swinfra.net	Varible is defined but not assigned
Send Notification	Input Variable	MailType	html	Varible is defined but not assigned
Send Notification	Input Variable	Attachments		Varible is defined but not assigned
Send Notification	Input Variable	From	ooautomation@microfo cus.com	Varible is defined but not assigned
Send Notification	Input Variable	Сс		Varible is defined but not assigned
Send Notification	Input Variable	Bcc		Varible is defined but not assigned
Send Notification	Input Variable	Subject	Auto Reply: Access Request: Success	Varible is defined but not assigned
Send Notification	Input Variable	Body	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Varible is defined but not assigned
Send Notification	Input Variable	username		Varible is defined but not assigned
Send Notification	Input Variable	password		Varible is defined but not assigned
Send Notification	Input Variable	port	25	Varible is defined but not assigned
Send Notification	Input Variable	characterSet		Varible is defined but not assigned
Send Notification	Input Variable	contentTransferEncodin g		Varible is defined but not assigned

Send Notification	Input Variable	SMTPServer	smtp.swinfra.net	Varible is defined but not assigned
Send Notification	Input Variable	MailType	html	Varible is defined but not assigned
Send Notification	Input Variable	Attachments		Varible is defined but not assigned
Send Notification	Input Variable	From	ooautomation@microfo cus.com	Varible is defined but not assigned
Send Notification	Input Variable	Cc		Varible is defined but not assigned
Send Notification	Input Variable	Bcc		Varible is defined but not assigned
Send Notification	Input Variable	Subject	Auto Reply:Access Request:Failed	Varible is defined but not assigned
Send Notification	Input Variable	username		Varible is defined but not assigned
Send Notification	Input Variable	password		Varible is defined but not assigned
Send Notification	Input Variable	port	25	Varible is defined but not assigned
Send Notification	Input Variable	characterSet		Varible is defined but not assigned
Send Notification	Input Variable	contentTransferEncodin g		Varible is defined but not assigned
Text Encoder	Input Variable	characterSet	UTF-8	Varible is defined but not assigned
Call Idol	Input Variable	url	http://localhost:9020/act ion=CategorySuggestFr omText&QueryText=\${t ext}	Varible is defined but not assigned
Call Idol	Input Variable	authType	Basic	Varible is defined but not assigned
Call Idol	Input Variable	username		Varible is defined but not assigned
Call Idol	Input Variable	password		Varible is defined but not assigned
Call Idol	Input Variable	preemptiveAuth	true	Varible is defined but not assigned
Call Idol	Input Variable	kerberosConfFile		Varible is defined but not assigned
Call Idol	Input Variable	kerberosLoginConfFile		Varible is defined but not assigned
Call Idol	Input Variable	kerberosSkipPortForLo okup	true	Varible is defined but not assigned
Call Idol	Input Variable	proxyHost		Varible is defined but not assigned
Call Idol	Input Variable	proxyPort	8080	Varible is defined but not assigned
Call Idol	Input Variable	proxyUsername		Varible is defined but not assigned

			I		I
Call Idol	Input Variable	proxyPassword			Varible is defined but not assigned
Call Idol	Input Variable	trustAllRoots		false	Varible is defined but not assigned
Call Idol	Input Variable	x509HostnameVerifier		strict	Varible is defined but not assigned
Call Idol	Input Variable	trustKeystore			Varible is defined but not assigned
Call Idol	Input Variable	trustPassword			Varible is defined but not assigned
Call Idol	Input Variable	keystore			Varible is defined but not assigned
Call Idol	Input Variable	keystorePassword			Varible is defined but not assigned
Call Idol	Input Variable	connectTimeout		0	Varible is defined but not assigned
Call Idol	Input Variable	socketTimeout		0	Varible is defined but not assigned
Call Idol	Input Variable	useCookies		true	Varible is defined but not assigned
Call Idol	Input Variable	keepAlive		true	Varible is defined but not assigned
Call Idol	Input Variable	connectionsMaxPerRou te		2	Varible is defined but not assigned
Call Idol	Input Variable	connectionsMaxTotal		20	Varible is defined but not assigned
Call Idol	Input Variable	followRedirects		true	Varible is defined but not assigned
Call Idol	Input Variable	headers			Varible is defined but not assigned
Call Idol	Input Variable	destinationFile			Varible is defined but not assigned
Call Idol	Input Variable	responseCharacterSet			Varible is defined but not assigned
Call Idol	Input Variable	queryParams			Varible is defined but not assigned
Call Idol	Input Variable	queryParamsAreURLEn coded		false	Varible is defined but not assigned
Call Idol	Input Variable	queryParamsAreFormE ncoded		true	Varible is defined but not assigned
Call Idol	Input Variable	formParams			Varible is defined but not assigned
Call Idol	Input Variable	formParamsAreURLEnc oded		false	Varible is defined but not assigned
Call Idol	Input Variable	sourceFile			Varible is defined but not assigned
Call Idol	Input Variable	body			Varible is defined but not assigned
Call Idol	Input Variable	contentType			Varible is defined but not assigned

Call Idol	Input Variable	requestCharacterSet	ISO-8859-1	Varible is defined but not assigned
Call Idol	Input Variable	multipartBodies		Varible is defined but not assigned
Call Idol	Input Variable	multipartBodiesContent Type	text/plain; charset=ISO-8859-1	Varible is defined but not assigned
Call Idol	Input Variable	multipartValuesAreURL Encoded	false	Varible is defined but not assigned
Call Idol	Input Variable	multipartFiles		Varible is defined but not assigned
Call Idol	Input Variable	multipartFilesContentTy pe	application/octet-stream	Varible is defined but not assigned
Call Idol	Input Variable	chunkedRequestEntity		Varible is defined but not assigned
Call Idol	Input Variable	method	Get	Varible is defined but not assigned
Call Idol Get Name	Input Variable	url	http://localhost:13000/? action=EduceFromText &Text=\${text}&Gramm ars;=grammars/person_ name_engin.ecr	Varible is defined but not assigned
Call Idol Get Name	Input Variable	authType	Basic	Varible is defined but not assigned
Call Idol Get Name	Input Variable	username		Varible is defined but not assigned
Call Idol Get Name	Input Variable	password		Varible is defined but not assigned
Call Idol Get Name	Input Variable	preemptiveAuth	true	Varible is defined but not assigned
Call Idol Get Name	Input Variable	kerberosConfFile		Varible is defined but not assigned
Call Idol Get Name	Input Variable	kerberosLoginConfFile		Varible is defined but not assigned
Call Idol Get Name	Input Variable	kerberosSkipPortForLo okup	true	Varible is defined but not assigned
Call Idol Get Name	Input Variable	proxyHost		Varible is defined but not assigned
Call Idol Get Name	Input Variable	proxyPort	8080	Varible is defined but not assigned
Call Idol Get Name	Input Variable	proxyUsername		Varible is defined but not assigned
Call Idol Get Name	Input Variable	proxyPassword		Varible is defined but not assigned
Call Idol Get Name	Input Variable	trustAllRoots	false	Varible is defined but not assigned
Call Idol Get Name	Input Variable	x509HostnameVerifier	strict	Varible is defined but not assigned
Call Idol Get Name	Input Variable	trustKeystore		Varible is defined but not assigned
Call Idol Get Name	Input Variable	trustPassword		Varible is defined but not assigned

Call Idol Get Name	Input Variable	keystore		Varible is defined but not assigned
Call Idol Get Name	Input Variable	keystorePassword		Varible is defined but not assigned
Call Idol Get Name	Input Variable	connectTimeout	0	Varible is defined but not assigned
Call Idol Get Name	Input Variable	socketTimeout	0	Varible is defined but not assigned
Call Idol Get Name	Input Variable	useCookies	true	Varible is defined but not assigned
Call Idol Get Name	Input Variable	keepAlive	true	Varible is defined but not assigned
Call Idol Get Name	Input Variable	connectionsMaxPerRou te	2	Varible is defined but not assigned
Call Idol Get Name	Input Variable	connectionsMaxTotal	20	Varible is defined but not assigned
Call Idol Get Name	Input Variable	followRedirects	true	Varible is defined but not assigned
Call Idol Get Name	Input Variable	headers		Varible is defined but not assigned
Call Idol Get Name	Input Variable	destinationFile		Varible is defined but not assigned
Call Idol Get Name	Input Variable	responseCharacterSet		Varible is defined but not assigned
Call Idol Get Name	Input Variable	queryParams		Varible is defined but not assigned
Call Idol Get Name	Input Variable	queryParamsAreURLEn coded	false	Varible is defined but not assigned
Call Idol Get Name	Input Variable	queryParamsAreFormE ncoded	true	Varible is defined but not assigned
Call Idol Get Name	Input Variable	formParams		Varible is defined but not assigned
Call Idol Get Name	Input Variable	formParamsAreURLEnc oded	false	Varible is defined but not assigned
Call Idol Get Name	Input Variable	sourceFile		Varible is defined but not assigned
Call Idol Get Name	Input Variable	body		Varible is defined but not assigned
Call Idol Get Name	Input Variable	contentType		Varible is defined but not assigned
Call Idol Get Name	Input Variable	requestCharacterSet	ISO-8859-1	Varible is defined but not assigned
Call Idol Get Name	Input Variable	multipartBodies		Varible is defined but not assigned
Call Idol Get Name	Input Variable	multipartBodiesContent Type	text/plain; charset=ISO-8859-1	Varible is defined but not assigned
Call Idol Get Name	Input Variable	multipartValuesAreURL Encoded	false	Varible is defined but not assigned
Call Idol Get Name	Input Variable	multipartFiles		Varible is defined but not assigned

Call Idol Get Name	Input Variable	multipartFilesContentTy pe	application/octet-stream	Varible is defined but not assigned
Call Idol Get Name	Input Variable	chunkedRequestEntity		Varible is defined but not assigned
Call Idol Get Name	Input Variable	method	Get	Varible is defined but not assigned
Send Notification for category not found	Input Variable	SMTPServer	smtp.swinfra.net	Varible is defined but not assigned
Send Notification for category not found	Input Variable	MailType	html	Varible is defined but not assigned
Send Notification for category not found	Input Variable	Attachments		Varible is defined but not assigned
Send Notification for category not found	Input Variable	From	ooautomation@microfo cus.com	Varible is defined but not assigned
Send Notification for category not found	Input Variable	Cc		Varible is defined but not assigned
Send Notification for category not found	Input Variable	Bcc		Varible is defined but not assigned
Send Notification for category not found	Input Variable	Subject	Auto Reply:Category Not Found	Varible is defined but not assigned
Send Notification for category not found	Input Variable	username		Varible is defined but not assigned
Send Notification for category not found	Input Variable	password		Varible is defined but not assigned
Send Notification for category not found	Input Variable	port	25	Varible is defined but not assigned
Send Notification for category not found	Input Variable	characterSet		Varible is defined but not assigned
Send Notification for category not found	Input Variable	contentTransferEncodin g		Varible is defined but not assigned
Display Info	Input Variable	message	Access Request for self: Name=\${eName} EmployeeID=\${eId} Category/Request Type=\${category} Server IP=\${serverIp}	Varible is defined but not assigned
Display Info	Input Variable	title	Retrieved details from mailbox, LDAP & Idol	Varible is defined but not assigned
Display Info	Input Variable	message	Access Request for Others: Name=\${eName} EmployeeID=\${eId} Category/Request Type=\${category} Server IP=\${serverIp}	Varible is defined but not assigned
Display Info	Input Variable	title	Retrieved details from mailbox, LDAP & Idol	Varible is defined but not assigned
Send Notification for employee name not found	Input Variable	SMTPServer	smtp.swinfra.net	Varible is defined but not assigned
Send Notification for employee name not found	Input Variable	MailType	htmi	Varible is defined but not assigned

Send Notification for employee name not				Varible is defined but
found	Input Variable	Attachments		not assigned
Send Notification for employee name not found	Input Variable	From	ooautomation@microfo cus.com	Varible is defined but not assigned
Send Notification for employee name not found	Input Variable	Сс		Varible is defined but not assigned
Send Notification for employee name not found	Input Variable	Bcc		Varible is defined but not assigned
Send Notification for employee name not found	Input Variable	Subject	Auto Reply:Employee Details Not Found	Varible is defined but not assigned
Send Notification for employee name not found	Input Variable	username		Varible is defined but not assigned
Send Notification for employee name not found	Input Variable	password		Varible is defined but not assigned
Send Notification for employee name not found	Input Variable	port	25	Varible is defined but not assigned
Send Notification for employee name not found	Input Variable	characterSet		Varible is defined but not assigned
Send Notification for employee name not found	Input Variable	contentTransferEncodin g		Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	url	http://localhost:13000/? action=EduceFromText &Text=\${text}&Gramm ars;=grammars/informat ica_category_context.e cr	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	authType	Basic	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	username		Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	password		Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	preemptiveAuth	true	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	kerberosConfFile		Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	kerberosLoginConfFile		Varible is defined but not assigned

			I		I
Call Idol Get Category by using Eduction Method	Input Variable	kerberosSkipPortForLo okup		true	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	proxyHost			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	proxyPort		8080	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	proxyUsername			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	proxyPassword			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	trustAllRoots		false	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	x509HostnameVerifier		strict	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	trustKeystore			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	trustPassword			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	keystore			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	keystorePassword			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	connectTimeout		0	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	socketTimeout		0	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	useCookies		true	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	keepAlive		true	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	connectionsMaxPerRou te		2	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	connectionsMaxTotal		20	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	followRedirects		true	Varible is defined but not assigned

	T		I	I	I
Call Idol Get Category by using Eduction Method	Input Variable	headers			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	destinationFile			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	responseCharacterSet			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	queryParams			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	queryParamsAreURLEn coded		false	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	queryParamsAreFormE ncoded		true	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	formParams			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	formParamsAreURLEnc oded		false	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	sourceFile			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	body			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	contentType			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	requestCharacterSet		ISO-8859-1	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	multipartBodies			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	multipartBodiesContent Type		text/plain; charset=ISO-8859-1	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	multipartValuesAreURL Encoded		false	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	multipartFiles			Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	multipartFilesContentTy pe		application/octet-stream	Varible is defined but not assigned
Call Idol Get Category by using Eduction Method	Input Variable	chunkedRequestEntity			Varible is defined but not assigned

Call Idol Get Category				
by using Eduction Method	Input Variable	method	Get	Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	SMTPServer	smtp.swinfra.net	Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	MailType	html	Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	Attachments		Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	From	ooautomation@microfo cus.com	Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	Сс		Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	Всс		Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	Subject	Auto Reply:Missing required detail	Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	username		Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	password		Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	port	25	Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	characterSet		Varible is defined but not assigned
Send Notification for Details Not found	Input Variable	contentTransferEncodin g		Varible is defined but not assigned
Get Mail for Training Grant Access	Input Variable	host	outlook.office365.com	Varible is defined but not assigned
Get Mail for Training Grant Access	Input Variable	folder	GrantAccessCategory	Varible is defined but not assigned
Get Mail for Training Revoke Access	Input Variable	host	outlook.office365.com	Varible is defined but not assigned
Get Mail for Training Revoke Access	Input Variable	folder	RevokeAccessCategory	Varible is defined but not assigned
Train Idol	Input Variable	categoryld	101	Varible is defined but not assigned
Train Idol	Input Variable	categoryld	102	Varible is defined but not assigned
Send Notification for category Training	Input Variable	SMTPServer	smtp.swinfra.net	Varible is defined but not assigned
Send Notification for category Training	Input Variable	MailType	html	Varible is defined but not assigned
Send Notification for category Training	Input Variable	Attachments		Varible is defined but not assigned
Send Notification for category Training	Input Variable	From	ooautomation@microfo cus.com	Varible is defined but not assigned
Send Notification for category Training	Input Variable	Cc		Varible is defined but not assigned
Send Notification for category Training	Input Variable	Bcc		Varible is defined but not assigned

Send Notification for category Training	Input Variable	Subject	Auto Reply:Grant Access category Training	Varible is defined but not assigned
Send Notification for category Training	Input Variable	username		Varible is defined but not assigned
Send Notification for category Training	Input Variable	password		Varible is defined but not assigned
Send Notification for category Training	Input Variable	port	25	Varible is defined but not assigned
Send Notification for category Training	Input Variable	characterSet		Varible is defined but not assigned
Send Notification for category Training	Input Variable	contentTransferEncodin g		Varible is defined but not assigned
Send Notification for category Training	Input Variable	SMTPServer	smtp.swinfra.net	Varible is defined but not assigned
Send Notification for category Training	Input Variable	MailType	html	Varible is defined but not assigned
Send Notification for category Training	Input Variable	Attachments		Varible is defined but not assigned
Send Notification for category Training	Input Variable	From	ooautomation@microfo cus.com	Varible is defined but not assigned
Send Notification for category Training	Input Variable	Cc		Varible is defined but not assigned
Send Notification for category Training	Input Variable	Bcc		Varible is defined but not assigned
Send Notification for category Training	Input Variable	Subject	Auto Reply:Revoke Access category Training	Varible is defined but not assigned
Send Notification for category Training	Input Variable	username		Varible is defined but not assigned
Send Notification for category Training	Input Variable	password		Varible is defined but not assigned
Send Notification for category Training	Input Variable	port	25	Varible is defined but not assigned
Send Notification for category Training	Input Variable	characterSet		Varible is defined but not assigned
Send Notification for category Training	Input Variable	contentTransferEncodin g		Varible is defined but not assigned
Sleep for IDOL to get train	Input Variable	seconds	60	Varible is defined but not assigned
Call Idol	Input Variable	url	http://localhost:9020/act ion=CategorySuggestFr omText&QueryText=\${t ext}	Varible is defined but not assigned
Call Idol	Input Variable	authType	Basic	Varible is defined but not assigned
Call Idol	Input Variable	username		Varible is defined but not assigned
Call Idol	Input Variable	password		Varible is defined but not assigned

Call Idol	Input Variable	preemptiveAuth	true	Varible is defined but not assigned
Call Idol	Input Variable	kerberosConfFile		Varible is defined but not assigned
Call Idol	Input Variable	kerberosLoginConfFile		Varible is defined but not assigned
Call Idol	Input Variable	kerberosSkipPortForLo okup	true	Varible is defined but not assigned
Call Idol	Input Variable	proxyHost		Varible is defined but not assigned
Call Idol	Input Variable	proxyPort	8080	Varible is defined but not assigned
Call Idol	Input Variable	proxyUsername		Varible is defined but not assigned
Call Idol	Input Variable	proxyPassword		Varible is defined but not assigned
Call Idol	Input Variable	trustAllRoots	false	Varible is defined but not assigned
Call Idol	Input Variable	x509HostnameVerifier	strict	Varible is defined but not assigned
Call Idol	Input Variable	trustKeystore		Varible is defined but not assigned
Call Idol	Input Variable	trustPassword		Varible is defined but not assigned
Call Idol	Input Variable	keystore		Varible is defined but not assigned
Call Idol	Input Variable	keystorePassword		Varible is defined but not assigned
Call Idol	Input Variable	connectTimeout	0	Varible is defined but not assigned
Call Idol	Input Variable	socketTimeout	0	Varible is defined but not assigned
Call Idol	Input Variable	useCookies	true	Varible is defined but not assigned
Call Idol	Input Variable	keepAlive	true	Varible is defined but not assigned
Call Idol	Input Variable	connectionsMaxPerRou te	2	Varible is defined but not assigned
Call Idol	Input Variable	connectionsMaxTotal	20	Varible is defined but not assigned
Call Idol	Input Variable	followRedirects	true	Varible is defined but not assigned
Call Idol	Input Variable	headers		Varible is defined but not assigned
Call Idol	Input Variable	destinationFile		Varible is defined but not assigned
Call Idol	Input Variable	responseCharacterSet		Varible is defined but not assigned
Call Idol	Input Variable	queryParams		Varible is defined but not assigned

		queryParamsAreURLEn		Varible is defined but
Call Idol	Input Variable	coded	false	not assigned
Call Idol	Input Variable	queryParamsAreFormE ncoded	true	Varible is defined but not assigned
Call Idol	Input Variable	formParams		Varible is defined but not assigned
Call Idol	Input Variable	formParamsAreURLEnc oded	false	Varible is defined but not assigned
Call Idol	Input Variable	sourceFile		Varible is defined but not assigned
Call Idol	Input Variable	body		Varible is defined but not assigned
Call Idol	Input Variable	contentType		Varible is defined but not assigned
Call Idol	Input Variable	requestCharacterSet	ISO-8859-1	Varible is defined but not assigned
Call Idol	Input Variable	multipartBodies		Varible is defined but not assigned
Call Idol	Input Variable	multipartBodiesContent Type	text/plain; charset=ISO-8859-1	Varible is defined but not assigned
Call Idol	Input Variable	multipartValuesAreURL Encoded	false	Varible is defined but not assigned
Call Idol	Input Variable	multipartFiles		Varible is defined but not assigned
Call Idol	Input Variable	multipartFilesContentTy pe	application/octet-stream	Varible is defined but not assigned
Call Idol	Input Variable	chunkedRequestEntity		Varible is defined but not assigned
Call Idol	Input Variable	method	Get	Varible is defined but not assigned
Text Encoder	Input Variable	characterSet	UTF-8	Varible is defined but not assigned
Send Notification for category Training	Input Variable	SMTPServer	smtp.swinfra.net	Varible is defined but not assigned
Send Notification for category Training	Input Variable	MailType	html	Varible is defined but not assigned
Send Notification for category Training	Input Variable	Attachments		Varible is defined but not assigned
Send Notification for category Training	Input Variable	From	ooautomation@microfo cus.com	Varible is defined but not assigned
Send Notification for category Training	Input Variable	Сс		Varible is defined but not assigned
Send Notification for category Training	Input Variable	Bcc		Varible is defined but not assigned
Send Notification for category Training	Input Variable	Subject	Auto Reply:Grant Access category Training Failed	Varible is defined but not assigned
Send Notification for category Training	Input Variable	username		Varible is defined but not assigned
Send Notification for category Training	Input Variable	password		Varible is defined but not assigned

Send Notification for				Varible is defined but
category Training	Input Variable	port	25	not assigned
Send Notification for category Training	Input Variable	characterSet		Varible is defined but not assigned
Send Notification for category Training	Input Variable	contentTransferEncodin g		Varible is defined but not assigned
Send Notification for category Training	Input Variable	SMTPServer	smtp.swinfra.net	Varible is defined but not assigned
Send Notification for category Training	Input Variable	MailType	html	Varible is defined but not assigned
Send Notification for category Training	Input Variable	Attachments		Varible is defined but not assigned
Send Notification for category Training	Input Variable	From	ooautomation@microfo cus.com	Varible is defined but not assigned
Send Notification for category Training	Input Variable	Cc		Varible is defined but not assigned
Send Notification for category Training	Input Variable	Bcc		Varible is defined but not assigned
Send Notification for category Training	Input Variable	Subject	Auto Reply:Revoke Access category Training Failed	Varible is defined but not assigned
Send Notification for category Training	Input Variable	username		Varible is defined but not assigned
Send Notification for category Training	Input Variable	password		Varible is defined but not assigned
Send Notification for category Training	Input Variable	port	25	Varible is defined but not assigned
Send Notification for category Training	Input Variable	characterSet		Varible is defined but not assigned
Send Notification for category Training	Input Variable	contentTransferEncodin g		Varible is defined but not assigned
Text Encoder	Input Variable	characterSet	UTF-8	Varible is defined but not assigned
Sleep for IDOL to get train	Input Variable	seconds	60	Varible is defined but not assigned
Call Idol	Input Variable	url	http://localhost:9020/act ion=CategorySuggestFr omText&QueryText=\${t ext}	Varible is defined but not assigned
Call Idol	Input Variable	authType	Basic	Varible is defined but not assigned
Call Idol	Input Variable	username		Varible is defined but not assigned
Call Idol	Input Variable	password		Varible is defined but not assigned
Call Idol	Input Variable	preemptiveAuth	true	Varible is defined but not assigned
Call Idol	Input Variable	kerberosConfFile		Varible is defined but not assigned
Call Idol	Input Variable	kerberosLoginConfFile		Varible is defined but not assigned

		Local Company Food o		Marklada data adhid
Call Idol	Input Variable	kerberosSkipPortForLo okup	true	Varible is defined but not assigned
Call Idol	Input Variable	proxyHost		Varible is defined but not assigned
Call Idol	Input Variable	proxyPort	8080	Varible is defined but not assigned
Call Idol	Input Variable	proxyUsername		Varible is defined but not assigned
Call Idol	Input Variable	proxyPassword		Varible is defined but not assigned
Call Idol	Input Variable	trustAllRoots	false	Varible is defined but not assigned
Call Idol	Input Variable	x509HostnameVerifier	strict	Varible is defined but not assigned
Call Idol	Input Variable	trustKeystore		Varible is defined but not assigned
Call Idol	Input Variable	trustPassword		Varible is defined but not assigned
Call Idol	Input Variable	keystore		Varible is defined but not assigned
Call Idol	Input Variable	keystorePassword		Varible is defined but not assigned
Call Idol	Input Variable	connectTimeout	0	Varible is defined but not assigned
Call Idol	Input Variable	socketTimeout	0	Varible is defined but not assigned
Call Idol	Input Variable	useCookies	true	Varible is defined but not assigned
Call Idol	Input Variable	keepAlive	true	Varible is defined but not assigned
Call Idol	Input Variable	connectionsMaxPerRou te	2	Varible is defined but not assigned
Call Idol	Input Variable	connectionsMaxTotal	20	Varible is defined but not assigned
Call Idol	Input Variable	followRedirects	true	Varible is defined but not assigned
Call Idol	Input Variable	headers		Varible is defined but not assigned
Call Idol	Input Variable	destinationFile		Varible is defined but not assigned
Call Idol	Input Variable	responseCharacterSet		Varible is defined but not assigned
Call Idol	Input Variable	queryParams		Varible is defined but not assigned
Call Idol	Input Variable	queryParamsAreURLEn coded	false	Varible is defined but not assigned
Call Idol	Input Variable	queryParamsAreFormE ncoded	true	Varible is defined but not assigned
Call Idol	Input Variable	formParams		Varible is defined but not assigned

Call Idol		formParamsAreURLEnc		falso	Varible is defined but
Call Idol	Input Variable	oded		false	not assigned
Call Idol	Input Variable	sourceFile			Varible is defined but not assigned
Call Idol	Input Variable	body			Varible is defined but not assigned
Call Idol	Input Variable	contentType			Varible is defined but not assigned
Call Idol	Input Variable	requestCharacterSet		ISO-8859-1	Varible is defined but not assigned
Call Idol	Input Variable	multipartBodies			Varible is defined but not assigned
Call Idol	Input Variable	multipartBodiesContent Type		text/plain; charset=ISO-8859-1	Varible is defined but not assigned
Call Idol	Input Variable	multipartValuesAreURL Encoded		false	Varible is defined but not assigned
Call Idol	Input Variable	multipartFiles			Varible is defined but not assigned
Call Idol	Input Variable	multipartFilesContentTy pe		application/octet-stream	Varible is defined but not assigned
Call Idol	Input Variable	chunkedRequestEntity			Varible is defined but not assigned
Call Idol	Input Variable	method		Get	Varible is defined but not assigned
Get Email List	Input Variable	host	host		Input variable is using Prompt User
Read Email	Input Variable	convertLocal		True	Varible is defined but not assigned
Read Email	Input Variable	host	host		Input variable is using Prompt User
Read Email	Input Variable	emailld	emailld		Input variable is using Prompt User
Get Current Date and Time	Input Variable	localeLang		unix	Varible is defined but not assigned
Get Current Date and Time	Input Variable	localeCountry			Varible is defined but not assigned
Read Email Result	Flow Output Variable	readEmailResult	Result Field: returnResult	N/A	Flow Output variable created in flow steps
Move Object	Input Variable	folder		InformaticaProcessedE mail	Varible is defined but not assigned
				<pre><pre> <pre> <</pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>	Varible is defined but
Reply Mail	Input Variable	messageBody		Automation	not assigned

Reply Mail	Input Variable	replyAll		Varible is defined but not assigned
Reply Mail	Input Variable	ccRecipients		Varible is defined but not assigned
Reply Mail	Input Variable	delimiter		Varible is defined but not assigned
Reply Mail	Input Variable	saveCopy	false	Varible is defined but not assigned
Flow Inputs	Input Variable	categoryld		Varible is defined but not assigned
Subject Encoder	Input Variable	characterSet	UTF-8	Varible is defined but not assigned
Call Idol	Input Variable	url	http://localhost:9020/act ion=CategorySetTrainin g&Category=\${categor yld}&Training=\${text}& BuildNow;=True	Varible is defined but not assigned
Call Idol	Input Variable	authType	Basic	Varible is defined but not assigned
Call Idol	Input Variable	username		Varible is defined but not assigned
Call Idol	Input Variable	password		Varible is defined but not assigned
Call Idol	Input Variable	preemptiveAuth	true	Varible is defined but not assigned
Call Idol	Input Variable	kerberosConfFile		Varible is defined but not assigned
Call Idol	Input Variable	kerberosLoginConfFile		Varible is defined but not assigned
Call Idol	Input Variable	kerberosSkipPortForLo okup	true	Varible is defined but not assigned
Call Idol	Input Variable	proxyHost		Varible is defined but not assigned
Call Idol	Input Variable	proxyPort	8080	Varible is defined but not assigned
Call Idol	Input Variable	proxyUsername		Varible is defined but not assigned
Call Idol	Input Variable	proxyPassword		Varible is defined but not assigned
Call Idol	Input Variable	trustAllRoots	false	Varible is defined but not assigned
Call Idol	Input Variable	x509HostnameVerifier	strict	Varible is defined but not assigned
Call Idol	Input Variable	trustKeystore		Varible is defined but not assigned
Call Idol	Input Variable	trustPassword		Varible is defined but not assigned
Call Idol	Input Variable	keystore		Varible is defined but not assigned
Call Idol	Input Variable	keystorePassword		Varible is defined but not assigned

Call Idol	Input Variable	connectTimeout	0	Varible is defined but not assigned
Call Idol	Input Variable	socketTimeout	0	Varible is defined but not assigned
Call Idol	Input Variable	useCookies	true	Varible is defined but not assigned
Call Idol	Input Variable	keepAlive	true	Varible is defined but not assigned
Call Idol	Input Variable	connectionsMaxPerRou te	2	Varible is defined but not assigned
Call Idol	Input Variable	connectionsMaxTotal	20	Varible is defined but not assigned
Call Idol	Input Variable	followRedirects	true	Varible is defined but not assigned
Call Idol	Input Variable	headers		Varible is defined but not assigned
Call Idol	Input Variable	destinationFile		Varible is defined but not assigned
Call Idol	Input Variable	responseCharacterSet		Varible is defined but not assigned
Call Idol	Input Variable	queryParams		Varible is defined but not assigned
Call Idol	Input Variable	queryParamsAreURLEn coded	false	Varible is defined but not assigned
Call Idol	Input Variable	queryParamsAreFormE ncoded	true	Varible is defined but not assigned
Call Idol	Input Variable	formParams		Varible is defined but not assigned
Call Idol	Input Variable	formParamsAreURLEnc oded	false	Varible is defined but not assigned
Call Idol	Input Variable	sourceFile		Varible is defined but not assigned
Call Idol	Input Variable	body		Varible is defined but not assigned
Call Idol	Input Variable	contentType		Varible is defined but not assigned
Call Idol	Input Variable	requestCharacterSet	ISO-8859-1	Varible is defined but not assigned
Call Idol	Input Variable	multipartBodies		Varible is defined but not assigned
Call Idol	Input Variable	multipartBodiesContent Type	text/plain; charset=ISO-8859-1	Varible is defined but not assigned
Call Idol	Input Variable	multipartValuesAreURL Encoded	false	Varible is defined but not assigned
Call Idol	Input Variable	multipartFiles		Varible is defined but not assigned
Call Idol	Input Variable	multipartFilesContentTy pe	application/octet-stream	Varible is defined but not assigned
Call Idol	Input Variable	chunkedRequestEntity		Varible is defined but not assigned

Call Idol	Input Variable	method		Get	Varible is defined but not assigned
Call Idol	Flow Output Variable	indexId	Result Field: returnResult	N/A	Flow Output variable created in flow steps

OO Code Review Details

This table contains all warnings information of each variables.

Step	Variable Type	Name	Assign From	Default Value	Remarks
Read Email	Input Variable	host		outlook.office365.com	Hard-coded values present in use constant field
Read Email	Input Variable	mailbox	mailboxInformatica	ankit.pandey@microfoc us.com	Input variable name and Assign from values are not identical
Read Email	Input Variable	mailbox	mailboxInformatica	ankit.pandey@microfoc us.com	Hard-coded values present in use constant field
Read Email	Input Variable	folder		InformaticaDemo	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	request		self	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	DBServerName		localhost	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	DbType		PostgreSQL	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	Username		postgres	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	DBPort		5432	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	Database		postgres	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	Command		SELECT "Eld", "Ename" FROM public. "Automati onTable" where "MailAd dress"='\${emailAddress} }';	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	Delimiter		II	Hard-coded values present in use constant field

				Hard-coded values
Retrieve User ID	Input Variable	ignoreCase	true	present in use constant field
Retrieve User ID	Input Variable	DBServerName	localhost	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	request	other	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	DbType	PostgreSQL	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	Username	postgres	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	DBPort	5432	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	Database	postgres	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	Command	SELECT "Eld","Ename" FROM public."Automati onTable" where "Enam e"='\${extractedName}';	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	Delimiter	II	Hard-coded values present in use constant field
Retrieve User ID	Input Variable	ignoreCase	true	Hard-coded values present in use constant field
PowerShell Script	Input Variable	script	\$requestType="\${categ ory}" \$request="\${request}" if(\$requestType -eq "GrantAccess") { if(\$request -eq "self") { write-output " Server access provided successfully for \${eName}" } else { write-output " Server access provided to \${eName} as requested" } } else { if(\$request -eq "self") { write-output " Server access removed successfully for \${eName}" } else { write-output " Server access removed successfully for \${eName}" } else { write-output " Server access removed for \${eName} as requested" } }	Hard-coded values present in use constant field
Send Notification	Input Variable	SMTPServer	smtp.swinfra.net	Hard-coded values present in use constant field

Send Notification	Input Variable	MailType		html	Hard-coded values present in use constant field
Send Notification	Input Variable	From		ooautomation@microfo cus.com	Hard-coded values present in use constant field
Send Notification	Input Variable	То	emailAddress		Input variable name and Assign from values are not identical
Send Notification	Input Variable	Subject		Auto Reply: Access Request: Success	Hard-coded values present in use constant field
Send Notification	Input Variable	Body		<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Hard-coded values present in use constant field
Send Notification	Input Variable	port		25	Hard-coded values present in use constant field
Send Notification	Input Variable	SMTPServer		smtp.swinfra.net	Hard-coded values present in use constant field
Send Notification	Input Variable	MailType		html	Hard-coded values present in use constant field
Send Notification	Input Variable	From		ooautomation@microfo cus.com	Hard-coded values present in use constant field
Send Notification	Input Variable	То	emailAddress		Input variable name and Assign from values are not identical
Send Notification	Input Variable	Subject		Auto Reply:Access Request:Failed	Hard-coded values present in use constant field
Send Notification	Input Variable	Body	emailBody	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Input variable name and Assign from values are not identical
				<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Hard-coded values present in use constant
Send Notification	Input Variable	Body	emailBody	generated email	field

					Hard-coded values
Send Notification	Input Variable	port		25	present in use constant field
Text Encoder	Input Variable	text	emailBody		Input variable name and Assign from values are not identical
Text Encoder	Input Variable	characterSet		UTF-8	Hard-coded values present in use constant field
Call Idol	Input Variable	url		http://localhost:9020/act ion=CategorySuggestFr omText&QueryText=\${t ext}	Hard-coded values present in use constant field
Call Idol	Input Variable	authType		Basic	Hard-coded values present in use constant field
Call Idol	Input Variable	preemptiveAuth		true	Hard-coded values present in use constant field
Call Idol	Input Variable	kerberosSkipPortForLo okup		true	Hard-coded values present in use constant field
Call Idol	Input Variable	proxyPort		8080	Hard-coded values present in use constant field
Call Idol	Input Variable	trustAllRoots		false	Hard-coded values present in use constant field
Call Idol	Input Variable	x509HostnameVerifier		strict	Hard-coded values present in use constant field
Call Idol	Input Variable	connectTimeout		0	Hard-coded values present in use constant field
Call Idol	Input Variable	socketTimeout		0	Hard-coded values present in use constant field
Call Idol	Input Variable	useCookies		true	Hard-coded values present in use constant field
Call Idol	Input Variable	keepAlive		true	Hard-coded values present in use constant field
Call Idol	Input Variable	connectionsMaxPerRou te		2	Hard-coded values present in use constant field
Call Idol	Input Variable	connectionsMaxTotal		20	Hard-coded values present in use constant field
Call Idol	Input Variable	followRedirects		true	Hard-coded values present in use constant field

Call Idol	Input Variable	queryParamsAreURLEn coded	false	Hard-coded values present in use constant field
Call Idol	Input Variable	queryParamsAreFormE ncoded	true	Hard-coded values present in use constant field
Call Idol	Input Variable	formParamsAreURLEnc oded	false	Hard-coded values present in use constant field
Call Idol	Input Variable	requestCharacterSet	ISO-8859-1	Hard-coded values present in use constant field
Call Idol	Input Variable	multipartBodiesContent Type	text/plain; charset=ISO-8859-1	Hard-coded values present in use constant field
Call Idol	Input Variable	multipartValuesAreURL Encoded	false	Hard-coded values present in use constant field
Call Idol	Input Variable	multipartFilesContentTy pe	application/octet-stream	Hard-coded values present in use constant field
Call Idol	Input Variable	method	Get	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	url	http://localhost:13000/? action=EduceFromText &Text=\${text}&Gramm ars;=grammars/person_ name_engin.ecr	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	authType	Basic	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	preemptiveAuth	true	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	kerberosSkipPortForLo okup	true	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	proxyPort	8080	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	trustAllRoots	false	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	x509HostnameVerifier	strict	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	connectTimeout	0	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	socketTimeout	0	Hard-coded values present in use constant field

			I		I
Call Idol Get Name	Input Variable	useCookies		true	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	keepAlive		true	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	connectionsMaxPerRou te		2	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	connectionsMaxTotal		20	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	followRedirects		true	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	queryParamsAreURLEn coded		false	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	queryParamsAreFormE ncoded		true	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	formParamsAreURLEnc oded		false	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	requestCharacterSet		ISO-8859-1	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	multipartBodiesContent Type		text/plain; charset=ISO-8859-1	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	multipartValuesAreURL Encoded		false	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	multipartFilesContentTy pe		application/octet-stream	Hard-coded values present in use constant field
Call Idol Get Name	Input Variable	method		Get	Hard-coded values present in use constant field
Send Notification for category not found	Input Variable	SMTPServer		smtp.swinfra.net	Hard-coded values present in use constant field
Send Notification for category not found	Input Variable	MailType		html	Hard-coded values present in use constant field
Send Notification for category not found	Input Variable	From		ooautomation@microfo cus.com	Hard-coded values present in use constant field
Send Notification for category not found	Input Variable	То	emailAddress		Input variable name and Assign from values are not identical
Send Notification for category not found	Input Variable	Subject		Auto Reply:Category Not Found	Hard-coded values present in use constant field

Send Notification for category not found	Input Variable	Body	emailBody	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Input variable name and Assign from values are not identical
Send Notification for category not found	Input Variable	Body	emailBody	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Hard-coded values present in use constant field Hard-coded values
Send Notification for category not found	Input Variable	port		25	present in use constant
Display Info	Input Variable	message		Access Request for self: Name=\${eName} EmployeeID=\${eId} Category/Request Type=\${category} Server IP=\${serverIp}	Hard-coded values present in use constant field
Display Info	Input Variable	title		Retrieved details from mailbox, LDAP & Idol	Hard-coded values present in use constant field
Display Info	Input Variable	message		Access Request for Others: Name=\${eName} EmployeeID=\${eId} Category/Request Type=\${category} Server IP=\${serverIp}	Hard-coded values present in use constant field
Display Info	Input Variable	title		Retrieved details from mailbox, LDAP & Idol	Hard-coded values present in use constant field

Send Notification for employee name not found	Input Vorights	SMTPServer		smtp.swinfra.net	Hard-coded values present in use constant field
Send Notification for employee name not found	Input Variable Input Variable	MailType		html	Hard-coded values present in use constant field
Send Notification for employee name not found	Input Variable	From		ooautomation@microfo cus.com	Hard-coded values present in use constant field
Send Notification for employee name not found	Input Variable	То	emailAddress		Input variable name and Assign from values are not identical
Send Notification for employee name not found	Input Variable	Subject		Auto Reply:Employee Details Not Found	Hard-coded values present in use constant field
Send Notification for employee name not found	Input Variable	Body	emailBody	<pre> Hi, Employee details not found in LDAP. Please send another email for your request. Original Request Mail: \${emailBody} Regards, OO Automation Please do not reply, this is auto generated email </pre>	Input variable name and Assign from values are not identical
Send Notification for employee name not found	Input Variable	Body	emailBody	<pre><pre> Hi, Employee details not found in LDAP. Please send another email for your request. Original Request Mail: \${emailBody} Regards, OO Automation Please do not reply, this is auto generated email </pre></pre>	Hard-coded values present in use constant field
Send Notification for employee name not found	Input Variable	port		25	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	url		http://localhost:13000/? action=EduceFromText &Text=\${text}&Gramm ars;=grammars/informat ica_category_context.e cr	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	authType		Basic	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	preemptiveAuth		true	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	kerberosSkipPortForLo okup		true	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	proxyPort		8080	Hard-coded values present in use constant field

Call Idol Get Category by using Eduction Method	Input Variable	trustAllRoots	false	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	x509HostnameVerifier	strict	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	connectTimeout	0	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	socketTimeout	0	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	useCookies	true	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	keepAlive	true	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	connectionsMaxPerRou te	2	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	connectionsMaxTotal	20	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	followRedirects	true	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	queryParamsAreURLEn coded	false	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	queryParamsAreFormE ncoded	true	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	formParamsAreURLEnc oded	false	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	requestCharacterSet	ISO-8859-1	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	multipartBodiesContent Type	text/plain; charset=ISO-8859-1	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	multipartValuesAreURL Encoded	false	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	multipartFilesContentTy pe	application/octet-stream	Hard-coded values present in use constant field
Call Idol Get Category by using Eduction Method	Input Variable	method	Get	Hard-coded values present in use constant field
Send Notification for Details Not found	Input Variable	SMTPServer	smtp.swinfra.net	Hard-coded values present in use constant field

Send Notification for Details Not found	Input Variable	MailType		html	Hard-coded values present in use constant field
Send Notification for Details Not found	Input Variable	From		ooautomation@microfo cus.com	Hard-coded values present in use constant field
Send Notification for Details Not found	Input Variable	То	emailAddress		Input variable name and Assign from values are not identical
Send Notification for Details Not found	Input Variable	Subject		Auto Reply:Missing required detail	Hard-coded values present in use constant field
Send Notification for Details Not found	Input Variable	Body	emailBody	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Input variable name and Assign from values are not identical
Send Notification for Details Not found	Input Variable	Body	emailBody	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Hard-coded values present in use constant field
Send Notification for Details Not found	Input Variable	port		25	Hard-coded values present in use constant field
Get Mail for Training Grant Access	Input Variable	host		outlook.office365.com	Hard-coded values present in use constant field
Get Mail for Training Grant Access	Input Variable	mailbox	mailboxInformatica		Input variable name and Assign from values are not identical
Get Mail for Training Grant Access	Input Variable	folder		GrantAccessCategory	Hard-coded values present in use constant field
Get Mail for Training Revoke Access	Input Variable	host		outlook.office365.com	Hard-coded values present in use constant field

	I	1			
Get Mail for Training Revoke Access	Input Variable	mailbox	mailboxInformatica		Input variable name and Assign from values are not identical
Get Mail for Training Revoke Access	Input Variable	folder		RevokeAccessCategory	Hard-coded values present in use constant field
Train Idol	Input Variable	content	emailBody		Input variable name and Assign from values are not identical
Train Idol	Input Variable	categoryld		101	Hard-coded values present in use constant field
Train Idol	Input Variable	content	emailBody		Input variable name and Assign from values are not identical
Train Idol	Input Variable	categoryld		102	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	SMTPServer		smtp.swinfra.net	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	MailType		html	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	From		ooautomation@microfo	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	То	emailAddress		Input variable name and Assign from values are not identical
Send Notification for category Training	Input Variable	Subject		Auto Reply:Grant Access category Training	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	Body	emailBody	<pre><pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>	Input variable name and Assign from values are not identical
Send Notification for category Training	Input Variable	Body	emailBody	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	port		25	Hard-coded values present in use constant field

Send Notification for category Training	Input Variable	SMTPServer		smtp.swinfra.net	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	MailType		html	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	From		ooautomation@microfo cus.com	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	То	emailAddress		Input variable name and Assign from values are not identical
Send Notification for category Training	Input Variable	Subject		Auto Reply:Revoke Access category Training	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	Body	emailBody	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Input variable name and Assign from values are not identical
Send Notification for category Training	Input Variable	Body	emailBody	<pre><pre> <pre> <</pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	port		25	Hard-coded values present in use constant field
Sleep for IDOL to get train	Input Variable	seconds		60	Hard-coded values present in use constant field
Call Idol	Input Variable	url		http://localhost:9020/act ion=CategorySuggestFr omText&QueryText=\${t ext}	Hard-coded values present in use constant field
Call Idol	Input Variable	authType		Basic	Hard-coded values present in use constant field
Call Idol	Input Variable	preemptiveAuth		true	Hard-coded values present in use constant field
Call Idol	Input Variable	kerberosSkipPortForLo okup		true	Hard-coded values present in use constant field

				Hard-coded values
Call Idol	Input Variable	proxyPort	8080	present in use constant field
Call Idol	Input Variable	trustAllRoots	false	Hard-coded values present in use constant field
Call Idol	Input Variable	x509HostnameVerifier	strict	Hard-coded values present in use constant field
Call Idol	Input Variable	connectTimeout	0	Hard-coded values present in use constant field
Call Idol	Input Variable	socketTimeout	0	Hard-coded values present in use constant field
Call Idol	Input Variable	useCookies	true	Hard-coded values present in use constant field
Call Idol	Input Variable	keepAlive	true	Hard-coded values present in use constant field
Call Idol	Input Variable	connectionsMaxPerRou te	2	Hard-coded values present in use constant field
Call Idol	Input Variable	connectionsMaxTotal	20	Hard-coded values present in use constant field
Call Idol	Input Variable	followRedirects	true	Hard-coded values present in use constant field
Call Idol	Input Variable	queryParamsAreURLEn coded	false	Hard-coded values present in use constant field
Call Idol	Input Variable	queryParamsAreFormE ncoded	true	Hard-coded values present in use constant field
Call Idol	Input Variable	formParamsAreURLEnc oded	false	Hard-coded values present in use constant field
Call Idol	Input Variable	requestCharacterSet	ISO-8859-1	Hard-coded values present in use constant field
Call Idol	Input Variable	multipartBodiesContent Type	text/plain; charset=ISO-8859-1	Hard-coded values present in use constant field
Call Idol	Input Variable	multipartValuesAreURL Encoded	false	Hard-coded values present in use constant field
Call Idol	Input Variable	multipartFilesContentTy pe	application/octet-stream	Hard-coded values present in use constant field
Call Idol	Input Variable	method	Get	Hard-coded values present in use constant field

					Input variable name and
Text Encoder	Input Variable	text	emailBody		Assign from values are not identical
Text Encoder	Input Variable	characterSet		UTF-8	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	SMTPServer		smtp.swinfra.net	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	MailType		html	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	From		ooautomation@microfo cus.com	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	То	emailAddress		Input variable name and Assign from values are not identical
Send Notification for category Training	Input Variable	Subject		Auto Reply:Grant Access category Training Failed	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	Body	emailBody	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Input variable name and Assign from values are not identical
Send Notification for category Training	Input Variable	Body	emailBody	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	port		25	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	SMTPServer		smtp.swinfra.net	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	MailType		html	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	From		ooautomation@microfo cus.com	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	То	emailAddress		Input variable name and Assign from values are not identical

Send Notification for category Training	Input Variable	Subject		Auto Reply:Revoke Access category Training Failed	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	Body	emailBody	<pre><pre> <pre> <</pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>	Input variable name and Assign from values are not identical
Send Notification for category Training	Input Variable	Body	emailBody	<pre><pre> <pre> <</pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>	Hard-coded values present in use constant field
Send Notification for category Training	Input Variable	port		25	Hard-coded values present in use constant field
Text Encoder	Input Variable	text	emailBody		Input variable name and Assign from values are not identical
Text Encoder	Input Variable	characterSet		UTF-8	Hard-coded values present in use constant field
Sleep for IDOL to get train	Input Variable	seconds		60	Hard-coded values present in use constant field
Call Idol	Input Variable	url		http://localhost:9020/act ion=CategorySuggestFr omText&QueryText=\${t ext}	Hard-coded values present in use constant field
Call Idol	Input Variable	authType		Basic	Hard-coded values present in use constant field
Call Idol	Input Variable	preemptiveAuth		true	Hard-coded values present in use constant field
Call Idol	Input Variable	kerberosSkipPortForLo okup		true	Hard-coded values present in use constant field
Call Idol	Input Variable	proxyPort		8080	Hard-coded values present in use constant field
Call Idol	Input Variable	trustAllRoots		false	Hard-coded values present in use constant field

Call Ideal Input Variable A509Hostname-Verifier strict field values present in use contraint field field input Variable connections Max PeriBou 2 investment field values present in use contraint field field input Variable socketTimoout 0 investment field field input Variable useCookies inve field field input Variable useCookies inve field field input Variable (kespAlive true field field input Variable to connections Max PeriBou 2 investment field field input Variable to connections Max PeriBou 2 investment field field input Variable to connections Max Total 2 input Variable field field input Variable field field input Variable field input Variable field field input Variable field input Variabl						Hard-coded values
Call Idol Input Variable connectTimeout 0						
Call Idol Input Variable connectTimeout 0 9 Seld Part-coded values present in use constant lied Input Variable socketTimeout 0 0 Seld Part-coded values present in use constant lied Input Variable useCookies ince Constant lied Input Variable RepAilve Inve Input Variable RepAilve Inve Input Variable RepAilve Input Variable RepAilve Input Variable RepAilve Input Variable RepAilve Inve Input Variable RepAilve Input	Call Idol	Input Variable	x509HostnameVerifier		strict	field
Call Ideal Input Variable socketTimeout 0 need Timeout 1 need Time						Hard-coded values
Call Idol Input Variable socketTimeout D	Call Idal		annactTimesut		0	'
Call Idol Input Variable useCookies true Call Idol Input Variable useCookies true Input Variable useCookies true Input Variable useCookies true Input Variable Input Variable RepAlive Input Variable Inp	Call Idol	Input Variable	connect i meout		0	
Call Idel Input Variable useCookies rue rue field repet Variable useCookies rue rue field rue constant field input Variable useCookies rue rue field rue constant field input Variable keepAlive rue constant field input Variable keepAlive rue rue constant field input Variable input Variable connectionsMaxPerRou rue constant field input Variable rue constant field rue constant field input Variable rue connectionsMaxPerRou rue constant field rue cons						
Call Idol Input Variable useCockies true Hard-coded values present in use constant field Input Variable Input Variable connectionsMax/PerRou to present in use constant field Input Variable connectionsMax/PerRou to present in use constant field Input Variable connectionsMax/PerRou to present in use constant field Input Variable connectionsMax/PerRou to present in use constant field Input Variable connectionsMax/PerRou to present in use constant field Input Variable coded values present in use constant field Input Variable coded value	Call Idol	Input Variable	socketTimeout		0	
Call Idol Input Variable useCookies true field Input Variable keepAlive true Hard-coded values present in use constant field Call Idol Input Variable connectionsMaxPerRou to 2 Field Call Idol Input Variable connectionsMaxTotal 20 Field Call Idol Input Variable connectionsMaxTotal 20 Field Call Idol Input Variable connectionsMaxTotal 20 Field Call Idol Input Variable followRedirects true Field Call Idol Input Variable coded values present in use constant field Call Idol Input Variable followRedirects true Field Field Call Idol Input Variable coded values present in use constant field Call Idol Input Variable roded values present in use constant field Call Idol Input Variable roded values present in use constant field Call Idol Input Variable requestCharacterSet Input Variable request CharacterSet Input Vari		, , , , , , , , , , , , , , , , , , , ,				Hard-coded values
Call Idol Input Variable keepAlive true Fired values present in use constant field Call Idol Input Variable connectionsMaxPerRou te 2 fried Call Idol Input Variable connectionsMaxTotal 20 Fired values present in use constant field Call Idol Input Variable connectionsMaxTotal 20 Fired values present in use constant field Call Idol Input Variable followRedirects true Fired values present in use constant field Call Idol Input Variable queryParamsAreURLEn coded value present in use constant field Call Idol Input Variable odded field						present in use constant
Call Idol Input Variable keepAlive true field present in use constant field process of the proce	Call Idol	Input Variable	useCookies		true	field
Call Idol Input Variable keepAlive true field Call Idol Input Variable connectionsMaxPerRou to connectionsMaxPerRou to connectionsMaxPerRou to connectionsMaxPerRou to connectionsMaxPerRou to connectionsMaxTotal 20 field Call Idol Input Variable connectionsMaxTotal 20 field Call Idol Input Variable followRedirects true field Call Idol Input Variable coded values present in use constant field Call Idol Input Variable coded values present in use constant field Call Idol Input Variable coded values present in use constant field Call Idol Input Variable coded values present in use constant field Call Idol Input Variable coded values present in use constant field Call Idol Input Variable coded values present in use constant field Call Idol Input Variable requestCharacterSet Iso-8859-1 field Call Idol Input Variable requestCharacterSet Iso-8859-1 field Call Idol Input Variable requestCharacterSet present in use constant field Call Idol Input Variable requestCharacterSet present in use constant field Call Idol Input Variable requestCharacterSet present in use constant field Call Idol Input Variable requestCharacterSet present in use constant field Call Idol Input Variable requestCharacterSet present in use constant field Call Idol Input Variable requestCharacterSet present in use constant field Call Idol Input Variable requestCharacterSet present in use constant field Call Idol Input Variable request represent in use constant field Call Idol Input Variable request represent in use constant field Call Idol Input Variable request represent in use constant field Call Idol Input Variable request represent in use constant field Call Idol Input Variable request represent in use constant field Call Idol Input Variable request represent in use constant field Call Idol Input Variable request represent in use constant field Call Idol Input Variable request represent in use constant field Call Idol Input Variable request represent in use constant field Call Idol Input Variable request represent in use						Hard-coded values
Call Idol Input Variable connectionsMaxPerRou to connectionsMaxTotal 20 filed Hard-coded values present in use constant field Input Variable connectionsMaxTotal 20 filed Hard-coded values present in use constant field Input Variable (Input Variable Call Idol Input Variable Call Idol Input Variable (Input Variable Call Idol Input Variable Call Idol Input Variable (Input Variable Call Idol Input Variable Call Idol Input Variable (Input Variable Call Idol Input Variable Call Idol Input Variable (Input Variable Call Idol In	Collidat		koonAliyo		truo	
Call Idol Input Variable connectionsMaxPerRou te 2 present in use constant field Call Idol Input Variable connectionsMaxTotal 20 Hard-coded values present in use constant field Call Idol Input Variable followRedirects true Hard-coded values present in use constant field Call Idol Input Variable coded Values present in use constant field Call Idol Input Variable coded Values present in use constant field Call Idol Input Variable coded Values present in use constant field Call Idol Input Variable roded Values present in use constant field Call Idol Input Variable requestCharacterSet Iso-8859-1 Ifield Call Idol Input Variable requestCharacterSet Iso-8859-1 Iso-8	Call Iuoi	Input Variable	keepAlive		liue	
Call Idol Input Variable te 2 field Hard-coded values present in use constant field Input Variable connectionsMaxTotal 20 Hard-coded values present in use constant field Input Variable follow Redirects True Hard-coded values present in use constant field Input Variable queryParamsAreURLEn coded field Input Variable queryParamsAreURLEn coded field Input Variable and Input Variable queryParamsAreFormE field Input Variable field Input Variable and Input Variable requestCharacterSet ISO-8859-1 field Input Variable Type Ararbetare Input Variable Type Ararbetare Input Variable Type Ararbetare Input Variable AracterSet Input Variable Type Ararbetare			connectionsMaxPerRou			
Call Idol Input Variable connectionsMaxTotal 20 Hard-coded values present in use constant field Call Idol Input Variable followRedirects true Hard-coded values present in use constant field Call Idol Input Variable coded queryParamsAreURLEn coded false field Call Idol Input Variable queryParamsAreURLEn coded false field Call Idol Input Variable present in use constant field Call Idol Input Variable requestCharacterSet Input Variable requestCharacterSet Input Variable Force field Call Idol Input Variable requestCharacterSet Input Variable requestCharacterSet Input Variable Present in use constant field Call Idol Input Variable requestCharacterSet Input Variable requestCharacterSet Input Variable Red Present in use constant field Call Idol Input Variable requestCharacterSet Input Variable Red Present in use constant field Call Idol Input Variable Red Present in use constant field Call Idol Input Variable Red Present in use constant field Call Idol Input Variable Red Present in use constant field Call Idol Input Variable Red Present in use constant field Call Idol Input Variable Red Present in use constant field Call Idol Input Variable Red Present in use constant field Call Idol Input Variable Red Present in use constant field Call Idol Input Variable Red Present in use constant field Call Idol Input Variable Red Present in use constant field Call Idol Input Variable Red Present in use constant field Call Idol Input Variable Red Values present in use constant field Call Idol Input Variable Red Values present in use constant field Call Idol Input Variable Red Values present in use constant field Call Idol Input Variable Red Values present in use constant field Call Idol Input Variable Red Values present in use constant field Call Idol Input Variable Red Values present in use constant field	Call Idol	Input Variable			2	
Call Idol Input Variable connectionsMaxTotal 20 field Input Variable		, , , , , , , , , , , , , , , , , , , ,				Hard-coded values
Call Idol Input Variable followRedirects true field true field Flads present in use constant field field input Variable coded values present in use constant field flads input Variable new field field flads input Variable new field flads input Variable requestCharacterSet IsO-8859-1 field hard-coded values present in use constant field flads input Variable requestCharacterSet IsO-8859-1 field hard-coded values present in use constant field input Variable requestCharacterSet IsO-8859-1 field hard-coded values present in use constant field input Variable requestCharacterSet isO-8859-1 field hard-coded values present in use constant field input Variable requestCharacterSet isO-8859-1 field hard-coded values present in use constant field input Variable requestCharacterSet isO-8859-1 field hard-coded values present in use constant field input Variable requestCharacterSet field hard-coded values present in use constant field input Variable requestCharacterSet field hard-coded values present in use constant field input Variable requestCharacterSet field hard-coded values present in use constant field field input Variable requestCharacterSet field hard-coded values present in use constant field hard-coded values present						present in use constant
Call Idol Input Variable followRedirects true present in use constant field queryParamsAreURLEn coded false present in use constant field present in use constant field present in use constant field true field hard-coded values present in use constant field field input Variable present in use constant field field input Variable formParamsAreURLEnc coded false field hard-coded values present in use constant field field input Variable requestCharacterSet ISO-8859-1 field hard-coded values present in use constant field input Variable multipartBodiesContent Type true text/plain; charset=ISO-8859-1 field hard-coded values present in use constant field input Variable multipartValuesAreURL false hard-coded values present in use constant field input Variable present in use constant field hard-coded values present in use constant field field input Variable multipartFilesContentTy present in use constant field hard-coded values pr	Call Idol	Input Variable	connectionsMaxTotal		20	field
Call Idol Input Variable odded false true field Call Idol Input Variable Call Idol Call Idol Input Variable Call Idol Call						
Call Idol Input Variable coded requestCharacterSet IsO-8859-1 field Hard-coded values present in use constant field filed Input Variable requestCharacterSet IsO-8859-1 field Hard-coded values present in use constant field filed Input Variable requestCharacterSet IsO-8859-1 field Hard-coded values present in use constant field Hard-coded values present in use const	Call Idal		followPadiracts		truo	
Call Idol Input Variable coded Call Idol Call Ido	Call Iuoi	Input Variable	IOIIOWNEGITECIS		liue	
Call Idol Input Variable coded false field Call Idol Input Variable Coded False Field			gueryParamsAreURI Fn			
Call Idol Input Variable requestCharacterSet IsO-8859-1 field Call Idol Input Variable Fencoded False False field Call Idol Input Variable Fencoded False False False Fresent in use constant field Call Idol Input Variable Fencoded False False Fresent in use constant field Call Idol Input Variable Fencoded False False Fresent in use constant field Call Idol Input Variable Fencoded False False Fresent in use constant field Call Idol Input Variable Fencoded False False False False False False Fresent in use constant field Call Idol Input Variable Fencoded False Fa	Call Idol	Input Variable			false	'
Call Idol Input Variable ncoded true field Call Idol Input Variable oded formParamsAreURLEnc oded false field Call Idol Input Variable requestCharacterSet ISO-8859-1 field Call Idol Input Variable requestCharacterSet ISO-8859-1 field Call Idol Input Variable requestCharacterSet ISO-8859-1 field Call Idol Input Variable requestCharacterSet IsSO-8859-1 field Call Idol Input V						Hard-coded values
Call Idol Input Variable formParamsAreURLEnc oded false field Flard-coded values present in use constant field Flord Flard-coded values present in use constant field Flord			queryParamsAreFormE			present in use constant
Call Idol Input Variable formParamsAreURLEnc oded false present in use constant field Call Idol Input Variable requestCharacterSet ISO-8859-1 field Call Idol Input Variable requestCharacterSet ISO-8859-1 field Call Idol Input Variable multipartBodiesContent Type text/plain; present in use constant field Call Idol Input Variable multipartValuesAreURL Encoded field Call Idol Input Variable Encoded field Call Idol Input Variable persent in use constant field Call Idol Input Variable Find False field Call Idol Input Variable persent in use constant field Call Idol Input Variable persent in use constant field Call Idol Input Variable persent in use constant field Call Idol Input Variable method Get field Flow Input Variable host host outlook.office365.com field Hard-coded values present in use constant field	Call Idol	Input Variable	ncoded		true	field
Call Idol Input Variable oded false field Call Idol Input Variable requestCharacterSet ISO-8859-1 Hard-coded values present in use constant field			(and Danier And UDI Fee			
Call Idol Input Variable requestCharacterSet ISO-8859-1 Hard-coded values present in use constant field Call Idol Input Variable Type text/plain; charset=ISO-8859-1 field Call Idol Input Variable Encoded Flow present in use constant field Call Idol Input Variable Encoded Flow present in use constant field Call Idol Input Variable Encoded Flow present in use constant field Call Idol Input Variable Encoded Flow present in use constant field Call Idol Input Variable Flow Input Variable Encoded Values present in use constant field Flow Input Variable Input Variable host host outlook.office365.com Flow Input Variable Flow Input Variable host host outlook.office365.com Flow Input Variable Flow Input Variable Flow Input Variable host host outlook.office365.com Flow Input Variable Flow Input Vari	Call Idol	Innut Variable			false	
Call Idol Input Variable requestCharacterSet ISO-8859-1 present in use constant field Call Idol Input Variable multipartBodiesContent Type text/plain; charset=ISO-8859-1 field Call Idol Input Variable multipartValuesAreURL Encoded field Call Idol Input Variable multipartFilesContentTy pe application/octet-stream field Call Idol Input Variable method Get field Flow Input Variable host host outlook.office365.com Present in use constant field Hard-coded values present in use constant field		input variable				Hard-coded values
Call Idol Input Variable Type text/plain; charset=ISO-8859-1 field Call Idol Input Variable Type text/plain; charset=ISO-8859-1 field Call Idol Input Variable Encoded false field Call Idol Input Variable Encoded present in use constant field Call Idol Input Variable Pe application/octet-stream field Call Idol Input Variable Method Get field Flow Input Variable host host outlook.office365.com Hard-coded values present in use constant field						
Call Idol Input Variable Type that text/plain; charset=ISO-8859-1 field Call Idol Input Variable Type that text/plain; charset=ISO-8859-1 field Hard-coded values present in use constant field False field Hard-coded values present in use constant field Flow Input Variable host host outlook.office365.com field Hard-coded values present in use constant field	Call Idol	Input Variable	requestCharacterSet		ISO-8859-1	field
Call Idol Input Variable Type charset=ISO-8859-1 field Call Idol						Hard-coded values
Call Idol Input Variable Encoded False Hard-coded values present in use constant field Call Idol Input Variable Pe Application/octet-stream Field Call Idol Input Variable Method Get Hard-coded values present in use constant field Flow Input Variable host host outlook.office365.com Hard-coded values present in use constant field	0-1114-1		· ·			'
Call Idol Input Variable Encoded false present in use constant field Call Idol Input Variable Encoded false field Call Idol Input Variable pe application/octet-stream field Call Idol Input Variable method Get field Flow Input Variable host host outlook.office365.com MultipartFilesContentTy present in use constant field Hard-coded values present in use constant field	Call Idol	Input Variable	Туре		charset=ISO-8859-1	
Call Idol Input Variable Encoded false field Call Idol Input Variable pe application/octet-stream field Call Idol Input Variable Mard-coded values present in use constant field Call Idol Input Variable method Get Hard-coded values present in use constant field Flow Inputs Input Variable host host outlook.office365.com field Hard-coded values present in use constant field Hard-coded values present in use constant field Hard-coded values present in use constant field			multipart\/aluesArel IPI			
Call Idol Input Variable pe application/octet-stream Flow Input Variable host host Present in use constant field Hard-coded values present in use constant field	Call Idol	Input Variable	1		false	
Call Idol Input Variable pe application/octet-stream present in use constant field Call Idol Input Variable method Get Hard-coded values present in use constant field Flow Inputs Input Variable host host outlook.office365.com Hard-coded values present in use constant field						Hard-coded values
Call Idol Input Variable method Get Hard-coded values present in use constant field Flow Inputs Input Variable host host outlook.office365.com Hard-coded values present in use constant field Hard-coded values present in use constant field Hard-coded values present in use constant field			multipartFilesContentTy			
Call Idol Input Variable method Get present in use constant field Hard-coded values present in use constant field Flow Inputs Input Variable host host outlook.office365.com Hard-coded values present in use constant field Hard-coded values present in use constant	Call Idol	Input Variable	ре		application/octet-stream	field
Call Idol Input Variable method Get field Hard-coded values present in use constant field Hard-coded values present in use constant field Hard-coded values present in use constant field						
Flow Inputs Input Variable host host outlook.office365.com Hard-coded values present in use constant field Hard-coded values present in use constant free present in use constant field Hard-coded values present in use constant	Call Idol	lanut Variable	method		Get	
Flow Inputs Input Variable host host outlook.office365.com present in use constant field Hard-coded values present in use constant	Call Iuui	input Variable	metriou		Jei	
Flow Inputs Input Variable host host outlook.office365.com field Hard-coded values present in use constant						
present in use constant	Flow Inputs	Input Variable	host	host	outlook.office365.com	
						Hard-coded values
Flow Inputs Input Variable I folder I folder InformaticaDemo I field						
The state of the s	Flow Inputs	Input Variable	folder	folder	InformaticaDemo	field

					Hard-coded values
Get Email List	Input Variable	folder	folder	InformaticaDemo	present in use constant field
Get Next Email	Input Variable	folder	folderPath		Input variable name and Assign from values are not identical
Read Email	Input Variable	delimiter	delimiter	;	Hard-coded values present in use constant field
Read Email	Input Variable	convertLocal		True	Hard-coded values present in use constant field
Get Current Date and Time	Input Variable	localeLang		unix	Hard-coded values present in use constant field
Move Object	Input Variable	folder		InformaticaProcessedE mail	Hard-coded values present in use constant field
Reply Mail	Input Variable	messageBody		<pre><pre> <pre> <</pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>	Hard-coded values present in use constant field
Reply Mail	Input Variable	saveCopy		false	Hard-coded values present in use constant field
Subject Encoder	Input Variable	text	content		Input variable name and Assign from values are not identical
Subject Encoder	Input Variable	characterSet		UTF-8	Hard-coded values present in use constant field
Call Idol	Input Variable	url		http://localhost:9020/act ion=CategorySetTrainin g&Category=\${categor yld}&Training=\${text}& BuildNow;=True	Hard-coded values present in use constant field
Call Idol	Input Variable	authType		Basic	Hard-coded values present in use constant field
Call Idol	Input Variable	preemptiveAuth		true	Hard-coded values present in use constant field
Call Idol	Input Variable	kerberosSkipPortForLo okup		true	Hard-coded values present in use constant field
Call Idol	Input Variable	proxyPort		8080	Hard-coded values present in use constant field

Call List		Laura AMD and a	(de-	Hard-coded values present in use constant
Call Idol	Input Variable	trustAllRoots	false	field
Call Idol	Input Variable	x509HostnameVerifier	strict	Hard-coded values present in use constant field
Call Idol	Input Variable	connectTimeout	0	Hard-coded values present in use constant field
Call Idol	Input Variable	socketTimeout	0	Hard-coded values present in use constant field
Call Idol	Input Variable	useCookies	true	Hard-coded values present in use constant field
Call Idol	Input Variable	keepAlive	true	Hard-coded values present in use constant field
Call Idol	Input Variable	connectionsMaxPerRou te	2	Hard-coded values present in use constant field
Call Idol	Input Variable	connectionsMaxTotal	20	Hard-coded values present in use constant field
Call Idol	Input Variable	followRedirects	true	Hard-coded values present in use constant field
Call Idol	Input Variable	queryParamsAreURLEn coded	false	Hard-coded values present in use constant field
Call Idol	Input Variable	queryParamsAreFormE ncoded	true	Hard-coded values present in use constant field
Call Idol	Input Variable	formParamsAreURLEnc oded	false	Hard-coded values present in use constant field
Call Idol	Input Variable	requestCharacterSet	ISO-8859-1	Hard-coded values present in use constant field
Call Idol	Input Variable	multipartBodiesContent Type	text/plain; charset=ISO-8859-1	Hard-coded values present in use constant field
Call Idol	Input Variable	multipartValuesAreURL Encoded	false	Hard-coded values present in use constant field
Call Idol	Input Variable	multipartFilesContentTy pe	application/octet-stream	Hard-coded values present in use constant field
Call Idol	Input Variable	method	Get	Hard-coded values present in use constant field

OO Code Review(System properties)

This table contains all information about each the system properties and where each one of them has been used.

Name	Path	Where it is used
N/A	N/A	N/A

OO Code Review(System accounts)

This table contains all information about each the system accounts and its locations in content pack

Name	Path
IDemo_ExchangeCredential	IDemo_ExchangeCredential