

VENTURE FOUNDRY OS

Domain Model

Board Governance — Phase 1.2 Deliverable

Status: Awaiting Governance Approval

1. Domain Modeling Principles

These six principles govern every decision made in this document. Where a specific choice below (an Entity classification, a relationship name, a lifecycle state) is not obviously dictated by the approved PRD, it is derived from one of these principles rather than invented freely.

- P1 — Aggregates govern consistency; the graph governs traceability. A business transaction (e.g., recording a vote) is only consistent within one Aggregate. The Decision Graph is a separate, read-oriented traversal structure layered on top, and its edges may connect objects that live in different Aggregates. The two do not have to share a shape.
- P2 — Reuse determines Entity vs. Value Object. Any concept that must be independently referenced by more than one Decision over time (per the Category Thesis and the “Decision Graph reuse” success metric) is modeled as a standalone Entity with durable identity. Any concept whose existence is entirely scoped to one Decision or Meeting's history — never looked up independently, never reused elsewhere — is modeled as a Value Object embedded in that Aggregate.
- P3 — The twelve Core Domain Objects are exhaustive; nothing is added to that list. Decision, Meeting, Resolution, Person, Organization, Regulation, Risk, Assumption, Obligation, Evidence, Action Item and Relationship, as frozen in the approved PRD, are the only first-class object types in V1. Where a PRD requirement implies a concept not on this list — Discussion, Agenda Item, Vote, Approval, Minutes — this Domain Model resolves it as an attribute or Value Object of an existing Core Domain Object, never as a thirteenth type.
- P4 — Every invariant traces to an approved requirement. A business rule is only included here if it enforces a Product Principle, a Functional Requirement, or a Non-Functional Requirement already approved in the PRD. Rules that would introduce new business behavior are flagged, not silently added.
- P5 — Identity is a business concept, not a storage concept. “Entity” and “identity” below describe what makes two records the same real-world thing to a Corporate Secretary or Auditor — not a database primary key. No table, column, or key is defined in this document.
- P6 — Confidentiality is a modeling concern, not an add-on. Because board material is confidential (NFR-03), reuse of Assumption, Risk, Obligation, Evidence and Decision across Decisions is scoped within a single Organization's Decision Graph — never across customer organizations. Regulation is the one exception, treated as shared public reference data (see Section 13).

2. Bounded Context(s) for V1

V1 has exactly one Bounded Context, matching the approved Product Scope: Board Governance is the only workflow being built, so there is only one context to define.

Board Governance (the sole V1 Bounded Context)

This context owns the Ubiquitous Language used throughout this document — Decision, Rationale, Assumption, Approval, and so on — and contains every Aggregate, Entity and Value Object defined in Sections 3–5. Its boundary is exactly the Beachhead Workflow approved in the PRD (Meeting → Discussion → Decision → Rationale → Approval → Minutes → Decision Graph).

Modeling Note

Within this single context, two natural sub-groupings exist — a Governance Workflow layer (Meeting, Discussion, Vote, Approval, Resolution, Action Item) and a Decision Memory Core (Decision, Assumption, Risk, Obligation, Evidence, Regulation, Person, Organization). This grouping is observational only: it explains why the Future Expansion Boundary (PRD Section 22) can later attach Compliance, Licensing, Contracts, Trade and Tax as sibling Bounded Contexts that share the Decision Memory Core as their own reference data, without re-architecting it. No sibling context is designed here — it remains reference-only, per the Decision Freeze.

Shared Kernel (reference only, not built in V1): Organization, Person and Regulation are the objects most likely to be shared across future Bounded Contexts, since they represent the customer, its people, and public regulatory reference data respectively — not governance-specific concepts.

3. Aggregate Roots

An Aggregate Root is the only object outside its own boundary that other parts of the system may hold a durable reference to; everything inside the boundary is reached only through the root, which enforces that boundary's business rules as a whole. Per Principle P2, the roots below are exactly the Core Domain Objects that are independently reusable across more than one Decision, plus the objects (Meeting, Decision) that are the natural transactional units of the Beachhead Workflow.

Aggregate Root	Why It Is a Root (not embedded)	Contains (as child Entities / Value Objects)
Organization	The tenancy and confidentiality boundary (NFR-03); exists independently of any Meeting or Decision and outlives them all.	— (reference attributes only)
Person	Referenced from many Meetings and Decisions over years; must retain identity even after someone leaves the Organization (FR-17).	— (reference attributes only)
Meeting	The transactional unit for FR-01/FR-02/FR-03; owns the attendee list and the documents uploaded at meeting level.	Attendee list (Person references); Meeting-level Evidence links; Agenda Evidence link
Decision	The central knowledge unit (Product Philosophy: “Decisions are knowledge”); owns everything that exists only in the context of one decision's history.	Discussion Entries (VO), Alternatives (VO), Votes (VO), Approvals (VO), Agenda Item Reference (VO); child Entities: Resolution, Action Item
Evidence	Explicitly reusable/linkable across Decisions per the “Decision Graph reuse” success metric.	— (reference attributes only)
Assumption	Explicitly named as reusable/linkable across Decisions in the same success metric.	— (reference attributes only)
Risk	Same reuse logic as Assumption — a risk once identified can be relevant to later, related decisions.	— (reference attributes only)
Obligation	Same reuse logic — one compliance obligation can constrain multiple decisions over time.	— (reference attributes only)

Aggregate Root	Why It Is a Root (not embedded)	Contains (as child Entities / Value Objects)
Regulation	Shared, stable reference data referenced from many Decisions, Obligations and Organizations; not owned by any single Decision.	— (reference attributes only)
Modeling Note Resolution and Action Item are Core Domain Objects (per the frozen 12-object list) but are modeled as child Entities of the Decision Aggregate, not separate roots, because neither is ever reused or referenced from a second Decision — a Resolution belongs to exactly the one Decision that produced it, and the same is true for an Action Item. They still appear as addressable nodes in the Decision Graph (Section 9); aggregate boundary and graph node are different concerns (Principle P1).		

4. Entities

An Entity is a concept with its own continuous identity: two Entity records are the same thing if they represent the same real-world item, even if every other attribute later changes. All nine Aggregate Roots above are Entities. In addition, two objects have identity but are not roots — their consistency is governed by a parent Aggregate:

Entity	Identity Persists Because...	Governed By (parent Aggregate)
Resolution	An Auditor must be able to cite “Resolution #...” years later as the same document, even though it is never edited after generation.	Decision
Action Item	A follow-up task is the same task from creation through to being referenced later, even though its owner or status may be reported on independently.	Decision

Together with the nine Aggregate Roots (Section 3), this gives eleven Entities in total. The twelfth Core Domain Object, Relationship, is not modeled as an Entity at all — it is the edge type connecting these eleven Entities, specialized into the fourteen named Relationship Types defined in Sections 9–10.

5. Value Objects

A Value Object has no identity of its own — it is fully defined by its attributes, and two Value Objects with the same attributes are interchangeable. Per Principle P3, the concepts below are implied by approved Functional Requirements but are not among the twelve Core Domain Objects, so they are modeled as Value Objects embedded within an Aggregate Root, rather than as new object types.

Value Object	Held By	What It Represents	Traces To
Discussion Entry	Decision	One point raised during discussion of the agenda item, before the Decision was finalized: contributor (Person reference), note text, sequence.	FR-04; Core Workflow “Discussion” stage
Agenda Item	Decision	The label and sequence number of the agenda	FR-04, FR-05 (“linked to ... an

Value Object	Held By	What It Represents	Traces To
Reference		item a Decision belongs to, within its Meeting.	agenda item")
Alternative	Decision	One option that was considered and not chosen, recorded alongside why it was set aside.	FR-08 ("alternatives considered")
Vote	Decision	A single Person's recorded choice (For / Against / Abstain) on the Decision, with a timestamp.	FR-10
Approval	Decision	A record that a specific Person formally approved the Decision, with a timestamp.	FR-11
Minutes	Meeting	The generated, read-only compilation of a Meeting's Discussion, Decisions, Votes and Approvals — an output, not an independently linkable graph node.	FR-12; Technical Vision output "Board Minutes"
Resolved: Discussion Discussion is a Value Object (specifically, an ordered collection of Discussion Entry Value Objects held inside the Decision Aggregate), not an Entity and not a plain attribute. It is not an Entity because it is not among the twelve frozen Core Domain Objects, and nothing in the approved PRD requires a specific discussion entry to be independently retrieved, cited, or linked to from elsewhere in the graph — it is only ever read in the context of "the discussion for this Decision," which is precisely the definition of a Value Object rather than a graph-addressable Entity. It is not a single plain attribute (e.g., one free-text field) because FR-04 implies multiple contributors speaking over the course of a meeting, and the Product Philosophy ("Decisions are knowledge") depends on preserving who said what, not just a merged summary; a single string would under-model that. A structured, ordered Value Object collection satisfies FR-04 fully without promoting Discussion to a thirteenth Core Domain Object, preserving the Decision Freeze. Resolved: Minutes vs. a 13th Object Minutes is deliberately kept out of the Core Domain Object list. The Technical Vision names "Board Minutes" as an Output of the architecture, not as one of the twelve graph nodes, and nothing reuses or links to "the Minutes" independently of the Meeting it was generated from. It is therefore modeled as a generated, immutable Value Object compiled from the Meeting Aggregate's own data (Discussion, Decisions, Votes, Approvals) — fulfilling FR-12 without adding new graph-node identity.			

6. Domain Services

A Domain Service holds business logic that does not naturally belong to one Aggregate because it reads or coordinates across several. Every service below exists to fulfill a specific, already-approved Functional Requirement — none introduces new behavior.

Domain Service	Responsibility	Spans	Traces To
Minutes Compilation Service	Compiles a Meeting's Discussion, Decisions, Votes and Approvals into the Minutes Value Object.	Meeting + Decision(s)	FR-12

Domain Service	Responsibility	Spans	Traces To
Resolution Drafting Service	Generates a Resolution Entity from a Decision, enforcing that the Decision's status is Approved before generation is permitted.	Decision	FR-13
Action Register Compilation Service	Compiles Action Items generated by one or more Decisions within a Meeting into a register.	Decision(s) → Meeting	FR-14
Decision Graph Linking Service	Creates and validates Relationship (graph edge) instances between Entities, enforcing that both ends of an edge exist, are not deleted, and are of a type permitted for that Relationship Type.	All Entities	FR-15
Rationale Retrieval Service	Given a Decision (or a search term), retrieves its full connected rationale — Discussion, Assumptions, Alternatives, Risks, Obligations, Evidence, Approvals — across the graph.	All Entities	FR-16; North Star
Decision Approval Eligibility Service	Enforces INV-2 (Section 12): a Decision cannot transition to Approved unless it has recorded Rationale, at least one Vote, and at least one Approval.	Decision	FR-06, FR-10, FR-11; Product Philosophy

The AI Retrieval Interface (FR-18) is an application/interface-layer concern — natural-language interpretation of a query — rather than a Domain Service itself. It is out of scope for this technology-agnostic document, but it depends entirely on the Rationale Retrieval Service above as its underlying business logic; the interface must not bypass the Decision Graph as the system of record (Product Philosophy: “AI is the interface”).

7. Domain Events

Domain Events mark significant, past-tense state changes that other parts of the Board Governance context — or, later, sibling Bounded Contexts under the Future Expansion Boundary — may need to react to. Each traces to the workflow step or Functional Requirement that produces it.

Domain Event	Raised When...	Traces To
MeetingCreated	A Meeting record is created.	FR-01
EvidenceAttached	A document is uploaded and linked to a Meeting or Decision.	FR-02, FR-03
DiscussionRecorded	A Discussion Entry is added to a Decision.	FR-04
DecisionProposed	A Decision record is created against a Meeting and agenda item.	FR-05
RationaleRecorded	Rationale is recorded for a Decision.	FR-06
AssumptionLinked	An Assumption is linked to a Decision.	FR-07
AlternativeRecorded	An Alternative is recorded against a Decision.	FR-08

Domain Event	Raised When...	Traces To
RiskAccepted / ObligationLinked	A Risk or Obligation is linked to a Decision.	FR-09
VoteCast	A Person casts a Vote on a Decision.	FR-10
DecisionApproved / DecisionRejected	A Decision's vote outcome is finalized.	FR-11 (see Section 11 modeling note on Rejected)
MinutesGenerated	The Minutes Value Object is compiled for a Meeting.	FR-12
ResolutionGenerated	A Resolution Entity is generated from an Approved Decision.	FR-13
ActionItemGenerated	An Action Item Entity is generated from a Decision.	FR-14
DecisionGraphLinked	A new Relationship (edge) is created between two Entities.	FR-15

8. Enumerations

Enumeration	Values	Traces To
VoteChoice	For, Against, Abstain	FR-10 (“for, against, or abstained”)
DecisionStatus	Proposed, UnderDiscussion, Voted, Approved, Rejected	FR-05–FR-11; see Section 11 note on Rejected
PersonRole	Director, CorporateSecretary, ExternalCounsel, Auditor, Other	Personas (PRD Section 10)
EvidenceType	Agenda, SupportingDocument, LegalOpinion, FinancialReport, Other	FR-02, FR-03 (“financials, legal opinions, reports”)
MeetingType	Ordinary, Extraordinary, AnnualGeneral	PRD Core Object: Meeting “type” attribute (see note below)
RelationshipType	The 14 named types defined in Section 9	FR-15; Core Domain Object “Relationship”

Modeling Note

MeetingType values are illustrative, drawn from common board-governance terminology, not from an explicit enumeration in the approved PRD (which specifies only that Meeting has a “type” attribute). These specific labels should be confirmed with a governance/legal advisor before being treated as final, since meeting-type terminology can carry jurisdiction-specific meaning.

Modeling Note

Action Item intentionally has no status enumeration in V1. The approved PRD (FR-14) specifies only that Action Items are generated; tracking them to completion is not a scoped workflow step. Introducing an ActionItemStatus enum now would model a lifecycle that was not approved — this is deferred to Future Expansion (PRD Section 22).

9. Relationships Between All Domain Objects

Resolved: Replacing the Abstract “Relationship” Object

The approved PRD names “Relationship” as one of the twelve Core Domain Objects but leaves it abstract by design — a placeholder for “any two objects can be linked.” This section specializes it into fourteen concrete, named Relationship Types, each with a fixed direction, cardinality and business meaning. This is not a departure from the Decision Freeze: “Relationship” is preserved exactly as the umbrella category described in the PRD; these fourteen types are its authoritative implementation, which is precisely the translation-from-strategy-to-architecture this phase is chartered to do.

Full map of nodes (Entities) and edges (Relationship Types). Each row reads “From — TYPE → To.”

From	Relationship Type	To	Cardinality (From:To)
Meeting	HELD_BY	Organization	many : 1
Person	MEMBER_OF	Organization	many : 1 (V1; see Section 13)
Person	ATTENDED	Meeting	many : many
Decision	MADE_AT	Meeting	many : 1
Meeting	SUPPORTED_BY	Evidence	many : many (agenda / meeting-level documents)
Decision	SUPPORTED_BY	Evidence	many : many (decision-specific documents)
Decision	BASED_ON	Assumption	many : many
Decision	ACCEPTS	Risk	many : many
Decision	SUBJECT_TO	Obligation	many : many
Organization	SUBJECT_TO	Regulation	many : many
Decision	GOVERNED_BY	Regulation	many : many
Obligation	DERIVED_FROM	Regulation	many : 1
Person	CAST_VOTE_ON	Decision	many : many (edge carries VoteChoice)
Decision	APPROVED_BY	Person	many : many
Decision	RESULTS_IN	Resolution	1 : 0..1
Decision	RESULTS_IN	Action Item	1 : many
Action Item	ASSIGNED_TO	Person	many : 1
Decision	INFORMED_BY	Decision	many : many

10. Relationship Semantics

Each named Relationship Type below states its business meaning, its inverse name (for reading the graph in either direction), and the requirement it exists to satisfy.

HELD_BY / HOLDS

A Meeting is held by exactly one Organization — the customer whose board is meeting. Traces to: FR-01; Core Object: Meeting → Organization.

MEMBER_OF / HAS_MEMBER

A Person is affiliated with an Organization in a governance capacity (director, secretary, counsel, auditor). Traces to: Personas; Core Object: Person → Organization.

ATTENDED / ATTENDED_BY

A Person was present at a specific Meeting. Traces to: FR-01 (“attending Persons”).

MADE_AT / IS_MEETING_OF

A Decision was discussed and decided at exactly one Meeting. Traces to: FR-05; Core Workflow.

SUPPORTED_BY / SUPPORTS

A Meeting or a Decision is grounded by a specific document — an agenda, financials, a legal opinion. This is the graph's expression of “Documents are evidence.” Traces to: FR-02, FR-03; Product Philosophy.

BASED_ON / UNDERLIES

A Decision relies on an Assumption holding true. If the Assumption is later invalidated, every Decision BASED_ON it is discoverable. Traces to: FR-07.

ACCEPTS / ACCEPTED_BY

A Decision knowingly accepts a Risk rather than eliminating it. Traces to: FR-09.

SUBJECT_TO / CONSTRAINS

A Decision (or an Organization) is bound by an Obligation (or a Regulation) that existed independently of the decision. Traces to: FR-09; Core Object: Regulation ↔ Organization.

GOVERNED_BY / GOVERNS

A Decision was made with a specific Regulation in view — the regulatory context the decision-makers were reasoning against. Traces to: FR-09; Core Object: Decision → Regulation.

DERIVED_FROM / GIVES_RISE_TO

An Obligation exists because of a specific Regulation. Traces to: Core Object: Obligation → Regulation.

CAST_VOTE_ON / VOTED_ON_BY

A Person recorded a For / Against / Abstain choice on a Decision. The choice itself travels as an attribute of the edge, not a separate node, since a vote has no identity of its own (Section 5). Traces to: FR-10.

APPROVED_BY / APPROVES

A Decision was formally approved by a specific Person, distinct from how that Person voted — the PRD treats Voting (FR-10) and Approval (FR-11) as two separate captured facts. Traces to: FR-11.

RESULTS_IN / RESULTS_FROM

A Resolution or an Action Item was produced directly as a consequence of a Decision. Traces to: FR-13, FR-14.

ASSIGNED_TO / OWNS

An Action Item has exactly one owning Person responsible for it. Traces to: FR-14; Core Object: Action Item.

INFORMED_BY / INFORMS

A new Decision explicitly reuses or references the rationale of a prior Decision — the graph edge that makes “Decision Graph reuse” (the approved Success Metric) a first-class, countable fact rather than an implicit side effect. Traces to: Success Metrics (PRD Section 8).

11. Object Lifecycle / State Transitions

Decision

Proposed → UnderDiscussion → Voted → Approved | Rejected. Approved and Rejected are both terminal: only Approved triggers RESULTS_IN (Resolution, Action Item). Once terminal, a Decision's Rationale, Assumptions, Alternatives, Risk/Obligation links, Votes and Approvals become immutable; any later correction is recorded as a new version, never an overwrite (NFR-02).

Modeling Note: the Rejected state

The approved PRD's Voting requirement (FR-10) explicitly captures votes “for, against, or abstained,” which logically implies a Decision can fail to reach approval. The PRD's narrative examples describe only the Approved path, so Rejected is not separately specified in prose — but omitting it would leave the state machine incomplete for a case FR-10 already requires the system to record. This is treated as a necessary completion of an already-approved requirement, not a new feature, and does not require a strategic-change flag.

Meeting

Open (agenda, attendees, discussion and Decisions may be added or amended) → Concluded (once Minutes are generated per FR-12, the Meeting record is closed to further direct edits; corrections thereafter are new versions, consistent with permanent storage, FR-17).

Resolution

Generated — a single state. A Resolution is created once, from an Approved Decision, and is immutable from that point on; it has no further transitions.

Action Item

Open — a single state in V1 (see the Enumerations note in Section 8). No completion or status-tracking lifecycle is modeled, since it is not a scoped Functional Requirement.

Person

Active → Departed. A Person who leaves the Organization moves to Departed but is never deleted — every Vote, Approval, and Discussion Entry they are attached to must remain permanently attributable to them (FR-17; Founder Narrative: “the people who made this decision left”).

Organization

Active — a single state modeled in V1. Offboarding/deactivation is not addressed in the approved PRD and is not modeled here.

Evidence, Assumption, Risk, Obligation, Regulation

Active → Superseded. These reusable reference Entities are never edited in place once linked to a Decision; a correction creates a new version that supersedes the old one, and the superseded version remains permanently retrievable (NFR-02, NFR-05, and the “store permanently” step of the Beachhead Workflow, FR-17).

12. Business Invariants and Validation Rules

ID	Rule	Traces To
INV-1	A Decision is MADE_AT exactly one Meeting.	FR-05
INV-2	A Decision cannot transition to Approved unless it has at least one Rationale entry, at least one recorded Vote, and at least one Approval.	FR-06, FR-10, FR-11; Product Philosophy (“Decisions are knowledge”)
INV-3	A Resolution can only be generated for a Decision whose status is Approved.	FR-13
INV-4	Once a Decision reaches Approved or Rejected, its Rationale, Assumptions, Alternatives, Risk/Obligation links, Votes and Approvals are immutable; corrections are new versions, never overwrites.	NFR-02
INV-5	Evidence, Assumption, Risk, Obligation and Regulation may be linked from more than one Decision, but only within the same Organization's Decision Graph.	NFR-03; Success Metrics (Decision Graph reuse)
INV-6	A Vote's choice must be one of {For, Against, Abstain}, and a given Person may cast at most one Vote per Decision.	FR-10
INV-7	An Action Item is RESULTS_IN from exactly one Decision and is ASSIGNED_TO exactly one Person.	FR-14
INV-8	A Meeting must have at least one attending Person recorded before a Decision can be created against it.	FR-01, FR-05
INV-9	Every Relationship (graph edge) connects two existing, non-superseded Entities, and only in a Relationship Type permitted for that pair of Entity types (Section 9).	FR-15

ID	Rule	Traces To
INV-10	No Approved Decision, Resolution, Meeting, or any Entity linked to them, may be permanently deleted; removal from active view is represented as Superseded/Departed, never destruction.	FR-17; Founder Narrative

13. Ownership Boundaries

Ownership below describes business responsibility — who, in the workflow, is accountable for creating or changing a given object — not a technical access-control model.

Object(s)	Owned / Authored By	Boundary Notes
Organization	The customer's designated administrator (typically the Corporate Secretary persona).	The confidentiality boundary (NFR-03): nothing scoped to one Organization is visible to another.
Person	Corporate Secretary (as primary operator).	Scoped within a single Organization in V1: the same human serving two client organizations is represented as two distinct Person records. This scoping assumption should be confirmed if a professional (e.g., external counsel) commonly serves several client boards.
Meeting	Corporate Secretary.	Belongs to exactly one Organization (HELD_BY).
Evidence	Corporate Secretary or External Legal Counsel (whoever uploads it).	Reusable across Decisions within the same Organization only (INV-5).
Decision (Discussion, Alternatives, Votes, Approvals, Rationale)	Collaboratively authored: Corporate Secretary records; Directors contribute discussion, votes and approval; External Counsel contributes legal rationale.	Once Approved/Rejected, ownership of the content shifts from “editable by contributors” to “immutable historical record” (INV-4).
Resolution, Action Item, Minutes	Generated by the relevant Domain Service (Section 6); not manually authored by any actor.	Owned by the system of record, not by an individual — this is what makes them trustworthy as institutional memory.
Assumption, Risk, Obligation	Whoever raises them during discussion or decision capture (Director, Corporate Secretary, or External Counsel).	Once created, ownership becomes collective: they belong to the Organization's Decision Graph, not to the individual author, so they remain reusable after that person departs.
Regulation	Maintained centrally as shared reference data, not by an individual Organization's users.	The one Core Domain Object not confined to a single Organization's confidentiality boundary, because regulatory text is public information, not board-confidential material.

14. Identity Rules

Business identity — what makes two records “the same thing” — stated without reference to any storage mechanism.

Entity	What Establishes Its Identity
Organization	The distinct legal/customer entity the platform serves; identity is assigned once, at onboarding, and never reassigned.
Person	A specific individual, scoped to one Organization in V1 (see Section 13); identity is assigned at creation and persists through the Active → Departed transition — departure never creates a new identity.
Meeting	A specific occurrence of the board meeting for one Organization; since two meetings could share a date, identity is assigned at creation and is never derived solely from date or type.
Decision	A specific decision reached (or not reached) on one agenda item at one Meeting; identity is assigned at proposal (creation) and is retained through every later lifecycle state, including Superseded corrections.
Resolution	The specific formal document generated for one Decision; typically citable going forward by a durable resolution reference, assigned at generation and never reused for a different Decision.
Action Item	A specific follow-up task arising from one Decision; identity is assigned at generation and persists regardless of later status reporting.
Evidence	A specific uploaded document as attached to the graph; identity is assigned at upload. Two uploads of the same underlying file are, by default, two distinct Evidence identities unless explicitly linked as the same source.
Assumption / Risk / Obligation	A specific piece of recorded reasoning; identity is assigned when first recorded and is retained even as it comes to be BASED_ON / ACCEPTED_BY / SUBJECT_TO from additional later Decisions.
Regulation	The regulatory citation itself (e.g., a named Act and section) is the natural business identity — unlike the other Entities above, two references to the same citation are the same Regulation record by definition.

15. Domain Glossary

Modeling terms used in this document

Term	Definition
Bounded Context	A boundary within which a specific business language and model apply consistently; V1 has exactly one (Section 2).
Aggregate Root	The single entry-point object for a consistency boundary; other objects inside it are only reached through it (Section 3).
Entity	A concept with continuous business identity, tracked over time regardless of attribute changes

Term	Definition
	(Section 4).
Value Object	A concept fully defined by its attributes, with no identity of its own (Section 5).
Domain Service	Business logic that spans more than one Aggregate and so does not belong to any single one (Section 6).
Domain Event	A significant, past-tense fact about a state change that other parts of the system may react to (Section 7).
Invariant	A business rule that must always hold true for the model to be valid (Section 12).
Decision Graph	The traversable network formed by Entities and their Relationship edges; the product itself, per the Product Philosophy.

Business terms specific to this Domain Model (beyond the approved PRD Glossary)

Term	Definition
Discussion Entry	One recorded point raised during discussion of an agenda item, before a Decision was finalized (Section 5).
Agenda Item Reference	The label and sequence identifying which agenda item a Decision belongs to within its Meeting (Section 5).
Vote	A single Person's recorded choice on a Decision: For, Against, or Abstain (Section 5).
Approval	A record that a specific Person formally approved a Decision, distinct from how they voted (Section 5).
Minutes	The generated, read-only compilation of a Meeting's discussion, decisions, votes and approvals (Section 5).
Relationship Type	One of the fourteen named, directional edge types that specialize the abstract "Relationship" Core Domain Object (Sections 9–10).

All other business terminology — Enterprise Decision Memory, Beachhead, Decision Freeze, Product Constitution, North Star, ICP, and the twelve Core Domain Object names — carries forward unchanged from the approved PRD Glossary (PRD Section 23) and is not redefined here.

16. Traceability Matrix (Domain Model → Approved PRD)

Every Aggregate Root, Entity and Value Object in this Domain Model maps to a specific point in the approved PRD. Domain Services and Events are traced in Sections 6–7 and are not repeated here.

Domain Model Object	Classification	PRD Reference
Organization	Aggregate Root / Entity	Core Domain Object (Section 16); Target Customer (Section 9)

Domain Model Object	Classification	PRD Reference
Person	Aggregate Root / Entity	Core Domain Object (Section 16); User Personas (Section 10)
Meeting	Aggregate Root / Entity	Core Domain Object (Section 16); FR-01
Evidence	Aggregate Root / Entity	Core Domain Object (Section 16); FR-02, FR-03
Decision	Aggregate Root / Entity	Core Domain Object (Section 16); FR-05
Assumption	Aggregate Root / Entity	Core Domain Object (Section 16); FR-07
Risk	Aggregate Root / Entity	Core Domain Object (Section 16); FR-09
Obligation	Aggregate Root / Entity	Core Domain Object (Section 16); FR-09
Regulation	Aggregate Root / Entity	Core Domain Object (Section 16)
Resolution	Entity (child of Decision)	Core Domain Object (Section 16); FR-13
Action Item	Entity (child of Decision)	Core Domain Object (Section 16); FR-14
Discussion Entry	Value Object	FR-04; Core Workflow “Discussion” stage
Agenda Item Reference	Value Object	FR-04, FR-05
Alternative	Value Object	FR-08
Vote	Value Object (edge attribute)	FR-10
Approval	Value Object (edge attribute)	FR-11
Minutes	Value Object	FR-12; Technical Vision Output “Board Minutes”
Relationship (14 types)	Specialized edge types	Core Domain Object “Relationship” (Section 16); FR-15

Governance Note

This completes the Phase 1.2 deliverable. No content from the approved PRD was revisited or modified; every object, invariant and relationship above traces to an already-approved requirement. Four judgment calls were made explicit inline as Modeling Notes rather than silently decided: the classification of Discussion and Minutes as

Value Objects rather than new Core Domain Objects (Section 5), the specialization of the abstract Relationship object into fourteen named types (Section 9), the addition of a Rejected terminal state as a necessary completion of the already-approved Voting requirement (Section 11), and the illustrative (unconfirmed) MeetingType values (Section 8). One item remains a Potential Strategic Change: none were newly raised in this phase beyond what the approved PRD already flagged. Per Venture Foundry OS operating instructions, this document now stops and awaits governance approval before proceeding to the Database Schema.