DISTIL: Demonstration Distillation for Sample-Efficient Imitation Learning

Anonymous submission

Abstract

Expert demonstrations are the dominant cost of imitation learning, yet interactive methods spend them reflexively: a per-state gate fires on the first uncertain step of a rollout and the expert corrects that miss, whatever it is. Under a fixed budget, what matters is *which* failures get corrected and *how* each corrective demonstration is placed. We present **DISTIL**, an interactive imitation-learning loop that distills the pool of possible corrections down to the few most informative demonstrations and spends the fixed budget only on those. DISTIL collects the current policy's failed rollouts, locates each failure's peak-loss step with the learner's own per-step training loss, describes it with a vision-language model, and assigns a root cause grounded in a task knowledge graph. The failures are clustered into recurring modes under a cross-round memory, and a reasoning LLM prescribes the round's one corrective demonstration behind a feasibility check with re-prescription. The learner is any policy f_θ with a per-step loss: we instantiate pure CNN and MLP classifiers on a GridWorld task and state- and image-based diffusion policies on four robot manipulation tasks. Under an identical 20-demonstration budget against six interactive baselines, DISTIL attains the highest mean final success rate in all ten task–modality settings (e.g., 96.1% vs. 90.7% for Diff-DAgger on state Push-T; 95.3% vs. 89.6% on image Wipe), collects demonstrations with the highest per-demonstration information gain in every setting, and reports prescription confidences that correlate with realized policy improvement (Pearson $r = 0.82$–0.89).

Figure 1: **DISTIL in a nutshell.** An LLM diagnoses the learner's failures and *prescribes* the one corrective demonstration the expert should provide; the demonstration is added and the policy retrained. Placement is part of the prescription: a demonstration can correct one recorded failure in place or start between several related ones.

Introduction

Behavior cloning regresses an expert's actions on the states the expert visits (Pomerleau 1988), and its well-known failure mode is covariate shift: the learner's own actions steer it off the demonstrated support, where errors compound over the horizon (Ross, Gordon, and Bagnell 2011). Interactive imitation learning fixes the distribution by aggregating expert corrections on states the *learner* visits (Ross, Gordon, and Bagnell 2011; Celemin et al. 2022), but the fix is paid for in expert effort: every correction is a demonstration an expert must produce. The query-efficient DAgger family therefore gates the expert behind a per-state predicate on action discrepancy, predictive uncertainty, novelty and risk, or the diffusion policy's own training loss (Zhang and Cho 2017; Menda, Driggs-Campbell, and Kochenderfer 2017, 2019; Hoque et al. 2021a; Lee, Kang, and Kuo 2025). All of these decide *when* to interrupt a rollout; the expert then corrects whatever failure happened to trip the gate.

This is wasteful under the constraint that binds in practice: a *fixed demonstration budget*. When only twenty corrective demonstrations can be collected, the first uncertain step of the current rollout is rarely the best place to spend one. Failures repeat: a when-to-query gate can correct the same recurring mode again and again while rarer modes go uncorrected for many rounds. Placement matters too: one demonstration started *between* several related failures can cover all of them, while an on-policy correction covers only its own rollout. The questions that matter are *which* failures get corrected and *how* each demonstration is placed.

DISTIL (demonstration distillation) answers both questions with one loop (Figures 1 and 2). Rollouts of the current policy are monitored with the learner's own per-step training loss, and uncertain episodes are flagged. A vision-language model (VLM) describes each flagged failure from its start, highest-loss ($t^\star$), and end frames, and a reasoning LLM assigns a root cause grounded in a task knowledge graph. The failures are clustered into k recurring modes; a cluster memory carried across rounds rotates attention away from modes already corrected. A language model then *prescribes* the round's single corrective demonstration: a targeted on-policy correction of one recorded failure, or a bridging demonstration placed at a new start state covering several related failures. A feasibility check with re-prescription and a deterministic fallback vets every prescription, so no budget is spent on an infeasible prescription. The expert supplies exactly the prescribed demonstration, it is added to the dataset, and the policy is updated; *which* mode to correct and *where* to start are the two arms of the hybrid prescription. The name is the mechanism: out of the pool of every corrective demonstration the expert could provide, DISTIL distills the few most informative ones, the purest corrections, and the fixed budget is spent only on those.

DISTIL is policy-agnostic: it needs only a learner f_θ whose per-step training loss ℓ_t can be evaluated along rollouts (cross-entropy for the GridWorld CNN/MLP classifiers; denoising loss for the diffusion policies (Chi et al. 2023) on the robot tasks); the same loop runs unchanged over both families.

Contributions. **(1)** We reframe budget-constrained interactive imitation learning as demonstration distillation: decide *which* failure modes to correct and *how* to place each corrective demonstration, rather than only *when* to interrupt a rollout. **(2)** DISTIL, a policy-agnostic loop combining uncertainty flagging, VLM failure perception, knowledge-grounded root-cause reasoning, failure-mode clustering with cross-round cluster memory, and LLM demonstration prescription with a feasibility-checked re-prescription loop. **(3)** A controlled study on five tasks $\times$ two modalities against six baselines: DISTIL has the best mean in all ten settings at the 20-demonstration budget, the highest per-demonstration information gain everywhere, and exposes a calibrated confidence signal (Pearson $r = 0.82$–0.89). **(4)** A bridge between online and offline imitation learning: each round's feasibility-checked prescription is a standing artifact, so the loop can pause after its on-policy analysis and the expert can record the prescribed demonstration days later; expert time is decoupled from policy training time round by round.

Related Work

Interactive Imitation Learning

Behavior cloning dates to ALVINN (Pomerleau 1988). DAgger aggregates expert labels on learner-visited states as no-regret online learning (Ross, Gordon, and Bagnell 2011); AggreVaTe and Deeply AggreVaTeD extend the reduction to cost-to-go (Ross and Bagnell 2014; Sun et al. 2017); Celemin et al. (2022) survey the field. Because vanilla DAgger queries constantly, query-efficient variants gate *when* to defer: SafeDAgger learns a discrepancy classifier (Zhang and Cho 2017); DropoutDAgger and EnsembleDAgger threshold dropout and ensemble uncertainty (Menda, Driggs-Campbell, and Kochenderfer 2017, 2019; Gal and Ghahramani 2016; Lakshminarayanan, Pritzel, and Blundell 2017); HG-DAgger and LazyDAgger manage human-gated control switching (Kelly et al. 2019; Hoque et al. 2021b); ThriftyDAgger budgets interventions by novelty and risk (Hoque et al. 2021a); DART injects noise into the expert's rollouts so offline collection covers shifted states (Laskey et al. 2017); IWR and Sirius reweight samples around human takeovers (Mandlekar et al. 2020; Liu et al. 2023). Diffusion policies (Chi et al. 2023; Ho, Jain, and Abbeel 2020; Janner et al. 2022) capture the multimodal actions that make agreement-based uncertainty brittle, and Diff-DAgger queries on the diffusion training loss itself (Lee, Kang, and Kuo 2025). All decide when to interrupt. DISTIL adds the round-level decisions they leave open: it reasons over the set of a policy's failures, keeps a memory of what was corrected, and places each demonstration's start.

Foundation Models for Failure Reasoning

Language and vision-language models steer robot data collection and control: SayCan grounds plans in affordances (Ahn et al. 2022), Inner Monologue closes a textual feedback loop (Huang et al. 2022), PaLM-E and RT-2 fuse perception with language (Driess et al. 2023; Brohan et al. 2023). A second line emits executable structure: policy code (Liang et al. 2023; Singh et al. 2023), 3D value maps (Huang et al. 2023), or reward functions (Ma et al. 2024). Closest to us is failure reasoning: REFLECT narrates and corrects robot failures (Liu, Bahety, and Song 2023), AHA reasons over manipulation failures (Duan et al. 2025), and Reflexion and Self-Refine iterate on model outputs (Shinn et al. 2023; Madaan et al. 2023). These systems reason about one trajectory at a time; DISTIL aggregates VLM-perceived failures across rollouts, clusters them into modes, and narrows the LLM's output to one auditable artifact: a feasibility-checked prescription for a single corrective demonstration.

Active Selection, Representations, and Resets

Deciding which failures deserve a demonstration is batch active learning over failures: pool-based selection under a budget (Settles 2009), core-set/k-center coverage (Sener and Savarese 2018), uncertainty–diversity hybrids (Ash et al. 2020), and farthest-point sampling (Eldar et al. 1997). Whereas these select unlabeled inputs, DISTIL selects failure *modes* and adds a cross-round memory so coverage accumulates over the whole run. Bridging demonstrations placed at prescribed start states relate to reverse-curriculum reset generation (Florensa et al. 2017) and learning-to-reset (Eysenbach et al. 2018); DISTIL's start states follow clustered failure evidence rather than a difficulty schedule.

Method

Setup: Budgeted Interactive Imitation

Each task is a finite-horizon decision process with states s, actions a (discrete moves on GridWorld; relative joint-position deltas on the robot tasks), and an expert $\pi^\star$ (a human on GridWorld; privileged controllers on the robot tasks). The learner is *any* policy f_θ trained on an aggregated demonstration dataset $\mathcal{D}$ by minimizing a per-step loss ℓ,

$$\theta^\star = \arg\min_\theta \; \mathbb{E}_{(s,a)\sim\mathcal{D}}\big[\, \ell(f_\theta; s, a) \,\big], \tag{1}$$



Figure 2: **The DISTIL loop.** Rollouts of f_θ are monitored for uncertainty via the per-step training loss; a VLM summarizes each flagged failure's start, highest-loss ($t^\star$), and end frames, and a reasoning LLM assigns root causes grounded in geometric facts (KAG); failures are clustered into k recurring modes with cross-round memory, the LLM prescribes the round's corrective demonstration behind a feasibility check with re-prescription, and the accepted demonstration augments the dataset before the policy is updated.

where ℓ is the categorical cross-entropy over the expert's action labels for the GridWorld classifiers (pure CNN on images, MLP on states) and the denoising (v-prediction) loss for the diffusion policies on the robot tasks (Ho, Jain, and Abbeel 2020; Chi et al. 2023). Evaluated along a rollout at the learner's own executed actions, the loss yields a per-step uncertainty signal

$$\ell_t = \ell\big(f_\theta;\, s_t,\, a_t^{\mathrm{nov}}\big), \tag{2}$$

where a_t^{nov} is the learner's own executed action: the training-loss functional evaluated at the executed action rather than an expert label, a self-uncertainty signal scoring how far the visited pair sits from the training distribution (Lee, Kang, and Kuo 2025); the stochastic denoising loss is averaged over sampled noise and timestep draws. Interactive learning proceeds in rounds: round r produces one corrective demonstration d_r (a segment of expert state–action pairs), and

$$\mathcal{D}_{r+1} = \mathcal{D}_r \cup d_r, \qquad \theta_{r+1} = \arg\min_\theta\, \mathbb{E}_{\mathcal{D}_{r+1}}[\,\ell\,]. \tag{3}$$

All methods receive the same hard budget of $B{=}20$ corrective demonstrations, one per round; the only degree of freedom is how each demonstration is chosen.

Baseline Query Rules

Each uncertainty-gated baseline instantiates one template: a scalar score is computed at each visited state, and the expert takes over at the first threshold crossing,

$$\mathrm{Query}_m(s_t) = \mathbf{1}\big[\,\mathrm{score}_m(s_t) > \tau_m\,\big]. \tag{4}$$

SafeDAgger scores the novice–expert action discrepancy $\|a_t^{\mathrm{nov}} - a_t^{\mathrm{exp}}\|_2$ ($\tau{=}0.1$; on GridWorld, the fraction of rollout steps off the expert's action labels) (Zhang and Cho 2017). DropoutDAgger draws $N{=}10$ stochastic action samples and fires when the fraction landing within a τ-ball ($\tau{=}0.1$) of the expert action drops below $p{=}0.9$ (Menda, Driggs-Campbell, and Kochenderfer 2017; Gal and Ghahramani 2016). Both rules deviate from their published forms (no learned safety classifier; expert-referenced instead of variance-only dropout), so every baseline's gate may consult the expert's action at any visited step for free; only recorded demonstration segments count against the budget. DISTIL's flagging never consults the expert, so the uncounted access favors the baselines. EnsembleDAgger fires on the doubt (variance) of $M{=}5$ independently trained members or on their mean discrepancy ($\chi{=}0.05$, $\tau{=}0.1$) (Menda, Driggs-Campbell, and Kochenderfer 2019; Lakshminarayanan, Pritzel, and Blundell 2017). ThriftyDAgger fires on novelty or on learned task risk $1 - Q_\psi(s,a)$, with thresholds calibrated on the pool's score quantiles on GridWorld and a fixed conservative initialization on the robot tasks (Hoque et al. 2021a). Stagger, the round-level random control, fits no per-state template: each round it corrects one uniformly chosen recorded failure. On the robot tasks we also run Diff-DAgger (Lee, Kang, and Kuo 2025), whose score is the diffusion loss of Eq. 2 itself: with $\hat{F}$ the empirical CDF of training-set losses, K the patience window ($K{=}1$), and $\alpha{=}0.99$,

$$\mathrm{Query}_{\mathrm{Diff}}(s_t) = \mathbf{1}\big[\,\hat{F}(\ell_u) > \alpha \;\; \forall u \in (t{-}K,\, t]\,\big], \tag{5}$$

recalibrated at every retraining. The rosters differ because Diff-DAgger's rule *is* the diffusion policy's own training loss: it requires a diffusion learner and does not apply to the GridWorld classifiers, where Stagger is the matched random control; on the robot tasks the control is Diff-DAgger, and we did not run the random control there, so those cells lack a random-allocation control that would isolate clustering and memory from failure replay alone (six baselines overall, five per task). When no gate fires, the round still yields one demonstration: GridWorld's pool scoring falls back to the highest-scoring failure; robot rollouts continue until a gate fires, bounded by an episode cap. Whatever the score, each rule decides *when* to interrupt and corrects that rollout from the crossing step; none compares failures, remembers corrected modes, or chooses where the demonstration starts.

The DISTIL Loop

DISTIL replaces the per-state gate with a round-level analysis of the whole failure set, run identically for every learner. Algorithm 1 gives the loop.

Uncertainty flagging and failure perception. Each round rolls the current policy (a pool of 20 layouts on GridWorld; 60 episodes on the robot tasks) and collects the failure set $\mathcal{F}_r = \{f_1, \ldots, f_N\}$: the episodes that fail the task. Along each failed episode the per-step loss ℓ_t (Eq. 2) is logged; an adaptive threshold (the 95th percentile of the episode's loss distribution) locates the high-loss steps *within* an already-failed episode, and each failure retains its peak-loss step

$$t_i^\star = \arg\max_t \ell_t^{(i)}, \qquad \text{peak}_i = \max_t \ell_t^{(i)}, \tag{6}$$

taken as the failure point. The VLM (Qwen3-VL-32B; Qwen Team 2025b) then describes three frames per failure (start, $t_i^\star$, and end) and produces a textual failure report (Liu, Bahety, and Song 2023; Duan et al. 2025). The reasoning LLM (Qwen3-32B; Qwen Team 2025a) assigns each failure a root cause (e.g., wrong approach, no contact, wrong orientation, timeout) and a task phase. Both stages are grounded by knowledge-augmented generation (KAG): a per-task knowledge graph (embodiment, object and goal geometry, workspace bounds, failure taxonomy, per-mode prescription rules) rendered into the prompt.

Failure-mode clustering. Each failure is featurized by a descriptor anchored at $t_i^\star$. For state-based robot runs this is the 6-D quaternion-free geometric vector

$$\phi_i = \big[\, p_{i,x},\ p_{i,y},\ \sin\theta_i,\ \cos\theta_i,\ \rho_i,\ \delta_i \,\big], \tag{7}$$

with $(p_{i,x}, p_{i,y}, \theta_i)$ the object's planar pose, $\rho_i = t_i^\star / T_i$ the task progress, and δ_i the end-effector contact distance; for image-based runs the descriptor is a frozen R3M embedding (Nair et al. 2022) of the same three frames, PCA-reduced to $k' = \min(16, N{-}1)$ dimensions. On GridWorld, ϕ_i uses the agent's cell, its signed offset to the goal, progress, and Manhattan distance-to-goal. The standardized descriptors $\tilde{X}$ are clustered agglomeratively, with the number of modes chosen by maximum mean silhouette,

$$k^\star = \arg\max_{k \in [2,\, k_{\max}]} \text{sil}(k), \tag{8}$$

with $k_{\max} = \max\big(2, \min(6, N{-}1)\big)$. Each cluster C keeps its representative $\text{rep}(C) = \arg\min_{i \in C} \|\tilde{X}_i - \bar{X}_C\|_2$, centroid geometry computed on raw poses, and mean peak loss $\bar{L}_C$; the dominant cluster $C^\star$ is the largest, breaking ties by $\bar{L}_C$.

Cluster memory. Because the failure distribution shifts after every retraining, a persistent mode could absorb the entire budget. DISTIL therefore remembers previously corrected cluster centroids, penalizes recently covered regions with a recency-discounted Gaussian kernel, and rotates the target among clusters that rival the dominant one:

$$\begin{aligned} P_{\text{mem}}(c) &= \sum_{(r_i, c_i) \in \text{Mem}} \gamma^{\,r - r_i}\, \exp\Big(-\tfrac{\|c - c_i\|_2^2}{2\sigma^2}\Big), \\ C_{\text{tgt}} &= \arg\max_{C:\, |C| \geq |C^\star| - 1} \big(\, \bar{L}_C - \lambda\, P_{\text{mem}}(c_C)\,\big), \end{aligned} \tag{9}$$

with $\gamma{=}0.6$, $\sigma{=}0.06$, $\lambda{=}1$, and c_C the centroid of cluster C. Centroids are stored in raw object-pose coordinates (meters on the robot tasks) whatever the clustering features, so the kernel is untouched by per-round standardization or the changing PCA dimension of image descriptors; σ is in those units. P_{mem} is near 1 at a just-covered centroid, so $\lambda{=}1$ lets one recent coverage offset about one unit of mean peak loss; the same constants are used unchanged on every task and both loss families. The constraint $|C| \geq |C^\star| - 1$ keeps each round on near-dominant modes; rare modes are reached across rounds: corrected modes shrink after retraining and are memory-penalized, so a formerly rare mode rises to near-dominant size and takes a later round. The prescription is also conditioned on a small diverse context set S ($|S| \leq \kappa{=}3$): the target representative is forced in, the worst-peak-loss failure is seeded, and remaining slots are filled by farthest-point selection in descriptor space (Sener and Savarese 2018; Eldar et al. 1997).

Demonstration prescription. Given the clustered evidence, root causes, and cited context failures, the LLM prescribes the round's single corrective demonstration together with a self-reported confidence. The prescription is a hybrid decision with two arms, both always in play. *Targeted correction*: the LLM selects one recorded failure; its scene is re-instantiated, the current policy replays to its divergence point $t^\star$, and the expert takes over from there. *Bridging placement*: the LLM instead places the demonstration at a new start state ξ positioned between two or three cited failures of the same mode, so one demonstration covers all of them. The bridge pose is anchored to the target representative A: the commanded offset is L_2-capped in position, clamped in orientation, and projected onto the KAG workspace bounds $\mathcal{W}$,

$$\begin{aligned} \Delta_{xy} &= \text{cmd}.p_{xy} - p_{A,xy}, \quad \Delta_{xy} \leftarrow \Delta_{xy} \min\Big(1, \tfrac{\Delta_{\max}}{\|\Delta_{xy}\|_2}\Big), \\ \Delta_\theta &= \text{clamp}\big(\text{wrap}_\pi(\text{cmd}.\theta - \theta_A),\ \pm\theta_{\max}\big), \\ \xi &= \text{clamp}_{\mathcal{W}}\big(p_A + [\Delta_{xy}, 0],\ \theta_A + \Delta_\theta,\ q_A\big), \end{aligned} \tag{10}$$

Eq. 10 is the Push-T mechanism, with $(\Delta_{\max}, \theta_{\max}) = (0.06\,\text{m}, 0.4\,\text{rad})$. Lift and Door replace the offset cap with an absolute clamp: the bridge start is the mean xy of the cited failures, clamped to the task's native reset range, so a prescribed start can never leave the reset distribution, and $\Delta_{\max}$ denotes the half-width of that clamp range about its center ($0.03\,\text{m}$ in x and y on Lift; 0.0135 and $0.013\,\text{m}$ on Door), with $\theta_{\max} = 0$ (Lift has no yaw randomization; the

Algorithm 1 The DISTIL loop (one demonstration per round).

Input: initial demos $\mathcal{D}_0$, expert $\pi^\star$, budget $B{=}20$
Output: trained policy f_θ

train f_θ on $\mathcal{D}_0$ (Eq. 1); $\mathrm{Mem} \leftarrow \varnothing$
for $r = 1$ **to** B **do**
  roll out f_θ; collect failed episodes; record $t_i^\star, \mathrm{peak}_i$ (Eqs. 2, 6); VLM describes start / $t_i^\star$ / end; reasoning LLM assigns KAG-grounded root causes
  featurize (Eq. 7); cluster into $k^\star$ modes (Eq. 8); rotate target via cluster memory (Eq. 9); build context set S
  LLM prescribes with confidence: targeted correction of a cited failure or bridging start ξ (Eq. 10); re-prescribe while infeasible; after bounded attempts fall back to the nearest untried failure
  expert provides d_r; $\mathcal{D}_r \leftarrow \mathcal{D}_{r-1} \cup d_r$; append target centroid to Mem; update f_θ on $\mathcal{D}_r$ (Eq. 3)
end for
return f_θ

Door bridge reuses the representative failure's orientation and shifts xy only). On Wipe the randomized quantity is a whole dirt-marker path, so bridging is infeasible and every prescription is a targeted correction. On GridWorld the prescription is a corridor layout (start, goal, obstacles, cell sequence) that the human expert is constrained to follow.

Feasibility check and re-prescription. Every prescription is validated before any expert effort is spent: robot prescriptions must respect $\mathcal{W}$ and cite real recorded failures; GridWorld corridors must stay on the grid, avoid the obstacles, and connect start to goal under an $A^\star$/BFS path-validity check. An infeasible or empty prescription is rejected and re-prescribed with the rejection fed back; after at most five attempts the round falls back deterministically to a targeted correction of the nearest untried recorded failure, so a round always yields a valid demonstration. The accepted demonstration is added: for a targeted correction, $d_r = \{(s_t, \pi^\star(s_t)) : t \geq t^\star\}$, the expert segment from the divergence point; for a bridge, the full expert demonstration started at ξ. The target centroid is appended to the memory and the policy is updated (Eq. 3).

Bridging online and offline imitation. DAgger-family methods keep an expert on call throughout training, because corrections are collected while the policy rolls out; classical behavior cloning collects demonstrations offline, then trains. DISTIL bridges the two. Each round's prescription is a standing artifact: the loop can run its rollout, clustering, and prescription analysis on-policy and then pause indefinitely; the prescribed start configuration remains valid, and the expert can return days later to record that round's demonstration before the loop resumes. The decoupling is per round, since the next round's analysis depends on the retrained policy, but at no point must the expert supervise a rollout: expert time reduces to scheduled recordings of prescribed demonstrations.

Experiments

We ask three questions. **(Q1)** Under an identical 20-demonstration budget, does DISTIL reach a higher final success rate than when-to-query baselines? **(Q2)** Does it collect more informative demonstrations, and how does information gain relate to allocation across failure modes? **(Q3)** Are the LLM's prescription confidences predictive of realized improvement, and are the discovered failure modes semantically meaningful?

Setup

Tasks and experts. GridWorld $5{\times}5$: the agent moves from a start cell to a goal cell with four discrete moves on a $5{\times}5$ grid containing three obstacles; an episode succeeds when the agent reaches the goal. The demonstrations are provided by a human expert; a shortest-path search is used only as the feasibility check on prescribed layouts, never to produce demonstrations. **Push-T** (ManiSkill3 (Tao et al. 2024); task from Implicit BC (Florence et al. 2021)): a Franka Panda with a stick end-effector pushes a T-shaped block onto a fixed goal pose; the expert is a privileged PPO policy. **Lift**, **Wipe**, and **Door** (robosuite (Zhu et al. 2020), evaluation following robomimic (Mandlekar et al. 2021)): a UR5e arm lifts a cube off the table (Robotiq-85 parallel-jaw gripper), wipes a mark off the table (wiping-pad end-effector), and opens a door (Robotiq-85), each with a scripted motion-planner expert. Every task runs in a *state* modality (privileged proprioception and object state) and an *image* modality (RGB observations hiding object state).

Learners. On GridWorld the image learner is a pure CNN and the state learner an MLP (cross-entropy on the expert's action labels). On all four robot tasks every method shares one diffusion-policy backbone (Chi et al. 2023; Ho, Jain, and Abbeel 2020), a conditional 1-D U-Net denoiser with a v-prediction objective, paired with an MLP state encoder or an end-to-end finetuned R3M ResNet-18 image encoder with spatial-softmax keypoints (Nair et al. 2022).

Protocol and metrics. Every method starts from the same behavior-cloned initialization per seed (20 initial demonstrations, excluded from the budget) and then receives exactly **20 expert demonstrations**, one per round (Eq. 3). The policy is updated after each addition, from scratch every round on GridWorld and every fourth demonstration on the robot tasks (the cadence of Lee, Kang, and Kuo 2025), and evaluated on a fixed held-out set shared across methods and seeds (200 GridWorld layouts; 100 episodes per robot task). We run **9 seeds** per GridWorld cell and **5** per robot cell. DISTIL consumes inputs that cost no expert demonstrations (the authored knowledge graph, object poses for state-run descriptors, simulator resets for bridging starts); the baselines' gates receive free expert-action access instead, and the budget charges every method the same 20 recorded demonstrations. The primary metric is the final held-out success rate (SR) at the budget. As analysis metrics we report the *per-demonstration information gain* (each round, before fine-tuning on the newly collected demonstration, the current policy's per-step loss evaluated on that demonstration) and, for DISTIL, the Pearson correlation

Table 1: **Final held-out success rate (%) at the 20-demonstration budget**: mean per cell, with one standard deviation of held-out success pooled within the cell as produced by the evaluation logs (not the standard deviation of per-seed means); 9 seeds per GridWorld cell, 5 per robot cell. Columns abbreviate SafeDAgger, DropoutDAgger, EnsembleDAgger, ThriftyDAgger; Stagger runs on GridWorld, Diff-DAgger on the robot tasks. Best mean per row in **bold**: DISTIL is highest in all ten settings; spreads overlap the best baseline in most cells (see text).

Task	Obs.	Safe	Dropout	Ensemble	Thrifty	Stagger	Diff-DAgger	DISTIL (Ours)
GridWorld 5×5	state	85.3 ± 2.7	84.9 ± 2.5	86.2 ± 2.1	86.8 ± 2.0	85.7 ± 1.5	–	$\mathbf{89.9 \pm 1.3}$
GridWorld 5×5	image	86.1 ± 2.8	85.8 ± 2.6	85.7 ± 2.2	87.1 ± 1.9	86.6 ± 2.3	–	$\mathbf{89.6 \pm 1.8}$
Push-T	state	82.0 ± 6.8	84.8 ± 6.1	85.9 ± 5.8	83.2 ± 7.2	–	90.7 ± 4.5	$\mathbf{96.1 \pm 4.5}$
Push-T	image	78.1 ± 7.8	82.1 ± 6.9	83.2 ± 6.6	79.3 ± 8.1	–	89.0 ± 4.8	$\mathbf{93.9 \pm 4.9}$
Lift	state	99.2 ± 1.6	99.2 ± 1.0	99.2 ± 1.0	98.8 ± 2.4	–	99.2 ± 1.0	$\mathbf{100.0 \pm 0.0}$
Lift	image	99.6 ± 0.8	97.2 ± 3.5	98.8 ± 1.6	99.6 ± 0.8	–	99.6 ± 0.8	$\mathbf{100.0 \pm 0.0}$
Wipe	state	88.0 ± 2.5	89.6 ± 4.1	90.8 ± 4.3	90.0 ± 2.5	–	90.4 ± 6.0	$\mathbf{95.5 \pm 6.0}$
Wipe	image	69.6 ± 5.3	83.2 ± 6.8	84.4 ± 7.1	69.2 ± 9.0	–	89.6 ± 3.2	$\mathbf{95.3 \pm 3.2}$
Door	state	93.2 ± 5.2	92.8 ± 2.7	88.8 ± 7.0	89.6 ± 3.9	–	95.2 ± 4.3	$\mathbf{98.4 \pm 4.2}$
Door	image	92.4 ± 3.2	88.8 ± 3.3	86.0 ± 10.9	92.8 ± 2.7	–	89.2 ± 3.5	$\mathbf{99.2 \pm 3.4}$



Figure 3: **Success rate vs. demonstrations added** on GridWorld 5×5 (image), Door (state), and Wipe (image); mean $\pm$ std over seeds (9 for GridWorld, 5 for the robot tasks). Under the same 20-demonstration budget, DISTIL tracks the pack over the early budget and separates over the second half, with the largest final margin on image-based Wipe, where the uncertainty-gated baselines plateau.

between prescription confidence and the realized change in success rate after the demonstration is incorporated.

Main Results (Q1)

Table 1 reports final held-out success rates in all ten cells; Figure 3 shows learning curves on three representative ones. **DISTIL attains the highest mean success rate in every cell.** On state Push-T it reaches 96.1% against 90.7% for Diff-DAgger, a $+5.4$-point margin on the task family Diff-DAgger was designed for. Margins widen where observations are hardest: on image Wipe, DISTIL reaches 95.3% vs. 89.6% for Diff-DAgger and 69.6% for SafeDAgger ($+25.7$ points), consistent with a gate that keeps re-correcting the same contact-rich mode while the uncertainty-gated curves of Figure 3 flatten late in the budget. On image Door, DISTIL reaches 99.2%, $+6.4$ points over the best baseline, and on GridWorld image it clears the best baseline (ThriftyDAgger) by $+2.5$ points. Lift is near-saturated for all methods, yet only DISTIL closes it completely (100.0 ± 0.0 in both modalities). With 5–9 seeds per cell, the one-standard-deviation spreads of Table 1 overlap the best baseline in most cells, including Push-T and Wipe, so we claim no per-cell statistical separation. The evidence is the consistency of the ranking: the best mean in all ten cells, the largest margins on Push-T, Wipe, and image Door, and the best per-demonstration information gain in all ten cells (Table 2).

Information Gain and Its Allocation (Q2)

Table 2 and Figure 4 quantify how much new information each acquired demonstration carries: each round, before finetuning on the new demonstration, we evaluate the current policy's per-step loss on it. A high pre-finetune loss admits three readings: (a) the demonstration covers a region the current policy has not learned; (b) the demonstration is suboptimal or invalid; (c) the region is represented but hard to fit (multimodal expert actions; noise in the stochastic denoising-loss estimate). The feasibility check and the expert largely rule out (b), leaving residual expert error (the Push-T PPO expert is strong but not provably optimal). Reading (c) is damped rather than excluded: the diffusion policies model multimodal

Table 2: **Per-demonstration information gain**: the current policy's pre-finetune loss on each newly acquired demonstration, mean over the 168–184 demonstrations pooled per cell (per-demonstration spreads for GridWorld image in Figure 4, top). Abbreviations as in Table 1; D-DAg is Diff-DAgger. DISTIL is the most informative in all ten settings.

Task	Obs.	Safe	Drop.	Ens.	Thr.	Stag.	D-DAg	DISTIL
GridWorld	state	2.55	2.95	1.33	1.34	1.83	–	**3.55**
GridWorld	image	2.46	2.53	1.57	1.37	1.88	–	**3.21**
Push-T	state	1.66	2.36	1.11	1.10	–	1.57	**2.81**
Push-T	image	2.04	2.16	1.06	1.20	–	1.80	**2.82**
Lift	state	2.23	2.10	1.12	1.13	–	1.61	**2.64**
Lift	image	2.18	2.17	1.00	1.21	–	1.36	**2.93**
Wipe	state	2.02	2.38	1.23	1.18	–	1.43	**2.91**
Wipe	image	2.50	2.96	1.43	1.52	–	1.95	**3.62**
Door	state	2.53	3.10	1.43	1.42	–	1.84	**3.43**
Door	image	2.35	2.46	1.24	1.26	–	1.58	**3.00**

actions by design (Chi et al. 2023), and the loss estimate averages over sampled noise and timesteps. The metric is therefore a novelty proxy, high when a demonstration comes from a poorly fit region, not a formal information measure. DISTIL's prescribed demonstrations have the highest mean gain in all ten cells (e.g., 3.62 vs. next-best 2.96 on image Wipe; 3.55 vs. 2.95 on state GridWorld), with the widest upper spread in the boxplot. Because DISTIL by construction seeks high-loss regions, its top rank here confirms that the mechanism operates as designed; it is not an independent quality measure. And gain alone does not predict final success: SafeDAgger and DropoutDAgger out-gain EnsembleDAgger and ThriftyDAgger, yet the gain orderings do not match the success-rate orderings of Table 1. What converts gain into success rate is its *allocation across failure modes*: a gate that repeatedly harvests high-loss demonstrations from the *same* mode accumulates redundant information, whereas DISTIL's clustering and cluster memory spread high-loss demonstrations over distinct, not-yet-corrected modes; this reading matches the late-flattening baseline curves of Figure 3.

Confidence Calibration and Discovered Modes (Q3)

Each prescription carries a self-reported confidence, emitted at prescription time, blind to the outcome: success-rate feedback arrives only after the demonstration is collected, the policy retrained, and new rollouts evaluated. Figure 4 shows that this blind, self-reported confidence correlates with the realized policy improvement on image GridWorld ($r = 0.86$; rounds resolved by the deterministic fallback emit no confidence and do not enter the correlation); the same computation per cell yields $r = 0.88$ (state GridWorld), $0.87/0.88$ (state/image Push-T), $0.88/0.89$ (Lift), $0.82/0.86$ (Wipe), and $0.83/0.82$ (Door), a tight 0.82–0.89 range across all ten settings. Low-confidence prescriptions ($< 60\%$) yield near-zero improvement while high-confidence ones ($\geq 90\%$) yield the largest gains, so a practitioner could audit or veto low-confidence prescriptions before expert effort is committed. Figure 5 shows the modes discovered on image-based Push-T:



Figure 4: **Top: per-demonstration information gain** (GridWorld 5×5, image): the policy's pre-finetune loss on each newly acquired demonstration; DISTIL's prescribed demonstrations carry the most new information. **Bottom: prescription confidence predicts policy improvement** (same setting): each point is one LLM-prescribed demonstration ($r = 0.86$); rounds resolved by the deterministic fallback emit no confidence and are excluded. Across all ten task–modality settings, Pearson r ranges from 0.82 to 0.89.

three coherent, well-separated clusters, internally consistent in orientation error and contact distance; these modes are the units over which the budget is allocated.

Conclusion

Interactive imitation learning has long asked *when* to query the expert. Under a fixed budget that is the wrong question: performance is set by *which* failures are corrected and *how* each demonstration is placed. DISTIL operationalizes this as demonstration distillation: flag failures with the learner's own loss, root-cause them with KAG-grounded foundation models, cluster them into modes under a cross-round memory, and prescribe each demonstration through a feasibility-checked LLM loop that corrects a chosen failure in place or bridges several related ones. Across five tasks, two modalities, and four learner architectures, the same loop attains the best mean success rate against six interactive baselines in every setting at a 20-demonstration budget, and its demonstrations carry the most new information, spread across distinct failure modes.

Limitations. On the robot tasks our experts are oracles (a privileged PPO policy and scripted motion planners); noisy human demonstrators would add variance these oracles do not capture (Mandlekar et al. 2020; Liu et al. 2023). Bridging placements require a resettable simulator, and all results are in simulation. The robot-task comparison lacks a uniform-random allocation control (Stagger runs on GridWorld only). The loop inherits the quality of its foundation models: weaker



Figure 5: **Failure modes discovered on image-based Push-T**: k=3 recurring modes (*not-well-aligned*, *no-contact*, and *badly-rotated*), with three representative frames each, annotated with orientation error and contact distance. Coherent, well-separated clusters let the LLM prescribe one targeted demonstration per mode.

VLM or LLM outputs degrade root-causing and prescription; KAG grounding and the feasibility loop bound, but do not eliminate, the damage. Each round also pays the wall-clock cost of the reasoning pipeline (frame description, root-cause analysis, clustering, prescription, possible re-prescription), which per-state gates do not incur, and each new task family requires authoring its knowledge graph. The loop commits to a single demonstration per round and cannot exploit an expert willing to record several complementary corrections at once, and the descriptor ϕ_i and memory constants are designed, not learned. Letting the VLM's failure taxonomy define the clustering space and extending prescription to human-gated hardware (Kelly et al. 2019) are natural next steps.

References

Ahn, M.; Brohan, A.; Brown, N.; Chebotar, Y.; Cortes, O.; David, B.; Finn, C.; Fu, C.; Gopalakrishnan, K.; Hausman, K.; et al. 2022. Do As I Can, Not As I Say: Grounding Language in Robotic Affordances. In *Proceedings of the 6th Conference on Robot Learning (CoRL)*. PMLR.

Ash, J. T.; Zhang, C.; Krishnamurthy, A.; Langford, J.; and Agarwal, A. 2020. Deep Batch Active Learning by Diverse, Uncertain Gradient Lower Bounds. In *International Conference on Learning Representations (ICLR)*.

Brohan, A.; Brown, N.; Carbajal, J.; Chebotar, Y.; Chen, X.; Choromanski, K.; Ding, T.; Driess, D.; Dubey, A.; Finn, C.; et al. 2023. RT-2: Vision-Language-Action Models Transfer Web Knowledge to Robotic Control. In *Proceedings of the 7th Conference on Robot Learning (CoRL)*. PMLR.

Celemin, C.; Pérez-Dattari, R.; Chisari, E.; Franzese, G.; de Souza Rosa, L.; Prakash, R.; Ajanović, Z.; Ferraz, M.; Valada, A.; and Kober, J. 2022. Interactive Imitation Learning in Robotics: A Survey. *Foundations and Trends in Robotics*, 10(1–2): 1–197.

Chi, C.; Xu, Z.; Feng, S.; Cousineau, E.; Du, Y.; Burchfiel, B.; Tedrake, R.; and Song, S. 2023. Diffusion Policy: Visuomotor Policy Learning via Action Diffusion. In *Proceedings of Robotics: Science and Systems (RSS)*.

Driess, D.; Xia, F.; Sajjadi, M. S. M.; Lynch, C.; Chowdhery, A.; Ichter, B.; Wahid, A.; Tompson, J.; Vuong, Q.; Yu, T.; et al. 2023. PaLM-E: An Embodied Multimodal Language Model. In *Proceedings of the 40th International Conference on Machine Learning (ICML)*, volume 202. PMLR.

Duan, J.; Pumacay, W.; Kumar, N.; Wang, Y. R.; Tian, S.; Yuan, W.; Krishna, R.; Fox, D.; Mandlekar, A.; and Guo, Y. 2025. AHA: A Vision-Language-Model for Detecting and Reasoning Over Failures in Robotic Manipulation. In *International Conference on Learning Representations (ICLR)*.

Eldar, Y.; Lindenbaum, M.; Porat, M.; and Zeevi, Y. Y. 1997. The Farthest Point Strategy for Progressive Image Sampling. *IEEE Transactions on Image Processing*, 6(9): 1305–1315.

Eysenbach, B.; Gu, S.; Ibarz, J.; and Levine, S. 2018. Leave no Trace: Learning to Reset for Safe and Autonomous Reinforcement Learning. In *International Conference on Learning Representations (ICLR)*.

Florence, P.; Lynch, C.; Zeng, A.; Ramirez, O.; Wahid, A.; Downs, L.; Wong, A.; Lee, J.; Mordatch, I.; and Tompson, J. 2021. Implicit Behavioral Cloning. In *Proceedings of the 5th Conference on Robot Learning (CoRL)*, volume 164. PMLR.

Florensa, C.; Held, D.; Wulfmeier, M.; Zhang, M. R.; and Abbeel, P. 2017. Reverse Curriculum Generation for Reinforcement Learning. In *Proceedings of the 1st Annual Conference on Robot Learning (CoRL)*, volume 78. PMLR.

Gal, Y.; and Ghahramani, Z. 2016. Dropout as a Bayesian Approximation: Representing Model Uncertainty in Deep Learning. In *Proceedings of the 33rd International Conference on Machine Learning (ICML)*, volume 48, 1050–1059. PMLR.

Ho, J.; Jain, A.; and Abbeel, P. 2020. Denoising Diffusion Probabilistic Models. In *Advances in Neural Information Processing Systems (NeurIPS)*, volume 33.

Hoque, R.; Balakrishna, A.; Novoseller, E.; Wilcox, A.; Brown, D. S.; and Goldberg, K. 2021a. ThriftyDAgger: Budget-Aware Novelty and Risk Gating for Interactive Imitation Learning. In *Proceedings of the 5th Conference on Robot Learning (CoRL)*, volume 164. PMLR.

Hoque, R.; Balakrishna, A.; Putterman, C.; Luo, M.; Brown, D. S.; Seita, D.; Thananjeyan, B.; Novoseller, E.; and Goldberg, K. 2021b. LazyDAgger: Reducing Context Switching in Interactive Imitation Learning. In *2021 IEEE 17th International Conference on Automation Science and Engineering (CASE)*. IEEE.

Huang, W.; Wang, C.; Zhang, R.; Li, Y.; Wu, J.; and Fei-Fei, L. 2023. VoxPoser: Composable 3D Value Maps for Robotic Manipulation with Language Models. In *Proceedings of the 7th Conference on Robot Learning (CoRL)*. PMLR.

Huang, W.; Xia, F.; Xiao, T.; Chan, H.; Liang, J.; Florence, P.; Zeng, A.; Tompson, J.; Mordatch, I.; Chebotar, Y.; Sermanet, P.; Brown, N.; Jackson, T.; Luu, L.; Levine, S.; Hausman, K.; and Ichter, B. 2022. Inner Monologue: Embodied Reasoning through Planning with Language Models. In *Proceedings of the 6th Conference on Robot Learning (CoRL)*. PMLR.

Janner, M.; Du, Y.; Tenenbaum, J. B.; and Levine, S. 2022. Planning with Diffusion for Flexible Behavior Synthesis. In

Proceedings of the 39th International Conference on Machine Learning (ICML), volume 162. PMLR.

Kelly, M.; Sidrane, C.; Driggs-Campbell, K.; and Kochenderfer, M. J. 2019. HG-DAgger: Interactive Imitation Learning with Human Experts. In *2019 International Conference on Robotics and Automation (ICRA)*, 8077–8083. IEEE.

Lakshminarayanan, B.; Pritzel, A.; and Blundell, C. 2017. Simple and Scalable Predictive Uncertainty Estimation using Deep Ensembles. In *Advances in Neural Information Processing Systems (NeurIPS)*, volume 30.

Laskey, M.; Lee, J.; Fox, R.; Dragan, A.; and Goldberg, K. 2017. DART: Noise Injection for Robust Imitation Learning. In *Proceedings of the 1st Annual Conference on Robot Learning (CoRL)*, volume 78, 143–156. PMLR.

Lee, S.-W.; Kang, X.; and Kuo, Y.-L. 2025. Diff-DAgger: Uncertainty Estimation with Diffusion Policy for Robotic Manipulation. In *2025 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE.

Liang, J.; Huang, W.; Xia, F.; Xu, P.; Hausman, K.; Ichter, B.; Florence, P.; and Zeng, A. 2023. Code as Policies: Language Model Programs for Embodied Control. In *2023 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE.

Liu, H.; Nasiriany, S.; Zhang, L.; Bao, Z.; and Zhu, Y. 2023. Robot Learning on the Job: Human-in-the-Loop Autonomy and Learning During Deployment. In *Proceedings of Robotics: Science and Systems (RSS)*.

Liu, Z.; Bahety, A.; and Song, S. 2023. REFLECT: Summarizing Robot Experiences for Failure Explanation and Correction. In *Proceedings of the 7th Conference on Robot Learning (CoRL)*. PMLR.

Ma, Y. J.; Liang, W.; Wang, G.; Huang, D.-A.; Bastani, O.; Jayaraman, D.; Zhu, Y.; Fan, L.; and Anandkumar, A. 2024. Eureka: Human-Level Reward Design via Coding Large Language Models. In *International Conference on Learning Representations (ICLR)*.

Madaan, A.; Tandon, N.; Gupta, P.; Hallinan, S.; Gao, L.; Wiegreffe, S.; Alon, U.; Dziri, N.; Prabhumoye, S.; Yang, Y.; et al. 2023. Self-Refine: Iterative Refinement with Self-Feedback. In *Advances in Neural Information Processing Systems (NeurIPS)*, volume 36.

Mandlekar, A.; Xu, D.; Martín-Martín, R.; Zhu, Y.; Fei-Fei, L.; and Savarese, S. 2020. Human-in-the-Loop Imitation Learning using Remote Teleoperation. arXiv:2012.06733.

Mandlekar, A.; Xu, D.; Wong, J.; Nasiriany, S.; Wang, C.; Kulkarni, R.; Fei-Fei, L.; Savarese, S.; Zhu, Y.; and Martín-Martín, R. 2021. What Matters in Learning from Offline Human Demonstrations for Robot Manipulation. In *Proceedings of the 5th Conference on Robot Learning (CoRL)*, volume 164. PMLR.

Menda, K.; Driggs-Campbell, K.; and Kochenderfer, M. J. 2017. DropoutDAgger: A Bayesian Approach to Safe Imitation Learning. arXiv:1709.06166.

Menda, K.; Driggs-Campbell, K.; and Kochenderfer, M. J. 2019. EnsembleDAgger: A Bayesian Approach to Safe Imitation Learning. In *2019 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)*. IEEE.

Nair, S.; Rajeswaran, A.; Kumar, V.; Finn, C.; and Gupta, A. 2022. R3M: A Universal Visual Representation for Robot Manipulation. In *Proceedings of the 6th Conference on Robot Learning (CoRL)*. PMLR.

Pomerleau, D. A. 1988. ALVINN: An Autonomous Land Vehicle in a Neural Network. In *Advances in Neural Information Processing Systems (NeurIPS)*, volume 1, 305–313. Morgan Kaufmann.

Qwen Team. 2025a. Qwen3 Technical Report. arXiv:2505.09388.

Qwen Team. 2025b. Qwen3-VL Technical Report. arXiv:2511.21631.

Ross, S.; and Bagnell, J. A. 2014. Reinforcement and Imitation Learning via Interactive No-Regret Learning. arXiv:1406.5979.

Ross, S.; Gordon, G. J.; and Bagnell, J. A. 2011. A Reduction of Imitation Learning and Structured Prediction to No-Regret Online Learning. In *Proceedings of the 14th International Conference on Artificial Intelligence and Statistics (AISTATS)*, volume 15, 627–635. PMLR.

Sener, O.; and Savarese, S. 2018. Active Learning for Convolutional Neural Networks: A Core-Set Approach. In *International Conference on Learning Representations (ICLR)*.

Settles, B. 2009. Active Learning Literature Survey. Computer Sciences Technical Report 1648, University of Wisconsin–Madison.

Shinn, N.; Cassano, F.; Berman, E.; Gopinath, A.; Narasimhan, K.; and Yao, S. 2023. Reflexion: Language Agents with Verbal Reinforcement Learning. In *Advances in Neural Information Processing Systems (NeurIPS)*, volume 36.

Singh, I.; Blukis, V.; Mousavian, A.; Goyal, A.; Xu, D.; Tremblay, J.; Fox, D.; Thomason, J.; and Garg, A. 2023. ProgPrompt: Generating Situated Robot Task Plans using Large Language Models. In *2023 IEEE International Conference on Robotics and Automation (ICRA)*. IEEE.

Sun, W.; Venkatraman, A.; Gordon, G. J.; Boots, B.; and Bagnell, J. A. 2017. Deeply AggreVaTeD: Differentiable Imitation Learning for Sequential Prediction. In *Proceedings of the 34th International Conference on Machine Learning (ICML)*, volume 70, 3309–3318. PMLR.

Tao, S.; Xiang, F.; Shukla, A.; Qin, Y.; Hinrichsen, X.; Yuan, X.; Bao, C.; Lin, X.; Liu, Y.; Chan, T.-k.; et al. 2024. Demonstrating GPU Parallelized Robot Simulation and Rendering for Generalizable Embodied AI with ManiSkill3. arXiv:2410.00425.

Zhang, J.; and Cho, K. 2017. Query-Efficient Imitation Learning for End-to-End Autonomous Driving. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 31. AAAI Press.

Zhu, Y.; Wong, J.; Mandlekar, A.; Martín-Martín, R.; Joshi, A.; Lin, K.; Maddukuri, A.; Nasiriany, S.; and Zhu, Y. 2020. robosuite: A Modular Simulation Framework and Benchmark for Robot Learning. arXiv:2009.12293.