



http://127.0.0.1:8000/swagger/?format=openapi

Explore

# Your API <sup>v1</sup>

[ Base URL: 127.0.0.1:8000/ ]  
<http://127.0.0.1:8000/swagger/?format=openapi>

Your API description

- Terms of service
- Contact the developer
- Your License

Schemes

HTTP

Django Login

Authorize

Filter by tag

## category



GET

/category

category\_list

Parameters

Try it out

Name	Description
order_by string (query)	<div>order_by</div>
search string (query)	<div>search</div>

Responses

Response content type

application/json

Code	Description
200	<div><div>Example Value</div><div>Model</div><div><div>Category</div><div>{</div><div><div>id</div><div>integer</div><div>title: ID</div><div>readOnly: true</div></div><div><div>name*</div><div>string</div><div>title: Name</div><div>maxLength: 100</div><div>minLength: 1</div></div></div><div>}</div></div>

POST /category

category\_create ^



Parameters

Try it out

Name	Description	
<b>data</b> * required <b>object</b> <i>(body)</i>	Example Value	<b>Model</b>
	<pre>{   name*      string }</pre>	

Responses

Response content type

application/json

Code	Description	
200	Example Value	<b>Model</b>
	<b>Category</b>	<pre>{   id      integer            title: ID            readOnly: true   name*   string            title: Name            maxLength: 100            minLength: 1 }</pre>
400	Bad request	
403	Only admin can add categories	

GET

/category/{id}

category\_read ^ 🔒

Parameters

Try it out

Name	Description
<div><div>id * required</div><div>string</div><div>(path)</div></div>	<div>id</div>

Responses

Response content type

application/json

Code	Description
200	<div><div>Example Value</div><div>Model</div><div><div>Category</div><div>{</div><div><div>id</div><div>integer</div><div>title: ID</div><div>readOnly: true</div></div><div><div>name*</div><div>string</div><div>title: Name</div><div>maxLength: 100</div><div>minLength: 1</div></div></div><div>}</div></div>

PATCH

/category/{id}

category\_partial\_update ^ 🔒

Parameters

Try it out

Name	Description
<div><div><div>data * required</div><div>object</div><div>(body)</div></div><div>Example Value</div><div>Model</div></div>	<div><div>Category {</div><div>name* string</div><div>title: Name</div><div>maxLength: 100</div><div>minLength: 1</div><div>}</div></div>
<div><div><div>id * required</div><div>string</div><div>(path)</div></div><div>id</div></div>	

Responses

Response content type application/json

Code	Description
200	<div>Example Value</div> <div>Model</div>

Code	Description
	<div><div><div><div><div><div><b>Category</b></div></div><div><div><div><div><div><div><b>id</b></div><div><b>integer</b></div><div><i>title: ID</i></div><div><i>readOnly: true</i></div></div></div><div><div><div><div><div><b>name*</b></div><div><b>string</b></div><div><i>title: Name</i></div><div><i>maxLength: 100</i></div><div><i>minLength: 1</i></div></div></div></div></div></div></div><div>}</div></div></div></div></div></div>
400	Bad request
403	Only admin can change categories

DELETE /category/{id}

category\_delete ^ 

Parameters

Try it out

Name	Description
<div><div><div><div><div><b>id</b> * required</div></div><div><div><div><div><div><b>string</b></div><div><i>(path)</i></div></div></div></div></div></div><div><div><div>id</div></div></div></div></div>	

Responses

Response content type 

application/json

Code	Description
200	Object is deleted!
403	Only admin can delete categories

## manufacturer



GET /manufacturer

manufacturer\_list ^

### Parameters

Try it out

Name	Description
------	-------------

order_by string (query)	<input type="text" value="order_by"/>
-------------------------------	---------------------------------------

search string (query)	<input type="text" value="search"/>
-----------------------------	-------------------------------------

### Responses

Response content type

Code	Description
------	-------------

200	
-----	--

Code	Description	
	Example Value	Model
	<pre>Manufacturer {   id integer     title: ID     readOnly: true   name* string     title: Name     maxLength: 100     minLength: 1   address* string     title: Address     minLength: 1   email* string(\$email)     title: Email     maxLength: 254     minLength: 1   country integer     title: Country     x-nullable: true }</pre>	

POST /manufacturer

manufacturer\_create ^ 🔒

Parameters

Try it out

Name	Description	
data * required object (body)	Example Value	Model



Name	Description
	<pre>{   name*      string   country*   integer   address*   string   email*     string }</pre>

## Responses

### Response content type

**application/json**

Code	Description
200	<div>Example Value</div> <div>Model</div> <div><div>Manufacturer</div><div>{</div><div>id</div><div>integer</div><div>title: ID</div><div>readOnly: true</div><div>name*</div><div>string</div><div>title: Name</div><div>maxLength: 100</div><div>minLength: 1</div><div>address*</div><div>string</div><div>title: Address</div><div>minLength: 1</div><div>email*</div><div>string(\$email)</div><div>title: Email</div><div>maxLength: 254</div><div>minLength: 1</div><div>country</div><div>integer</div><div>title: Country</div><div>x-nullable: true</div><div>}</div></div>

Code	Description
400	Bad request
403	Only admin can add a manufacturer

GET

/manufacturer/{id}

manufacturer\_read ^

Parameters

Try it out

Name	Description
<div><div>id * required</div><div>string</div><div>(path)</div></div>	<div>id</div>

Responses

Response content type

application/json

Code	Description
200	Example Value <b>Model</b>

Code	Description
	<div><div><div><div><div><b>Manufacturer</b></div><div>{</div></div><div><div>id</div><div>integer</div><div><i>title: ID</i></div><div><i>readOnly: true</i></div></div><div><div>name*</div><div>string</div><div><i>title: Name</i></div><div><i>maxLength: 100</i></div><div><i>minLength: 1</i></div></div><div><div>address*</div><div>string</div><div><i>title: Address</i></div><div><i>minLength: 1</i></div></div><div><div>email*</div><div>string(\$email)</div><div><i>title: Email</i></div><div><i>maxLength: 254</i></div><div><i>minLength: 1</i></div></div><div><div>country</div><div>integer</div><div><i>title: Country</i></div><div><i>x-nullable: true</i></div></div></div><div>}</div></div></div>

PATCH

/manufacturer/{id}

manufacturer\_partial\_update

^

Parameters

Try it out

Name	Description
<div><div><div><div><b>data</b></div><div>* required</div></div><div>object</div><div>(body)</div></div></div>	<div><div>Example Value</div><div>Model</div></div>

Name	Description
	<div><div><div>Manufacturer</div><div>{</div></div><div><div>name*</div><div>string</div><div>title: Name</div><div>maxLength: 100</div><div>minLength: 1</div></div><div><div>address*</div><div>string</div><div>title: Address</div><div>minLength: 1</div></div><div><div>email*</div><div>string(\$email)</div><div>title: Email</div><div>maxLength: 254</div><div>minLength: 1</div></div><div><div>country</div><div>integer</div><div>title: Country</div><div>x-nullable: true</div></div></div> <div></div> <div>}</div>

Responses

Response content type

application/json

Code	Description
200	<div>Example Value</div> <div>Model</div>

Code	Description
	<div><div><div>Category</div><div>{</div></div><div><div>id</div><div>integer</div><div>title: ID</div><div>readOnly: true</div></div><div><div>name*</div><div>string</div><div>title: Name</div><div>maxLength: 100</div><div>minLength: 1</div></div><div>}</div></div>
400	Bad request
403	Only the admin can change the manufacturer

DELETE

/manufacturer/{id}

manufacturer\_delete ^

Parameters

Try it out

Name	Description
<div><div>id * required</div><div>string</div><div>(path)</div></div>	<div>id</div>

Responses

Response content type

application/json

Code	Description
200	Object is deleted!
403	Only admin can delete a manufacturer

orders



GET

/orders

orders\_list ^

Parameters

Try it out

Name	Description
order_by string (query)	<div>order_by</div>
search string (query)	<div>search</div>

Responses

Response content type

application/json

Code	Description
200	

Code

Description

Example Value    **Model**

```
Category {
  id integer
  title: ID
  readOnly: true
  name* string
  title: Name
  maxLength: 100
  minLength: 1
}
```

**POST**    **/orders**

**orders\_create**    ^   

**Parameters**

Try it out

Name

Description

product  
integer  
(formData)

delivery\_address  
string  
(formData)

**Responses**

Response content type

application/json

Code	Description
200	<div>Example Value</div> <div>Model</div> <div><div>Order</div><div>{</div><div>idinteger title: ID readOnly: true</div><div>product*integer title: Product</div><div>customerinteger title: Customer x-nullable: true</div><div>phone_customerstring title: Phone customer maxLength: 20 x-nullable: true</div><div>statusstring title: Status Enum:</div><div>delivery_address*Array [ 2 ] string title: Delivery address maxLength: 100 minLength: 1</div><div>final_priceinteger title: Final price maximum: 9223372036854776000 minimum: -9223372036854776000</div><div>}</div></div>
400	Bad request

GET /orders/{id}

orders\_read ^ 

Parameters

Try it out



Name	Description
<b>id</b> * required string (path)	<div>id</div>

Responses

Response content type 

application/json

Code	Description
200	Example Value <b>Model</b>

Code	Description
	<div><div><div>Order</div><div>{</div></div><div><div>id</div><div>integer</div><div><i>title: ID</i></div><div><i>readOnly: true</i></div></div><div><div>product*</div><div>integer</div><div><i>title: Product</i></div></div><div><div>customer</div><div>integer</div><div><i>title: Customer</i></div><div><i>x-nullable: true</i></div></div><div><div>phone_customer</div><div>string</div><div><i>title: Phone customer</i></div><div><i>maxLength: 20</i></div><div><i>x-nullable: true</i></div></div><div><div>status</div><div>string</div><div><i>title: Status</i></div><div>Enum:</div></div><div><div>delivery_address*</div><div><div>Array [ 2 ]</div><div>string</div><div><i>title: Delivery address</i></div><div><i>maxLength: 100</i></div><div><i>minLength: 1</i></div></div></div><div><div>final_price</div><div>integer</div><div><i>title: Final price</i></div><div><i>maximum: 9223372036854776000</i></div><div><i>minimum: -9223372036854776000</i></div></div></div> <div>}</div>

PATCH /orders/{id}

orders\_partial\_update ^

Parameters

Try it out

Name	Description
customer integer (formData)	<div>customer</div>

Name	Description
delivery_address string (formData)	delivery_address
status string (formData)	status
id * required string (path)	id

Responses

Response content type application/json

Code	Description
200	Example Value Model

Code	Description
	<div><div><div><div>Order</div><div>{</div></div><div><div>id</div><div>integer</div><div><i>title: ID</i></div><div><i>readOnly: true</i></div></div><div><div>product*</div><div>integer</div><div><i>title: Product</i></div></div><div><div>customer</div><div>integer</div><div><i>title: Customer</i></div><div><i>x-nullable: true</i></div></div><div><div>phone_customer</div><div>string</div><div><i>title: Phone customer</i></div><div><i>maxLength: 20</i></div><div><i>x-nullable: true</i></div></div><div><div>status</div><div>string</div><div><i>title: Status</i></div><div>Enum:</div></div><div><div>delivery_address*</div><div><div>Array [ 2 ]</div><div>string</div><div><i>title: Delivery address</i></div><div><i>maxLength: 100</i></div><div><i>minLength: 1</i></div></div></div><div><div>final_price</div><div>integer</div><div><i>title: Final price</i></div><div><i>maximum: 9223372036854776000</i></div><div><i>minimum: -9223372036854776000</i></div></div></div><div></div></div>

DELETE /orders/{id}

orders\_delete ^ 

Parameters

Try it out

Name	Description
------	-------------

<b>id</b> * required	
----------------------	--

string (path)	
------------------	--

	id
--	----

Responses	
-----------	--

Response content type	
-----------------------	--

	application/json
--	------------------

Code	Description
------	-------------

200	Object is deleted!
-----	--------------------

403	Only admin can delete a order
-----	-------------------------------

## products



GET	/products
-----	-----------

products_list	^	🔒
---------------	---	---

Parameters
------------

Try it out
------------

Name	Description
------	-------------

order_by string (query)	
-------------------------------	--

	order_by
--	----------

Name	Description
search string (query)	<div>search</div>

Responses	Response content type	<div>application/json</div>
-----------	-----------------------	-----------------------------

Code	Description
200	Example Value <b>Model</b>

Code

Description

```
Products {
  id integer
    title: ID
    readOnly: true

  name* string
    title: Name
    maxLength: 100
    minLength: 1

  description string
    title: Description
    x-nullable: true

  manufacturer* integer
    title: Manufacturer

  category integer
    title: Category
    x-nullable: true

  price* integer
    title: Price
    maximum: 9223372036854776000
    minimum: 0

  value* string($decimal)
    title: Value

  unit* string
    title: Unit
    Enum:

    Array [ 10 ]

  manufacturing_date* string($date)
    title: Manufacturing date

  expired_date* string($date)
    title: Expired date

  image string($uri)
    title: Image
    readOnly: true
}
```

POST /products

products\_create ^

Parameters

Try it out

Name	Description
<b>name</b> * required string (formData)	<input type="text" value="name"/>
description string (formData)	<input type="text" value="description"/>
<b>manufacturer</b> * required integer (formData)	<input type="text" value="manufacturer"/>
<b>category</b> * required integer (formData)	<input type="text" value="category"/>
<b>price</b> * required integer (formData)	<input type="text" value="price"/>
<b>value</b> * required integer (formData)	<input type="text" value="value"/>
<b>unit</b> * required string (formData)	<input type="text" value="unit"/>
<b>manufacturing_date</b> * required string (formData)	<input type="text" value="manufacturing_date"/>



Name	Description
<b>expired_date</b> * required string (formData)	<div>expired_date</div>
<b>image</b> * required file (formData)	<div><div>Choose file</div>No file chosen</div>

Responses

Response content type 

application/json

Code	Description
200	Example Value <b>Model</b>

Code	Description
	<pre> Products {   id integer     title: ID     readOnly: true    name* string     title: Name     maxLength: 100     minLength: 1    description string     title: Description     x-nullable: true    manufacturer* integer     title: Manufacturer    category integer     title: Category     x-nullable: true    price* integer     title: Price     maximum: 9223372036854776000     minimum: 0    value* string(\$decimal)     title: Value    unit* string     title: Unit     Enum:        Array [ 10 ]    manufacturing_date* string(\$date)     title: Manufacturing date    expired_date* string(\$date)     title: Expired date    image string(\$uri)     title: Image     readOnly: true } </pre>
400	Bad request
403	Only admin can add products

GET /products/{id}

products\_read 

Parameters

Try it out

Name	Description
<b>id</b> * required string (path)	<div>id</div>

Responses

Response content type 

application/json

Code	Description
200	Example Value <b>Model</b>

Code	Description
	<div><div><div>Products</div><div>{</div></div><div><div>id</div><div>integer</div><div><div><div><div></div><div>title: ID</div></div><div><div>readOnly: true</div></div></div></div></div><div><div>name*</div><div>string</div><div><div><div><div></div><div>title: Name</div></div><div><div>maxLength: 100</div></div><div><div>minLength: 1</div></div></div></div></div><div><div>description</div><div>string</div><div><div><div><div></div><div>title: Description</div></div><div><div>x-nullable: true</div></div></div></div></div><div><div>manufacturer*</div><div>integer</div><div><div><div><div></div><div>title: Manufacturer</div></div></div></div></div><div><div>category</div><div>integer</div><div><div><div><div></div><div>title: Category</div></div><div><div>x-nullable: true</div></div></div></div></div><div><div>price*</div><div>integer</div><div><div><div><div></div><div>title: Price</div></div><div><div>maximum: 9223372036854776000</div></div><div><div>minimum: 0</div></div></div></div></div><div><div>value*</div><div>string(\$decimal)</div><div><div><div><div></div><div>title: Value</div></div></div></div></div><div><div>unit*</div><div>string</div><div><div><div><div></div><div>title: Unit</div></div><div><div>Enum:</div></div></div></div></div><div><div>manufacturing_date*</div><div>Array [ 10 ]</div><div><div><div><div></div><div>string(\$date)</div></div><div><div>title: Manufacturing date</div></div></div></div></div><div><div>expired_date*</div><div>string(\$date)</div><div><div><div><div></div><div>title: Expired date</div></div></div></div></div><div><div>image</div><div>string(\$uri)</div><div><div><div><div></div><div>title: Image</div></div><div><div>readOnly: true</div></div></div></div></div><div></div></div>

PATCH /products/{id}

products\_partial\_update ^ 

Parameters

Try it out

Name	Description
name string (formData)	<input type="text" value="name"/>
description string (formData)	<input type="text" value="description"/>
manufacturer integer (formData)	<input type="text" value="manufacturer"/>
category integer (formData)	<input type="text" value="category"/>
price integer (formData)	<input type="text" value="price"/>
value integer (formData)	<input type="text" value="value"/>
unit string (formData)	<input type="text" value="unit"/>
manufacturing_date string (formData)	<input type="text" value="manufacturing_date"/>

Name	Description
expired_date string (formData)	<div>expired_date</div>
image file (formData)	<div><div>Choose file</div>No file chosen</div>
id * required string (path)	<div>id</div>

Responses

Response content type

application/json

Code	Description
200	<div>Example Value</div> <div>Model</div>

products\_delete ^ 

## Parameters

[Try it out](#)

Name	Description
------	-------------

<b>id</b> * required string (path)	
--	--

## Responses

Response content type

Code	Description
------	-------------

200	Object is deleted!
-----	--------------------

403	Only admin can delete a product
-----	---------------------------------

## profile

**GET** /profile

profile\_list ^

## Parameters

[Try it out](#)

No parameters

## Responses

Response content type



Code

Description

200

Example Value    **Model**

```
User  {
  id          integer
              title: ID
              readOnly: true
  phone*     string
              title: Phone
              maxLength: 15
              minLength: 1
  first_name* string
              title: First name
              maxLength: 100
              minLength: 1
  last_name*  string
              title: Last name
              maxLength: 100
              minLength: 1
  email*      string($email)
              title: Email
              maxLength: 254
              minLength: 1
  is_staff    boolean
              title: Is staff
  birth_date  string($date)
              title: Birth date
              x-nullable: true
  wallet      integer
              title: Wallet
              maximum: 9223372036854776000
              minimum: 0
  is_superuser boolean
              title: Superuser status
              Designates that this user has all permissions without explicitly assigning them.
}
```

PATCH    /profile

profile\_partial\_update ^ 

Parameters

Try it out

Name	Description	
data * required object (body)	Example Value	Model
	<div>UserUpdate {   phone* string     title: Phone     maxLength: 15     minLength: 1    first_name* string     title: First name     maxLength: 100     minLength: 1    last_name* string     title: Last name     maxLength: 100     minLength: 1    birth_date string(\$date)     title: Birth date     x-nullable: true }</div>	

Responses

Response content type

application/json

Code	Description
200	<div>Example Value Model</div>

Code	Description
	<div><div><div>User {</div><div>idinteger title: ID readOnly: true</div><div>phone*string title: Phone maxLength: 15 minLength: 1</div><div>first_name*string title: First name maxLength: 100 minLength: 1</div><div>last_name*string title: Last name maxLength: 100 minLength: 1</div><div>email*string(\$email) title: Email maxLength: 254 minLength: 1</div><div>is_staffboolean title: Is staff</div><div>birth_datestring(\$date) title: Birth date x-nullable: true</div><div>walletinteger title: Wallet maximum: 9223372036854776000 minimum: 0</div><div>is_superuserboolean title: Superuser status Designates that this user has all permissions without explicitly assigning them.</div></div><div>}</div></div>
400	Bad request

DELETE /profile

profile\_delete ^🔒

Parameters

Try it out

No parameters

Responses

Response content type

application/json

Code	Description
200	User is deleted!

sign\_in



POST /sign\_in

sign\_in\_create ^



Parameters

Try it out

Name	Description
<b>data</b> * required	
<b>object</b>	Example Value
<b>(body)</b>	<b>Model</b>
	<pre>{   username*   password* }</pre>
	<b>string</b>
	<b>string</b>

Responses

Response content type

application/json

Code	Description
200	Welcome!
403	Username or/and Password is not valid!

## sign\_out



GET /sign\_out

sign\_out\_list ^

### Parameters

Try it out

No parameters

### Responses

Response content type

application/json

Code	Description
200	

## sign\_up



# country



GET /country

country\_list ^

Parameters

Try it out

Name	Description
order_by string (query)	<div>order_by</div>
search string (query)	<div>search</div>

Responses

Response content type 

application/json

Code	Description
200	<div>Example Value</div> <b>Model</b>

Code	Description
	<div><div><div>Country</div><div>{</div></div><div><div>id</div><div>integer</div></div><div><div></div><div><i>title: ID</i></div></div><div><div></div><div><i>readOnly: true</i></div></div><div><div>name*</div><div>string</div></div><div><div></div><div><i>title: Name</i></div></div><div><div></div><div><i>maxLength: 100</i></div></div><div><div></div><div><i>minLength: 1</i></div></div></div>

}

POST

/country

country\_create

^

Parameters

Try it out

Name	Description
<div><div>data</div><div>* required</div><div>object</div><div>(body)</div></div>	<div><div>Example Value</div><div>Model</div></div> <div><div>{</div><div>name*</div><div>string</div></div> <div>}</div>

Responses

Response content typeapplication/json

Code	Description
200	<div>Example Value</div> <div>Model</div> <div><div>Country</div><div>{</div><div>idinteger</div><div>title: ID</div><div>readOnly: true</div><div>string</div><div>title: Name</div><div>maxLength: 100</div><div>minLength: 1</div><div>name*</div><div>}</div></div>
400	Bad request
403	Only the administrator can add country

GET /country/{id}

country\_read ^ 🔒

Parameters

Try it out

Name	Description
<div>id * required</div> <div>string</div> <div>(path)</div>	<div>id</div>

Responses

Response content type application/json



Code

Description

200

Example Value   **Model**

**Country**   {

id

integer

title: ID

readOnly: true

name\*

string

title: Name

maxLength: 100

minLength: 1

}

PATCH

/country/{id}

country\_partial\_update



Parameters

Try it out

Name

Description

**data** \* required

object

(body)

Example Value   **Model**

**Country**   {

name\*

string

title: Name

maxLength: 100

minLength: 1

}

**id** \* required

string

id



Name

Description

id \* required

string

(path)

id

Responses

Response content type

application/json

Code

Description

200

Object is deleted!

403

Only admin can delete a country

Models



Category

{

id

integer

title: ID

readOnly: true

name\*

string

title: Name

maxLength: 100

minLength: 1

}

```
Manufacturer {  
  id          integer  
              title: ID  
              readOnly: true  
  name*       string  
              title: Name  
              maxLength: 100  
              minLength: 1  
  address*    string  
              title: Address  
              minLength: 1  
  email*      string($email)  
              title: Email  
              maxLength: 254  
              minLength: 1  
  country     integer  
              title: Country  
              x-nullable: true  
}
```

```
Order  {
  id      integer
         title: ID
         readOnly: true

  product* integer
         title: Product

  customer integer
         title: Customer
         x-nullable: true

  phone_customer string
         title: Phone customer
         maxLength: 20
         x-nullable: true

  status   string
         title: Status
         Enum:

         Array [ 2 ]

  delivery_address* string
         title: Delivery address
         maxLength: 100
         minLength: 1

  final_price integer
         title: Final price
         maximum: 9223372036854776000
         minimum: -9223372036854776000
}
```

```
Products {
  id integer
    title: ID
    readOnly: true

  name* string
    title: Name
    maxLength: 100
    minLength: 1

  description string
    title: Description
    x-nullable: true

  manufacturer* integer
    title: Manufacturer

  category integer
    title: Category
    x-nullable: true

  price* integer
    title: Price
    maximum: 9223372036854776000
    minimum: 0

  value* string($decimal)
    title: Value

  unit* string
    title: Unit
    Enum:

    Array [ 10 ]

  manufacturing_date* string($date)
    title: Manufacturing date

  expired_date* string($date)
    title: Expired date

  image string($uri)
    title: Image
    readOnly: true
}
```

```
User {  
  id integer  
    title: ID  
    readOnly: true  
  phone* string  
    title: Phone  
    maxLength: 15  
    minLength: 1  
  first_name* string  
    title: First name  
    maxLength: 100  
    minLength: 1  
  last_name* string  
    title: Last name  
    maxLength: 100  
    minLength: 1  
  email* string($email)  
    title: Email  
    maxLength: 254  
    minLength: 1  
  is_staff boolean  
    title: Is staff  
  birth_date string($date)  
    title: Birth date  
    x-nullable: true  
  wallet integer  
    title: Wallet  
    maximum: 9223372036854776000  
    minimum: 0  
  is_superuser boolean  
    title: Superuser status  
    Designates that this user has all permissions without explicitly assigning them.  
}
```

```
UserUpdate {
  phone*      string
              title: Phone
              maxLength: 15
              minLength: 1
  first_name* string
              title: First name
              maxLength: 100
              minLength: 1
  last_name*  string
              title: Last name
              maxLength: 100
              minLength: 1
  birth_date  string($date)
              title: Birth date
              x-nullable: true
}

Country {
  id      integer
          title: ID
          readOnly: true
  name*  string
          title: Name
          maxLength: 100
          minLength: 1
}
```