```sql
create database Speed_Ticket
use SpeedTicket
create table hardware
(
    HardwareId int primary key,
    HardwareMake nvarchar (32),
    HardwareModel nvarchar (32),
    HardwareDescription nvarchar (255),
    SerialKey nvarchar (32),
    HardwareWarranty nvarchar (255),
)

insert into hardware values('5','Hp', 'Hp laser-tech', 'Bad Speaker', 'fhp263449',
    'Warranty-3years')
select *from hardware
delete from hardware where HardwareId=1
update hardware set HardwareMake='razar' where HardwareId=3


create table Staff (
  StaffId int primary key,
  LastName nvarchar (32),
  FirstName nvarchar (32),
  Phone nvarchar (32),
  Email nvarchar (32),
  Street nvarchar (32),
)

insert into staff values('1','Jones','Mark','902-364-6758',
  'MJones@gmail.com','5521 Barrington Strret')
insert into staff values
  ('2','Smith','Lianne','902-463-9900','Smith.Lianne@yahoo.com','2716 Lower Water
  Street');
insert into staff values
  ('3','Hunt','Hailey','514-465-8899','HHunt22@gmail.com','923 Robie Street');
insert into staff values
  ('4','Ferguson','Larry','902-343-5786','LarryF@gmail.com','232 Coburg Street');
insert into staff values
  ('5','MacFlin','Marty','514-095-4433','MartyMac@yahoo.com','546 Dresden Row');

select *from staff
delete from staff where StaffId=2
update staff set LastName='Smith' where StaffId=1


create table ticketType(
    TypeId int primary key,
    TicketInfo nvarchar (255),
    )
```

```
insert into ticketType values ('Mac121','Service and Repair');
insert into ticketType values ('HSX323','Service and Repair');
insert into ticketType values ('DFH432','Upgrade');
insert into ticketType values ('RTR329','Full-Strip and Restore');
insert into ticketType values ('RTX678','Upgrade and Restore');

select *from ticketType
delete from ticketType where TypeId=3
update ticketType set TicketInfo='Strip and Upgrade' where ticketType=2




create table Ticket(
TicketId int primary key,
TicketDate date,
TicketDescription nvarchar (255),
TicketCategory nvarchar (32),
)

insert into ticket values ('AC1114','January 4th','Morning Service
  Meeting','Repair');
insert into ticket values ('AB1116','March 8th','Battery
  Replacement','Replacement');
insert into ticket values ('DE4455','April 11th','Upgraded system','Upgrades');
insert into ticket values ('RT576','June 10th','Tear-down','Full strip and
  repair');
insert into ticket values ('KI990','July 7th','Faulty Part','Replacement on
  Hardware');

select *from Ticket
delete from ticket where TicketId=2
update ticket set TicketCategory='Replacement' where TicketId=3




create table Status(
StatusId int primary key,
StatusDetails nvarchar (255),
StatusDate date,
)

insert into status values ('1','System repaired and awaiting pick-
  up','2012,09,13');
insert into status values ('Ongoing','Item in repairs','March 12th');
insert into status values ('Upgraded','Upgraded and Finished','April 15th');
insert into status values ('Stripped','Stripped and Repaired','June 13th');
insert into status values ('Replacement','Fixed and Replaced','July 10th');

select *from Status
delete from status where StatusDetails=1
```

```sql
update status set StatusDate='yyyy,mm,dd' where StatusDetails=2




create table Customer(
CustomerId int primary key,
LastName nvarchar (32),
FirstName nvarchar (32),
Street nvarchar (32),
Phone nvarchar (32),
Email nvarchar (32),
UserName nvarchar (32),
Password nvarchar (32),
)

insert into customer values ('ADA1442','Surrano','Danny','321 Barrington
  Street','902-373-9900','DSurrano@gmail.com','DSurranno','asd123');
insert into customer values  ('FF6677','Spade','David','22 Tower
  Apartments','902-321-9988','DSpaid32@gmail.com','DSpaid','2233qwa');
insert into customer values ('RD3737','Spooner','Ashley','456 Robie
  Street','902-342-2211','AshleyS@gmail.com','AshelyS22','qas223');
insert into customer values ('ER3434','Marks','Shelby','998 Windsor
  Street','514-990-7574','Shelby_M@gmail.com','ShelbyM','kid321');
insert into customer values ('ERU223','Smith','Jason','293 Oxford
  Street','902-432-4433','JSmith@gmail.com','Jsmith1','pol443');



select *from Customer
delete from customer where CustomerId=2
update customer set CustomerId='FF6677' where CustomerId=2




create table Job(
JobId int primary key,
JobDescription nvarchar (255),
JobNumber nvarchar (32),
JobDate date,
)

insert into job values ('Laptop repair','Laptop fixed due to a error on the
  hardware side','af1122','January 10th');
insert into job values ('Battery Repair','Laptop was dying quickly due to faulty
  wires','af3322','March 15th');
insert into job values ('Laser point upgraded for new hardware','Laserpoint was
  not recognizable to new system hardware design','af4455','April 20th');
insert into job values ('Computer Beeps','Computer repaired due to continuous
  beeps','as3392','June 16th');
insert into job values ('Muffled sounds','Computer sounds were
  muffled','ded33r4','July 13th');
```

```
select *from Job
delete from job where JobDescription=2
update job set JobDescription=1 where JobDescription=3
```