


## Document information

Software:	realplex 2.2	
File Name:	EPPENDORF\Yasmin_Crypto_Projec 2015 samples	
Printed by:	EPPENDORF	
Created:	Oct/09/2018 12:58	
Serial No. Thermo Module:	6325 30387	
Serial No. realplex Module.:	630011465	
Acquisition Start Time:	EPPENDORF	Oct/09/2018 13:02
Acquisition End Time:	EPPENDORF	Oct/09/2018 14:31
Last updated:	EPPENDORF	Aug/09/2018 13:54
Background:	Sarstedt-20µl	Sep/12/2011 10:28
Color Calibration:	SYBR	Mar/12/2018 15:31
09.10.18 2015 samples	Quantification	Oct/09/2018 14:31
	Melting Curve	Oct/09/2018 14:40
Inverted Data:	OFF	
Comment:		

## Plate layout

	1	2	3	4	5	6	7	8	9	10	11	12
A	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
B	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
C	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
D	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
E	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
F	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
G	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00	CEWE_... 1: 1.00
H	NTC	NTC	NTC	NTC	NTC	NTC	water	water	water	water	water	water

## PCR Program




## Program Header


Lid Temp	105 °C	TSP Heated Lid	Yes
Temp. Mode	Standard	Switch off lid at low block temp	No
Impulse	No	Simulate Mastercycler gradient	No

## Raw Data SYBR







































































### Fluorescence Profile







































































































### Temperature Profile




## Quantification SYBR

Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
  A1	CEWE_SK_2997	20.98	20.83	0.17	1.00			mouse
  A2	CEWE_SK_2997	20.65	20.83	0.17	1.00			mouse
  A3	CEWE_SK_2997	20.84	20.83	0.17	1.00			mouse
  A4	CEWE_SK_2997	23.71	23.88	0.15	1.00			eimeria
  A5	CEWE_SK_2997	23.98	23.88	0.15	1.00			eimeria
  A6	CEWE_SK_2997	23.94	23.88	0.15	1.00			eimeria
  A7	CEWE_SK_2998	20.92	21.07	0.26	1.00			mouse
  A8	CEWE_SK_2998	20.92	21.07	0.26	1.00			mouse
  A9	CEWE_SK_2998	21.37	21.07	0.26	1.00			mouse
  A10	CEWE_SK_2998	23.75	24.00	0.32	1.00			eimeria
  A11	CEWE_SK_2998	23.88	24.00	0.32	1.00			eimeria
  A12	CEWE_SK_2998	24.37	24.00	0.32	1.00			eimeria
  B1	CEWE_SK_2999	21.64	21.74	0.17	1.00			mouse
  B2	CEWE_SK_2999	21.66	21.74	0.17	1.00			mouse
  B3	CEWE_SK_2999	21.93	21.74	0.17	1.00			mouse
  B4	CEWE_SK_2999	33.43	33.74	0.28	1.00			eimeria
  B5	CEWE_SK_2999	33.99	33.74	0.28	1.00			eimeria
  B6	CEWE_SK_2999	33.79	33.74	0.28	1.00			eimeria
  B7	CEWE_SK_3000	20.35	20.43	0.10	1.00			mouse
  B8	CEWE_SK_3000	20.40	20.43	0.10	1.00			mouse
  B9	CEWE_SK_3000	20.54	20.43	0.10	1.00			mouse
  B10	CEWE_SK_3000	32.69	32.99	0.51	1.00			eimeria
  B11	CEWE_SK_3000	33.58	32.99	0.51	1.00			eimeria
  B12	CEWE_SK_3000	32.70	32.99	0.51	1.00			eimeria
  C1	CEWE_SK_3001	20.42	20.77	0.30	1.00			mouse
  C2	CEWE_SK_3001	20.94	20.77	0.30	1.00			mouse
  C3	CEWE_SK_3001	20.94	20.77	0.30	1.00			mouse
  C4	CEWE_SK_3001	32.86	32.99	0.14	1.00			eimeria
  C5	CEWE_SK_3001	33.15	32.99	0.14	1.00			eimeria
  C6	CEWE_SK_3001	32.97	32.99	0.14	1.00			eimeria
  C7	CEWE_SK_3002	21.51	21.48	0.06	1.00			mouse
  C8	CEWE_SK_3002	21.41	21.48	0.06	1.00			mouse
  C9	CEWE_SK_3002	21.53	21.48	0.06	1.00			mouse
  C10	CEWE_SK_3002	24.73	24.82	0.16	1.00			eimeria
  C11	CEWE_SK_3002	24.72	24.82	0.16	1.00			eimeria

Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
  C12	CEWE_SK_3002	25.00	24.82	0.16	1.00			eimeria
  D1	CEWE_SK_3003	21.47	21.48	0.13	1.00			mouse
  D2	CEWE_SK_3003	21.36	21.48	0.13	1.00			mouse
  D3	CEWE_SK_3003	21.62	21.48	0.13	1.00			mouse
  D4	CEWE_SK_3003	25.53	25.53	0.07	1.00			eimeria
  D5	CEWE_SK_3003	25.45	25.53	0.07	1.00			eimeria
  D6	CEWE_SK_3003	25.60	25.53	0.07	1.00			eimeria
  D7	CEWE_SK_3004	20.82	20.86	0.08	1.00			mouse
  D8	CEWE_SK_3004	20.81	20.86	0.08	1.00			mouse
  D9	CEWE_SK_3004	20.95	20.86	0.08	1.00			mouse
  D10	CEWE_SK_3004	29.99	30.39	0.36	1.00			eimeria
  D11	CEWE_SK_3004	30.49	30.39	0.36	1.00			eimeria
  D12	CEWE_SK_3004	30.68	30.39	0.36	1.00			eimeria
  E1	CEWE_SK_3005	22.19	22.27	0.11	1.00			mouse
  E2	CEWE_SK_3005	22.23	22.27	0.11	1.00			mouse
  E3	CEWE_SK_3005	22.40	22.27	0.11	1.00			mouse
  E4	CEWE_SK_3005	33.27	33.43	0.17	1.00			eimeria
  E5	CEWE_SK_3005	33.40	33.43	0.17	1.00			eimeria
  E6	CEWE_SK_3005	33.60	33.43	0.17	1.00			eimeria
  E7	CEWE_SK_3006	20.48	20.47	0.05	1.00			mouse
  E8	CEWE_SK_3006	20.41	20.47	0.05	1.00			mouse
  E9	CEWE_SK_3006	20.52	20.47	0.05	1.00			mouse
  E10	CEWE_SK_3006	29.64	29.64	0.32	1.00			eimeria
  E11	CEWE_SK_3006	29.32	29.64	0.32	1.00			eimeria
  E12	CEWE_SK_3006	29.96	29.64	0.32	1.00			eimeria
  F1	CEWE_SK_3007	22.92	22.93	0.04	1.00			mouse
  F2	CEWE_SK_3007	22.89	22.93	0.04	1.00			mouse
  F3	CEWE_SK_3007	22.97	22.93	0.04	1.00			mouse
  F4	CEWE_SK_3007	34.48	34.68	0.19	1.00			eimeria
  F5	CEWE_SK_3007	34.71	34.68	0.19	1.00			eimeria
  F6	CEWE_SK_3007	34.86	34.68	0.19	1.00			eimeria
  F7	CEWE_SK_3008	21.27	21.24	0.03	1.00			mouse
  F8	CEWE_SK_3008	21.22	21.24	0.03	1.00			mouse
  F9	CEWE_SK_3008	21.24	21.24	0.03	1.00			mouse
  F10	CEWE_SK_3008	28.97	29.18	0.26	1.00			eimeria
  F11	CEWE_SK_3008	29.47	29.18	0.26	1.00			eimeria
  F12	CEWE_SK_3008	29.10	29.18	0.26	1.00			eimeria
  G1	CEWE_SK_3009	22.21	22.29	0.08	1.00			mouse
  G2	CEWE_SK_3009	22.34	22.29	0.08	1.00			mouse

Pos	Name	Ct SYBR	Ct Mean SYBR	Ct Dev. SYBR	Amount SYBR [Copies]	Amount Mean SYBR	Amount Dev. SYBR	Target SYBR
 G3	CEWE_SK_3009	22.34	22.29	0.08	1.00			mouse
 G4	CEWE_SK_3009	28.12	28.38	0.26	1.00			eimeria
 G5	CEWE_SK_3009	28.64	28.38	0.26	1.00			eimeria
 G6	CEWE_SK_3009	28.37	28.38	0.26	1.00			eimeria
 G7	CEWE_SK_3010	21.74	21.33	0.67	1.00			mouse
 G8	CEWE_SK_3010	20.56	21.33	0.67	1.00			mouse
 G9	CEWE_SK_3010	21.68	21.33	0.67	1.00			mouse
 G10	CEWE_SK_3010	33.11	34.12	0.89	1.00			eimeria
 G11	CEWE_SK_3010	34.75	34.12	0.89	1.00			eimeria
 G12	CEWE_SK_3010	34.51	34.12	0.89	1.00			eimeria
 H1	NTC	39.67			-			mouse
 H2	NTC	-			-			mouse
 H3	NTC	-			-			mouse
 H4	NTC	-			-			eimeria
 H5	NTC	-			-			eimeria
 H6	NTC	-			-			eimeria
 H7	water	-			-			mouse
 H8	water	-			-			mouse
 H9	water	-			-			mouse
 H10	water	-			-			eimeria
 H11	water	-			-			eimeria
 H12	water	-			-			eimeria

## Amplification Plot
































## Standard curve


































Slope	-	R <sup>2</sup>	-
Y-Intercept	-	Efficiency	-




## Melting Curve SYBR

Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
 A1	CEWE_SK_2997	1	80.2			
 A2	CEWE_SK_2997	1	80.1			
 A3	CEWE_SK_2997	1	80.0			
 A4	CEWE_SK_2997	1	75.1			
 A5	CEWE_SK_2997	1	75.0			
 A6	CEWE_SK_2997	1	75.1			
 A7	CEWE_SK_2998	1	80.0			
 A8	CEWE_SK_2998	1	79.9			
 A9	CEWE_SK_2998	1	79.8			
 A10	CEWE_SK_2998	1	74.9			
 A11	CEWE_SK_2998	1	75.0			
 A12	CEWE_SK_2998	1	75.0			
 B1	CEWE_SK_2999	1	80.1			
 B2	CEWE_SK_2999	1	80.0			
 B3	CEWE_SK_2999	1	79.9			
 B4	CEWE_SK_2999	0				
 B5	CEWE_SK_2999	0				
 B6	CEWE_SK_2999	0				
 B7	CEWE_SK_3000	1	79.6			
 B8	CEWE_SK_3000	1	79.5			
 B9	CEWE_SK_3000	1	79.4			
 B10	CEWE_SK_3000	0				
 B11	CEWE_SK_3000	0				
 B12	CEWE_SK_3000	0				
 C1	CEWE_SK_3001	1	79.9			
 C2	CEWE_SK_3001	1	79.8			
 C3	CEWE_SK_3001	1	79.7			
 C4	CEWE_SK_3001	0				
 C5	CEWE_SK_3001	0				
 C6	CEWE_SK_3001	0				
 C7	CEWE_SK_3002	1	79.6			
 C8	CEWE_SK_3002	1	79.5			
 C9	CEWE_SK_3002	1	79.4			
 C10	CEWE_SK_3002	1	74.7			
 C11	CEWE_SK_3002	1	74.7			
 C12	CEWE_SK_3002	1	74.8			

Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
 D1	CEWE_SK_3003	1	80.0			
 D2	CEWE_SK_3003	1	79.5			
 D3	CEWE_SK_3003	1	79.6			
 D4	CEWE_SK_3003	1	74.8			
 D5	CEWE_SK_3003	1	74.9			
 D6	CEWE_SK_3003	1	74.9			
 D7	CEWE_SK_3004	1	79.5			
 D8	CEWE_SK_3004	1	79.5			
 D9	CEWE_SK_3004	1	79.4			
 D10	CEWE_SK_3004	1	74.7			
 D11	CEWE_SK_3004	1	74.0			
 D12	CEWE_SK_3004	1	74.8			
 E1	CEWE_SK_3005	1	79.9			
 E2	CEWE_SK_3005	1	79.7			
 E3	CEWE_SK_3005	1	79.6			
 E4	CEWE_SK_3005	0				
 E5	CEWE_SK_3005	0				
 E6	CEWE_SK_3005	0				
 E7	CEWE_SK_3006	1	79.5			
 E8	CEWE_SK_3006	1	79.4			
 E9	CEWE_SK_3006	1	79.3			
 E10	CEWE_SK_3006	1	74.3			
 E11	CEWE_SK_3006	1	74.3			
 E12	CEWE_SK_3006	1	74.4			
 F1	CEWE_SK_3007	1	79.8			
 F2	CEWE_SK_3007	1	79.6			
 F3	CEWE_SK_3007	1	79.6			
 F4	CEWE_SK_3007	0				
 F5	CEWE_SK_3007	0				
 F6	CEWE_SK_3007	0				
 F7	CEWE_SK_3008	1	79.8			
 F8	CEWE_SK_3008	1	79.6			
 F9	CEWE_SK_3008	1	79.5			
 F10	CEWE_SK_3008	1	74.0			
 F11	CEWE_SK_3008	1	74.1			
 F12	CEWE_SK_3008	1	74.1			
 G1	CEWE_SK_3009	1	79.8			
 G2	CEWE_SK_3009	1	79.8			
 G3	CEWE_SK_3009	1	79.8			
 G4	CEWE_SK_3009	1	74.3			

Pos	Name	No. Tm SYBR	Tm x (°C) SYBR	Tm y (°C) SYBR	Mean SYBR	Dev. SYBR
 G5	CEWE_SK_3009	1	74.0			
 G6	CEWE_SK_3009	1	74.5			
 G7	CEWE_SK_3010	1	79.8			
 G8	CEWE_SK_3010	1	79.7			
 G9	CEWE_SK_3010	1	79.5			
 G10	CEWE_SK_3010	1	74.0			
 G11	CEWE_SK_3010	1	74.1			
 G12	CEWE_SK_3010	0				
 H1	NTC	0				
 H2	NTC	0				
 H3	NTC	0				
 H4	NTC	0				
 H5	NTC	0				
 H6	NTC	0				
 H7	water	0				
 H8	water	0				
 H9	water	0				
 H10	water	0				
 H11	water	0				
 H12	water	0				

## Melting curve



Threshold 33%

