


Task 1:Employee Payroll dashboard



Code:

```
import java.awt.*; import
java.awt.event.*;
```

```
public class EmployeePayroll extends Frame implements ActionListener {
```

```
    TextField id, name, salary, days;
```

```
    Choice department, designation, rating;
```

```
    TextArea report;
```

```
    Button generate, reset;
```

```
    EmployeePayroll() {
```

```
setTitle("Employee Performance and Payroll");    setSize(600, 600);  
setLayout(new GridBagLayout());
```

```
GridBagConstraints g = new GridBagConstraints();  
g.insets = new Insets(5, 5, 5, 5);
```

```
Label title = new Label("EMPLOYEE PAYROLL DASHBOARD");  
title.setFont(new Font("Arial", Font.BOLD, 18));
```

```
g.gridx = 0;  
g.gridy = 0;  
g.gridwidth = 2;    add(title, g);
```

```
g.gridwidth = 1;
```

```
// Employee ID
```

```
g.gridx = 0;  
g.gridy = 1;  
add(new Label("Employee ID:"), g);
```

```
id = new TextField(15);  
g.gridx = 1;    add(id,  
g);
```

```
// Name
```

```
g.gridx = 0;
```

```
g.gridy = 2;
add(new Label("Employee Name:"), g);

name = new TextField(15);
g.gridx = 1;    add(name,
g);

// Department
g.gridx = 0;
g.gridy = 3;
add(new Label("Department:"), g);

department = new Choice();    department.add("CSE");
department.add("HR");    department.add("Finance");
department.add("Marketing");

g.gridx = 1;    add(department, g);

// Designation
g.gridx = 0;
g.gridy = 4;
add(new Label("Designation:"), g);

designation = new Choice();    designation.add("Manager");
designation.add("Developer"); designation.add("Tester");
designation.add("Intern");
```

```
g.gridx = 1;      add(designation, g);
```

```
// Salary
```

```
g.gridx = 0;
```

```
g.gridy = 5;
```

```
add(new Label("Basic Salary:"), g);
```

```
salary = new TextField(15);
```

```
g.gridx = 1;      add(salary,  
g);
```

```
// Working Days
```

```
g.gridx = 0;
```

```
g.gridy = 6;
```

```
add(new Label("Working Days:"), g);
```

```
days = new TextField(15);
```

```
g.gridx = 1; add(days, g);
```

```
// Rating
```

```
g.gridx = 0;
```

```
g.gridy = 7;
```

```
add(new Label("Performance Rating:"), g);
```

```
        rating = new Choice();        rating.add("Excellent");  
rating.add("Good");        rating.add("Average");  
rating.add("Poor");
```

```
        g.gridx = 1;        add(rating,  
g);
```

```
// Buttons
```

```
        generate = new Button("Generate Report");        reset = new  
Button("Reset");
```

```
        g.gridx = 0;  
        g.gridy = 8;  
        add(generate, g);
```

```
        g.gridx = 1;        add(reset,  
g);
```

```
// Report
```

```
report = new TextArea(8, 35);
```

```
g.gridx = 0;  
g.gridy = 9;  
g.gridwidth = 2;        add(report, g);
```

```
generate.addActionListener(this);        reset.addActionListener(this);
```

```

        addWindowListener(new WindowAdapter() {            public void
windowClosing(WindowEvent e) {
    System.exit(0);
}
});

setVisible(true);
}

public void actionPerformed(ActionEvent e) {

    if (e.getSource() == generate) {

        if (id.getText().equals("") ||            name.getText().equals("") ||
salary.getText().equals("") ||            days.getText().equals("")) {

            report.setText("Please fill all fields!");            return;
        }

        try {
double basic
=
Double.parseDouble(salary.getText());

        int workingDays = Integer.parseInt(days.getText());

        double gross = basic + (basic * 0.10);

```

```

double bonus = 0;

        if (rating.getSelectedItem().equals("Excellent"))            bonus =
basic * 0.20;
        else if (rating.getSelectedItem().equals("Good"))            bonus =
basic * 0.10;
        else if (rating.getSelectedItem().equals("Average"))        bonus
= basic * 0.05;

double net = gross + bonus;

report.setText(
    "EMPLOYEE PAYROLL REPORT\n\n" +
    "Employee ID  : " + id.getText() + "\n" +
    "Name        : " + name.getText() + "\n" +            "Department
: " +
department.getSelectedItem() + "\n" +
    "Designation  : " + designation.getSelectedItem() + "\n" +
    "Basic Salary : " + basic + "\n" +
    "Working Days : " + workingDays + "\n" +
    "Rating       : " + rating.getSelectedItem() +
"\n\n" +
    "Gross Salary : " + gross + "\n" +
    "Bonus        : " + bonus + "\n" +
    "Net Salary   : " + net
);

```

```

        } catch (NumberFormatException ex) {
            report.setText("Enter valid numbers for salary and working days!");
        }
    }

    if (e.getSource() == reset) {
        id.setText("");
        name.setText("");
        salary.setText("");
        days.setText("");
        report.setText("");
    }
}

public static void main(String[] args) {
    new
EmployeePayroll();
}
}

```


Task 2: Food Order

Food Ordering and Billing

Customer Name: Table No:

Food Ordering and Billing

Food Item: Quantity:



Code :

```
import java.awt.*; import  
java.awt.event.*;
```

```
public class FoodOrder extends Frame implements ActionListener {
```

```
    CardLayout card;
```

```
    Panel cards;
```

```
    TextField customer, table, quantity;
```

```
    Choice food;
```

```
    TextArea bill;
```

Button next1, next2, previous, add, generate, clear;

double total = 0;

FoodOrder() {

setTitle("Food Ordering and Billing"); setSize(500, 400);

card = new CardLayout(); cards = new
Panel(card);

// FIRST SCREEN

Panel p1 = new Panel(new FlowLayout());

p1.add(new Label("Customer Name:")); customer = new
TextField(15); p1.add(customer);

p1.add(new Label("Table No:")); table = new
TextField(5); p1.add(table);

next1 = new Button("Next"); p1.add(next1);

// SECOND SCREEN

Panel p2 = new Panel(new FlowLayout());

p2.add(new Label("Food Item:"));

```
        food = new Choice();        food.add("Pizza");
food.add("Burger");        food.add("Biryani");
food.add("Coffee");        p2.add(food);
```

```
p2.add(new Label("Quantity:"));
```

```
quantity = new TextField(5);        p2.add(quantity);
```

```
add = new Button("Add Item");        previous = new
Button("Previous");        next2 = new Button("Next");
```

```
p2.add(add);        p2.add(previous);
p2.add(next2);
```

```
// THIRD SCREEN
```

```
Panel p3 = new Panel(new FlowLayout());
```

```
bill = new TextArea(12, 40);        p3.add(bill);
```

```
generate = new Button("Generate Bill");        clear = new
Button("Clear");        p3.add(generate);        p3.add(clear);
```

```
cards.add(p1, "one");        cards.add(p2, "two");
cards.add(p3, "three");
```

```
add(cards);
```

```
        next1.addActionListener(this);        next2.addActionListener(this);
previous.addActionListener(this);        add.addActionListener(this);
generate.addActionListener(this);        clear.addActionListener(this);
```

```
        addWindowListener(new WindowAdapter() {        public void
windowClosing(WindowEvent e) {
            System.exit(0);
        }
    });
```

```
        setVisible(true);
    }
```

```
public void actionPerformed(ActionEvent e) {
```

```
    if (e.getSource() == next1)        card.show(cards, "two");
```

```
    if (e.getSource() == next2)        card.show(cards, "three");
```

```
    if (e.getSource() == previous)        card.show(cards, "one");
```

```
    if (e.getSource() == add) {
```

```
        try {
```

```
            int q = Integer.parseInt(quantity.getText());
```

```

double price = 0;

if (food.getSelectedItem().equals("Pizza"))           price =
250;

else if (food.getSelectedItem().equals("Burger"))      price =
120;

else if (food.getSelectedItem().equals("Biryani"))     price =
200;           else           price = 80;

double amount = price * q;           total = total
+ amount;

bill.append(food.getSelectedItem() +
           " x " + q + " = Rs." + amount + "\n");

quantity.setText("");

} catch (Exception ex) {
    bill.setText("Enter valid quantity!");
}
}

if (e.getSource() == generate) {

```

```
        double gst = total * 0.05;        double
finalAmount = total + gst;
```

```
        bill.append("\n-----");        bill.append("\nSubtotal
: Rs." + total);        bill.append("\nGST 5% : Rs." + gst);
bill.append("\nFinal Bill: Rs." + finalAmount);
    }
```

```
        if (e.getSource() == clear) {
customer.setText("");
table.setText("");        quantity.setText("");
bill.setText("");        total = 0;
    }
}
```

```
        public static void main(String[] args) {        new
FoodOrder();
    }
}
```