

1. Откройте ссылку в браузере <https://petstore.swagger.io/>
2. Найдите запрос Create user. Создайте нового пользователя, заполнив все поля в запросе. Приложите скриншот с запросом и ответом.

Name	Description
<b>body</b> <span style="color: red;">★ required</span>	
<b>object</b>	Created user object
(body)	<a href="#">Edit Value</a>   <a href="#">Model</a>
<pre>{   "id": 1654,   "username": "sveta",   "firstName": "sveta",   "lastName": "veselova",   "email": "www.veselova@yandex.ru",   "password": "ktnj2020",   "phone": "89205673421",   "userStatus": 1654 }</pre>	
<div>Cancel</div>	

curl -X 'POST' \

'https://petstore.swagger.io/v2/user' \

-H 'accept: application/json' \

-H 'Content-Type: application/json' \

-d '{

"id": 1654,

"username": "sveta",

"firstName": "sveta",

"lastName": "veselova",

"email": "www.veselova@yandex.ru",

"password": "ktnj2020",

"phone": "89205673421",

"userStatus": 1654

}'

Request URL

https://petstore.swagger.io/v2/user

Server response

Code

Details

200

Response body

{

"code": 200,

"type": "unknown",

"message": "1654"

}

Response headers

access-control-allow-headers: Content-Type,api\_key,Authorization

access-control-allow-methods: GET,POST,DELETE,PUT

access-control-allow-origin: \*

content-type: application/json

date: Wed,27 Oct 2021 06:36:46 GMT

server: Jetty(9.2.9.v20150224)

Responses

3. Найдите запрос Find Pets by Status. Выполните его с любым параметром. Приложите скриншот с запросом и ответом.

**GET** **/pet/findByStatus** Finds Pets by status

Multiple status values can be provided with comma separated strings

**Parameters**

Name	Description
<b>status</b> * required array[string] (query)	Status values that need to be considered for

available

pending

sold

**Execute**

## Responses

### Curl

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/pet/findByStatus?status=pending&status=sold' \
  -H 'accept: application/json'
```

### Request URL

```
https://petstore.swagger.io/v2/pet/findByStatus?status=pending&status=sold
```

### Server response

#### Code

#### Details


200

#### Response body

```
[
  {
    "id": 5,
    "category": {
      "id": 5,
      "name": "jimmy"
    },
    "name": "jimmy",
    "photoUrls": [],
    "tags": [
      {
        "id": 5,
        "name": "jimmy"
      }
    ],
    "status": "pending"
  },
  {
    "id": 9223372000001094000,
    "category": {
      "id": 0,
      "name": "jimmy"
    },
    "name": "jimmy",
    "photoUrls": [],
    "tags": [
      {
        "id": 0,
        "name": "jimmy"
      }
    ],
    "status": "pending"
  }
]
```

response headers	
<pre> access-control-allow-headers: Content-Type,api_key,Authorization access-control-allow-methods: GET,POST,DELETE,PUT access-control-allow-origin: * content-type: application/json date: Wed,27 Oct 2021 06:46:49 GMT server: Jetty(9.2.9.v20150224) </pre>	
Responses	
Code	Description
200	<p>successful operation</p> <p>Example Value   Model</p> <pre> [   {     "id": 0,     "category": {       "id": 0,       "name": "string"     },     "name": "doggie",     "photoUrls": [       "string"     ],     "tags": [       {         "id": 0,         "name": "string"       }     ],     "status": "available"   } ] </pre>
400	Invalid status value

- \* Создайте запрос Find Pets by Status в Postman (подсказка: тип запроса и ссылку можно найти в сваггере). Выполните негативный тест: передайте в параметр status недопустимое значение. Приложите скриншот с запросом и ответом.



```
12537 | "string"
12538 | ],
12539 | "tags": [
12540 | {
12541 |   "id": 0,
12542 |   "name": "string"
12543 | },
12544 | ],
12545 | "status": "available"
12546 | },
12547 | {
12548 |   "id": 9223372000001097435,
12549 |   "category": {
12550 |     "id": 0,
12551 |     "name": "string"
12552 |   },
12553 |   "name": "doggie",
12554 |   "photoUrls": [
12555 |     "string"
12556 |   ],
12557 |   "tags": [
12558 |     {
12559 |       "id": 0,
12560 |       "name": "string"
12561 |     }
12562 |   ],
12563 |   "status": "available"
12564 | }
12565 | ]
12566 | }
```