

# Lesson 01 Demo 03 Push the Code to GitHub

**Objective:** To push the code to GitHub repository

Tools required: Terminal

Prerequisites: Git

#### Steps to be followed:

1. Make an empty local git repository

- 2. Create files in the directory
- 3. Add an HTML code in the files
- 4. Add the files
- 5. Commit the files
- 6. Add a remote URL for the repository
- 7. Push the files
- 8. Edit the index.html file
- 9. Commit and push the changes

### Step 1: Make an empty local git repository

1.1 Make an empty local git repository using the given commands:

cd Documents mkdir Foodie Is git status git init git status



```
srijanighataksi@ip-172-31-27-104: ~/Documents/Foodie
                                                                              0 >
File Edit View Search Terminal
Node.js version v17.2.0 detected.
Odd numbered Node.js versions will not enter LTS status and should not be used f
or production. For more information, please see https://nodejs.org/en/about/rele
ases/.
srijanighataksi@ip-172-31-27-104:~$ cd Documents/
srijanighataksi@ip-172-31-27-104:~/Documents$ mkdir Foodie
srijanighataksi@ip-172-31-27-104:~/Documents$ cd Foodie
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ ls
srijanighataksi@ip-172-31-27-104:~/Documents/FoodieS git status
fatal: not a git repository (or any of the parent directories): .git
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git init
Initialized empty Git repository in /home/srijanighataksi/Documents/Foodie/.git/
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git status
On branch master
No commits yet
nothing to commit (create/copy files and use "git add" to track)
srijanighataksi@ip-172-31-27-104:-/Documents/Foodie$
```

#### Step 2: Create files in the directory

2.1 Create files in the **Foodie** directory using the given commands:


touch index.html touch login.html git status

```
srijanighataksi@ip-172-31-27-104: ~/Documents/Foodie
                                                                          ^ _ D X
 File Edit View Search Terminal Help
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git status
fatal: not a git repository (or any of the parent directories): .git
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git init
Initialized empty Git repository in /home/srijanighataksi/Documents/Foodie/.git/
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git status
On branch master
No commits yet
nothing to commit (create/copy files and use "git add" to track)
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ touch index.html
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ touch login.html
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git status
On branch master
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        index.html
        login.html
nothing added to commit but untracked files present (use "git add" to track)
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$
```




## Step 3: Add an HTML code in the files

3.1 Open the file in the Visual Studio Code



3.2 Add the following code in the index.html file:


```
<html>
<body><h3>Welcome to Foodie. We deliver in no time.</h3>
</body>
</html>
```





3.3 Add the following code in the login.html file:

```
<html>
<body><h3>Welcome User. Login here.</h3>
</body>
</html>
```



## Step 4: Add the files

4.1 Add the files using the given commands:

git add . git status

```
nothing added to commit but untracked files present (use "git add" to track)
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git add .
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file: index.html
        new file: login.html
```



## **Step 5: Commit the files**

5.1 Commit the files using the following commands:

git commit -m "Initial Commit"

```
No commits yet


Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:    index.html
    new file:    login.html

srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git commit -m "Initial Commit"


[master (root-commit) c284879] Initial Commit
```

### Step 6: Add a remote URL for the repository

6.1 Open the GitHub account and create a new repository



6.2 Fill in the details per the screenshot and click on the Create Repository button





6.3 Copy the URL



6.4 Add a remote url using the following command:

git remote add origin <your url> git remote -v

```
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git remote add origin https
://github.com/tuser6794/foodie.git
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git remote -v
origin https://github.com/tuser6794/foodie.git (fetch) I
origin https://github.com/tuser6794/foodie.git (push)
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$
```

### Step 7: Push the files

7.1 Push the files using the given commands:

git push -u origin master

```
origin https://github.com/tuser6794/foodie.git (push)
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$

Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 386 bytes | 386.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0)
To https://github.com/tuser6794/foodie.git
* [new branch] master -> master

Branch 'master' set up to track remote branch 'master' from 'origin'.
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$
```



#### Step 8: Edit the index.html file

8.1 Edit the index.html file per the given screenshot:

#### **Step 9: Commit and push the changes**

9.1 Commit and push the changes

git add . git commit -m "Changes to index for navigation to login" git push -u origin master

```
srijanighataksi@ip-172-31-27-104: ~/Documents/Foodie
                                                                         ^ _ O X
File Edit View Search Terminal Help
Your branch is up to date with 'origin/master'.
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified: index.html
no changes added to commit (use "git add" and/or "git commit -a")
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git add .
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git commit -m
ndex for navigation to login"
[master be62fe2] Changes to index for navigation to login
1 file changed, 1 insertion(+)
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$ git push -u origin master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 400 bytes | 400.00 KiB/s, done.
Total 3 (delta θ), reused θ (delta θ)
To https://github.com/tuser6794/foodie.git
  c284879..be62fe2 master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
srijanighataksi@ip-172-31-27-104:~/Documents/Foodie$
```



