

# Cloud Computing

## Module 1

### INTRODUCTION

Computing is being transformed into a model consisting of services that are commoditized and delivered in a manner similar to utilities such as water, electricity, gas, and telephony. In such a model, users access services based on their requirements, regardless of where the services are hosted. *Cloud computing* is the most recent emerging paradigm promising to turn the vision of “computing utilities” into a reality.

Cloud computing is a technological advancement it is based on the concept of *dynamic provisioning*, which is applied not only to services but also to compute capability, storage, networking, and information technology (IT) infrastructure in general. Resources are made available through the Internet and offered on a *pay-per-use* basis from cloud computing vendors.

### Cloud computing at a glance

In 1969, Leonard Kleinrock, one of the chief scientists of the original Advanced Research Projects Agency Network (ARPANET), which seeded the Internet, said:

*As of now, computer networks are still in their infancy, but as they grow up and become sophisticated, we will probably see the spread of ‘computer utilities’ which, like present electric and telephone utilities, will service individual homes and offices across the country.*

Cloud computing allows renting infrastructure, runtime environments, and services on a pay-per-use basis. End users leveraging cloud computing services can access their documents and data anytime, anywhere, and from any device connected to the Internet. One of the most diffuse views of cloud computing can be summarized as follows:

*I don’t care where my servers are, who manages them, where my documents are stored, or where my applications are hosted. I just want them always available and access them from any device connected through Internet. And I am willing to pay for this service for as long as I need it.*

*Web 2.0* technologies play a central role in making cloud computing an attractive opportunity for building computing systems. *Service orientation* allows cloud computing to deliver its capabilities with familiar abstractions, while *virtualization* confers on cloud computing the necessary degree of customization, control, and flexibility for building production and enterprise systems.

### The vision of cloud computing

Cloud computing allows anyone with a credit card to provision virtual hardware, runtime environments, and services. These are used for as long as needed, with no up-front

commitments required. The entire stack of a computing system is transformed into a collection of utilities, which can be provisioned and composed together to deploy systems in hours rather than days and with virtually no maintenance costs.



**Figure 1.1 Cloud computing vision**


Previously, the lack of effective standardization efforts made it difficult to move hosted services from one vendor to another. The long-term vision of cloud computing is that IT services are traded as utilities in an open market, without technological and legal barriers. In this cloud marketplace, cloud service providers and consumers, trading cloud services as utilities, play a central role.

Many of the technological elements contributing to this vision already exist. The capability for Web- based access to documents and their processing using sophisticated applications is one of the appealing factors for end users.

Vision of cloud computing is that in the near future it will be possible to find the solution that matches the customer needs by simply entering our request in a global digital market that trades cloud computing services.

## Defining a cloud

Different notions of cloud computing is as shown in Figure 1.2. The Internet plays a fundamental role in cloud computing, since it represents either the medium or the platform through which many cloud computing services are delivered and made accessible. This aspect is also reflected in the definition given by Armbrust:



**FIGURE 1.2**

Cloud computing technologies, concepts, and ideas.

***Cloud computing refers to both the applications delivered as services over the Internet and the hardware and system software in the datacenters that provide those services.***

This definition describes cloud computing as a phenomenon touching on the entire stack: from the underlying hardware to the high-level software services and applications. It introduces the concept of *everything as a service*, mostly referred as *XaaS*, where the different components of a system—IT infrastructure, development platforms, databases, and so on—can be delivered, measured, and consequently priced as a service. The approach fostered by cloud computing is global.

This notion of multiple parties using a shared cloud computing environment is highlighted in a definition proposed by the U.S. National Institute of Standards and Technology (NIST):

***Cloud computing is a model for enabling ubiquitous, convenient, on-demand network access to a shared pool of configurable computing resources (e.g., networks, servers, storage, applications, and services) that can be rapidly provisioned and released with minimal management effort or service provider interaction.***

According to Reese, we can define three criteria to discriminate whether a service is delivered in the cloud computing style:

- **The service is accessible via a Web browser (non-proprietary) or a Web services application programming interface (API).**
- **Zero capital expenditure is necessary to get started.**
- **You pay only for what you use as you use it.**

The utility-oriented nature of cloud computing is clearly expressed by Buyya:

***A cloud is a type of parallel and distributed system consisting of a collection of interconnected and virtualized computers that are dynamically provisioned and presented as one or more unified computing resources based on service-level agreements established through negotiation between the service provider and consumers.***

## **A closer look**


Cloud computing is helping enterprises, governments, public and private institutions, and research organizations shape more effective and demand-driven computing systems. Practical examples of such systems exist across all market segments:

- ***Large enterprises can offload some of their activities to cloud-based systems.*** Recently, the *New York Times* has converted its digital library of past editions into a Web-friendly format. This required a considerable amount of computing power for a short period of time. By renting Amazon EC2 and S3 Cloud resources, the *Times* performed this task in 36 hours and relinquished these resources, with no additional costs.
- ***Small enterprises and start-ups can afford to translate their ideas into business results more quickly, without excessive up-front costs.*** Animoto is a company that creates videos out of images, music, and video fragments submitted by users. The process involves a considerable amount of storage and backend processing required for producing the video, which is finally made available to the user. Animoto does not own a single server and bases its computing infrastructure entirely on Amazon Web Services.

***System developers can concentrate on the business logic rather than dealing with the complexity of infrastructure management and scalability.*** Little Fluffy Toys is a company in London that has developed a widget providing users with information about nearby bicycle rental services. The company has managed to back the widget's computing needs on Google App Engine and be on the market in only one week.

- ***End users can have their documents accessible from everywhere and any device.*** Apple iCloud is a service that allows users to have their documents stored in the Cloud and access them from any device users connect to it.


Cloud computing does not only contribute with the opportunity of easily accessing IT services on demand, it also introduces a new way of thinking about IT services and resources: as utilities. A bird's-eye view of a cloud computing environment is shown in Figure 1.3.



**FIGURE 1.3**

A bird's-eye view of cloud computing.

The three major models for deploying and accessing cloud computing environments are public clouds, private/enterprise clouds, and hybrid clouds. Figure 1.4.



**FIGURE 1.4**

Major deployment models for cloud computing.

*Public clouds* are the most common deployment models in which necessary IT infrastructure (e.g., virtualized data centers) is established by a third-party service provider that makes it available to any consumer on a subscription basis. Such clouds are appealing to users because they allow users to quickly leverage compute, storage, and application services. In this environment, users' data and applications are deployed on cloud datacenters on the vendor's premises.

Large organizations that own massive computing infrastructures can still benefit from cloud computing by replicating the cloud IT service delivery model in-house. This idea has given birth to the concept of *private clouds* as opposed to public clouds. In 2010, for example, the



U.S. federal government, one of the world's largest consumers of IT spending started a cloud computing initiative aimed at providing government agencies with a more efficient use of their computing facilities. The use of cloud-based in-house solutions is also driven by the need to keep confidential information within an organization's premises. Institutions such as governments and banks that have high security, privacy, and regulatory concerns prefer to build and use their own private or enterprise clouds.

Whenever private cloud resources are unable to meet users' quality-of-service requirements, hybrid computing systems, partially composed of public cloud resources and privately owned

infra- structures, are created to serve the organization's needs. These are often referred as *hybrid clouds*, which are becoming a common way for many stakeholders to start exploring the possibilities offered by cloud computing.

## The cloud computing reference model


A fundamental characteristic of cloud computing is the capability to deliver, on demand, a variety of IT services that are quite diverse from each other. This variety creates different perceptions of what cloud computing is among users. Despite this lack of uniformity, it is possible to classify cloud computing services offerings into three major categories:

*Infrastructure-as-a-Service (IaaS),*

*Platform-as-a-Service (PaaS),* and

*Software-as-a-Service (SaaS).*

These categories are related to each other as described in Figure 1.5



**FIGURE 1.5**

The Cloud Computing Reference Model.

The model organizes the wide range of cloud computing services into a layered view that walks the computing stack from bottom to top.

At the base of the stack, *Infrastructure-as-a-Service* solutions deliver infrastructure on demand in the form of virtual *hardware*, *storage*, and *networking*. Virtual hardware is utilized to provide compute on demand in the form of virtual machine instances. These are created at users' request on the provider's infrastructure, and users are given tools and interfaces to configure the software stack installed in the virtual machine. The pricing model is usually defined in terms of dollars per hour. Virtual storage is delivered in the form of raw disk space or object store. Virtual networking identifies the collection of services that manage the networking among virtual instances and their connectivity to the Internet or private networks.

*Platform-as-a-Service* solutions are the next step in the stack. They deliver scalable and elastic runtime environments on demand and host the execution of applications. These services are backed by a core middleware platform that is responsible for creating the abstract environment where applications are deployed and executed. It is the responsibility of the service provider to provide scalability and to manage fault tolerance, while users are requested to focus on the logic of the application developed by leveraging the provider's APIs and libraries. This approach increases the level of abstraction at which cloud computing is leveraged but also constrains the user in a more controlled environment.

At the top of the stack, *Software-as-a-Service* solutions provide applications and services on demand. Most of the common functionalities of desktop applications—such as office automation, document management, photo editing, and customer relationship management (CRM) software—are replicated on the provider's infrastructure and made more scalable and accessible through a browser on demand. These applications are shared across multiple users whose interaction is isolated from the other users. The SaaS layer is also the area of social networking Websites, which leverage cloud-based infrastructures to sustain the load generated by their popularity.

Each layer provides a different service to users. IaaS solutions are sought by users who want to leverage cloud computing from building dynamically scalable computing systems requiring a specific software stack. IaaS services are therefore used to develop scalable Websites or for back- ground processing.

PaaS solutions provide scalable programming platforms for developing applications and are more appropriate when new systems have to be developed.

SaaS solutions target mostly end users who want to benefit from the elastic scalability of the cloud without doing any software development, installation, configuration, and maintenance.

## **Characteristics and benefits of Cloud**

Cloud computing has some interesting characteristics that bring benefits to both cloud service consumers (CSCs) and cloud service providers (CSPs). These characteristics are:

- No up-front commitments
- On-demand access
- Nice pricing
- Simplified application acceleration and scalability
- Efficient resource allocation
- Energy efficiency

- Seamless creation and use of third-party services

## Challenges ahead

- New, interesting problems and challenges are regularly being posed to the cloud community, including IT practitioners, managers, governments, and regulators
- Challenges concerning the dynamic provisioning of cloud computing services and resources arises
  - For example, in the Infrastructure-as-a-Service domain, how many resources need to be provisioned, and for how long should they be used, in order to maximize the benefit?
- Technical challenges arise for cloud service providers for the management of large computing infrastructures & the use of virtualization technologies on top of them
- Virtualization allows capturing almost transparently the memory pages of an instance, these data could easily be obtained by a malicious provider
- Security in terms of confidentiality, secrecy, and protection of data in a cloud environment.
- Organizations do not own the infrastructure they use to process data and store information. This condition poses challenges for confidential data, which organizations cannot afford to reveal.
- Legal issues may also arise. These are specifically tied to the ubiquitous nature of cloud computing, which spreads computing infrastructure across diverse geographical locations
- Different legislation about privacy in different countries may potentially create disputes as to the rights that third parties have on your data
- U.S. legislation is known to give extreme powers to government agencies to acquire confidential data when there is the suspicion of operations leading to a threat to national security.
- European countries are more restrictive and protect the right of privacy.

## Historical developments

The idea of renting computing services by leveraging large distributed computing facilities has been around for long time. It dates back to the days of the mainframes in the early 1950s. From there on, technology has evolved and been refined. This process has created a series of favourable conditions for the realization of cloud computing.

- Historical development provides an overview of the technologies for distributed computing that have influenced cloud computing
- Five core technologies that played an important role in the realization of cloud computing
  - ✓ Distributed systems
  - ✓ Virtualization
  - ✓ Web 2.0
  - ✓ Service orientation
  - ✓ Utility computing



Figure 1.6 provides an overview of the evolution of the distributed computing technologies that have influenced cloud computing.

## HISTORICAL DEVELOPMENTS




FIGURE 1.6

The evolution of distributed computing technologies, 1950s. 2010s.

**Distributed systems:** Clouds are essentially large distributed computing facilities that make available their services to third parties on demand.

*A distributed system is a collection of independent computers that appears to its users as a single coherent system.*

The primary purpose of distributed systems is to share resources and utilize them better.

- ❖ Heterogeneity
- ❖ Openness
- ❖ Scalability
- ❖ Transparency
- ❖ Concurrency
- ❖ Continuous availability
- ❖ Independent failures.

Three major milestones have led to cloud computing:

- Mainframe computing
- Cluster computing
- Grid computing.

## Mainframes.

- These were the first examples of large computational facilities leveraging multiple processing units.
- Mainframes were powerful, highly reliable computers specialized for large data movement and massive input/output (I/O) operations.
- Mostly used by large organizations for bulk data processing tasks such as online transactions, enterprise resource planning, and other operations involving the processing of significant amounts of data.
- Highly reliable computers that were “always on” and capable of tolerating failures transparently.
- No system shutdown was required to replace failed components, and the system could work without interruption.
- Now their popularity and deployments have reduced, but evolved versions of such systems are still in use for transaction processing (such as online banking, airline ticket booking, supermarket and telcos, and government services).

## Clusters

- These machines could then be connected by a high- bandwidth network and controlled by specific software tools that manage them as a single system.
- Built by commodity machines, they were cheaper than mainframes and made high-performance computing available to a large number of groups, including universities and small research labs.
- Clusters could be easily extended if more computational power was required.
- Some frameworks for distributed computing, including Condor, Parallel Virtual Machine (PVM), and Message Passing Interface (MPI).

A Cluster is a **parallel or distributed** computer system, which is a collection of **inter-connected stand-alone computers** working together as a single integrated computing resource

## Key components

- Multiple standalone computers (PCs or workstations)
- Operating systems
- High performance interconnects
- Middleware
  - For controlling the network and its resources a software/networking protocol is used generally known as Middleware
- Parallel programming environment
- Applications

## Why Cluster Computing?

- Improve Speed
- Closer Connection
- Reliability
- Cost effective
- Low latency communication protocols
- Loosely coupled

## Grids.

- Grid computing appeared in the early 1990s as an evolution of cluster computing
- Grid computing proposed a new approach to access large computational power, huge storage facilities, and a variety of services
- Users can “consume” resources in the same way as they use other utilities such as power, gas, and water.
- A computing grid was a dynamic aggregation of heterogeneous computing nodes, and its scale was nationwide or even worldwide
- These clusters belonged to different organizations, and arrangements were made among them to share the computational power

Several developments made possible the diffusion of computing grids:

- (a) clusters became quite common resources;
- (b) they were often underutilized;
- (c) new problems were requiring computational power that went beyond the capability of single clusters; and
- (d) the improvements in networking and the diffusion of the Internet made possible long- distance, high-bandwidth connectivity

## Virtualization

*Virtualization* is another core technology for cloud computing. It encompasses a collection of solutions allowing the abstraction of some of the fundamental elements for computing, such as hardware, runtime environments, storage, and networking. Today virtualization has become a fundamental element of cloud computing. Virtualization confers that degree of customization and control that makes cloud computing appealing for users and, at the same time, sustainable for cloud services providers.

Virtualization is essentially a technology that allows creation of different computing environments. These environments are called *virtual* because they simulate the interface that is expected by a guest. The most common example of virtualization is *hardware virtualization*. This technology allows simulating the hardware interface expected by an operating system. Hardware virtualization allows the coexistence of different software stacks

on top of the same hardware. These stacks are contained inside *virtual machine instances*, which operate in complete isolation from each other. High-performance servers can host several virtual machine instances, thus creating the opportunity to have a customized software stack on demand. This is the base technology that enables cloud computing solutions to deliver virtual servers on demand, such as Amazon EC2, RightScale, VMware vCloud, and others. Together with hardware virtualization, *storage* and *network virtualization* complete the range of technologies for the emulation of IT infrastructure. Virtualization technologies are also used to replicate runtime environments for programs.

## **Web 2.0**

- ✓ The Web is the primary interface through which cloud computing delivers its services.
- ✓ At present, the Web encompasses a set of technologies and services that facilitate interactive information sharing, collaboration, user-centered design, and application composition. This evolution has transformed the Web into a rich platform for application development and is known as Web 2.0.
- ✓ Web 2.0 brings interactivity and flexibility into Web pages, providing enhanced user experience by gaining Web-based access to all the functions that are normally found in desktop applications.
- ✓ These capabilities are obtained by integrating a collection of standards and technologies such as XML, Asynchronous JavaScript and XML (AJAX), Web Services, and others.

### **User Created and Contributed Content**

- Blogs
- Wikis
- Videos
- Photo sharing
- Discussion Forums

### **Web based Applications**

- Google Docs
- Photoshop Express
- ....

### **Social Interactions**

- Social Networking (Facebook)
- Blog commenting
- Discussion Forums
- Collaborations (Wiki)
- Media based social networks (You Tube)

### **Concerns**

- Network Access
- Privacy/Security Issues

- Reliability of Sources
- Copyright

## Service-oriented computing

- ❑ Service orientation is the core reference model for cloud computing systems
- ❑ Adopts the concept of services as the main building blocks of application and system development
- ❑ Service-oriented computing (SOC) supports the development of rapid, low-cost, flexible, interoperable, and evolvable applications and systems
- ❑ A service is an abstraction representing a self-describing and platform-agnostic component that can perform any function—anything from a simple function to a complex business process
- ❑ Virtually any piece of code that performs a task can be turned into a service and expose its functionalities through a network-accessible protocol
- ❑ A service is supposed to be *loosely coupled, reusable, programming language independent, and location transparent*.
- ❑ Services are composed and aggregated into a *service-oriented architecture (SOA)*
- ❑ Service-oriented computing introduces two concepts, fundamental to cloud computing: quality of service (QoS) and Software-as-a-Service (SaaS)
- ❑ QoS identifies a set of functional and nonfunctional attributes that can be used to evaluate the behavior of a service from different perspectives- *response time, or security attributes, transactional integrity, reliability, scalability, and availability*.
- ❑ QoS requirements are established between the client and the provider via an SLA that identifies the minimum values (or an acceptable range) for the QoS attributes that need to be satisfied upon the service call.
- ❑ SaaS is new delivery model for applications. The term has been inherited from the world of application service providers (ASPs)
- ❑ ASPs deliver software services-based solutions across the wide area network from a central datacenter and make them available on a subscription or rental basis.

## Utility-oriented computing

- Utility computing is a vision of computing that defines a service-provisioning model for compute services in which resources such as storage, compute power, applications, and infrastructure are packaged and offered on a pay-per-use basis
- The idea of providing computing as a utility like natural gas, water, power, and telephone connection
- Early days mainframe providers offered mainframe power to organizations such as banks and government agencies throughout their datacenters.
- Service-oriented architectures(SOAs) introduced the idea of leveraging external services for performing a specific task within a software system

- Cluster computing and Computing grids brought the concept of utility computing to a new level: market orientation

## **Building cloud computing environments**

The creation of cloud computing environments encompasses both the development of applications and systems that leverage cloud computing solutions and the creation of frameworks, platforms, and infrastructures delivering cloud computing services.

### **Application development**

Applications that leverage cloud computing benefit from its capability to dynamically scale on demand. One class of applications that takes the biggest advantage of this feature is that of *Web applications*. These applications are characterized by complex processes that are triggered by the interaction with users and develop through the interaction between several tiers behind the Web front end.

Another class of applications that can potentially gain considerable advantage by leveraging cloud computing is represented by *resource-intensive applications*. These can be either data-intensive or compute-intensive applications. In both cases, considerable amounts of resources are required to complete execution in a reasonable timeframe. It is worth noticing that these large amounts of resources are not needed constantly or for a long duration.

### **Infrastructure and system development**

Distributed computing, virtualization, service orientation, and Web 2.0 form the core technologies enabling the provisioning of cloud services from anywhere on the globe. Developing applications and systems that leverage the cloud requires knowledge across all these technologies.

Infrastructure-as-a-Service solutions provide the capabilities to add and remove resources, but it is up to those who deploy systems on this scalable infrastructure to make use of such opportunities with wisdom and effectiveness. Platform-as-a-Service solutions embed into their core offering algorithms and rules that control the provisioning process and the lease of resources. These can be either completely transparent to developers or subject to fine control. Web 2.0 technologies constitute the interface through which cloud computing services are delivered, managed, and provisioned. Besides the interaction with rich interfaces through the Web browser, Web services have become the primary access point to cloud computing systems from a programmatic standpoint. Service orientation is the underlying paradigm that defines the architecture of a cloud computing system.

Virtualization is another element that plays a fundamental role in cloud computing. This technology is a core feature of the infrastructure used by cloud providers.



## Computing platforms and technologies

### *Amazon web services (AWS)*

- ❑ AWS offers comprehensive cloud IaaS services ranging from virtual compute, storage, and networking to complete computing stacks.
- ❑ AWS is mostly known for its compute and storage-on demand services, namely Elastic Compute Cloud (EC2) and Simple Storage Service (S3).
- ❑ EC2 provides users with customizable virtual hardware that can be used as the base infrastructure for deploying computing systems on the cloud.
- ❑ EC2 also provides the capability to save a specific running instance as an image, thus allowing users to create their own templates & store into S3 (persistent storage on demand).
- ❑ S3 is organized into buckets; these are containers of objects that are stored in binary form and can be enriched with attributes. Users can store objects of any size, are accessible from anywhere.

### *Google AppEngine*

- ❑ Google AppEngine is a scalable runtime environment mostly devoted to executing Web applications.
- ❑ Google infrastructure enable dynamical scaling.
- ❑ AppEngine provides both a secure execution environment and a collection of services that simplify the development of scalable and high-performance Web applications.
- ❑ The services include in-memory caching, scalable data store, job queues, messaging, and cron tasks.
- ❑ Developers can build and test applications on their own machines using the AppEngine SDK.
- ❑ Once development is complete, developers can easily migrate their application to AppEngine
- ❑ Languages supported are Java, PHP, Node.js, Python, C#, .Net, Ruby etc

### *Microsoft Azure*

- ❑ Microsoft Azure is a cloud operating system and a platform for developing applications in the cloud.
- ❑ It provides a scalable runtime environment for Web applications and distributed applications.
- ❑ Applications are organized around the concept of roles: Web role, worker role, and virtual machine role.
  - ❑ The Web role is designed to host a Web application
  - ❑ Worker role is a more generic container of applications and can be used to perform workload processing

- ❑ Virtual machine role provides a virtual environment in which the computing stack can be fully customized, including the operating systems.

### ***Hadoop***

- ❑ Apache Hadoop is an open-source framework that is suited for processing large data sets on commodity hardware.
- ❑ Hadoop is an implementation of MapReduce, an application programming model developed by Google, which provides two fundamental operations for data processing: map and reduce
- ❑ The former transforms and synthesizes the input data provided by the user; the latter aggregates the output obtained by the map operations.
- ❑ Hadoop provides the runtime environment, and developers need only provide the input data and specify the map and reduce functions that need to be executed.
- ❑ Yahoo! manages the largest Hadoop cluster in the world.

### ***Force.com and Salesforce.com***

- ❑ Force.com is a cloud computing platform for developing social enterprise applications
- ❑ The platform is the basis for SalesForce.com, a Software-as-a-Service solution for customer relationship management.
- ❑ Force.com allows developers to create applications by composing ready-to-use blocks; a complete set of components supporting all the activities of an enterprise are available
- ❑ The platform provides complete support for developing applications, from the design of the data layout to the definition of business rules and workflows and the definition of the user interface.

### ***Manjrasoft Aneka***

- ❑ Manjrasoft Aneka is a cloud application platform for rapid creation of scalable applications and their deployment on various types of clouds in a seamless and elastic manner.
- ❑ It supports a collection of programming abstractions for developing applications and a distributed runtime environment that can be deployed on heterogeneous hardware (clusters, networked desktop computers, and cloud resources).
- ❑ Developers can choose different abstractions to design their application: tasks, distributed threads, and map-reduce.
- ❑ These applications are then executed on the distributed service-oriented runtime environment, which can dynamically integrate additional resource on demand