# ADVANCE DEVOPS EXP 9

**Name :- Swaraj Patil**

Roll_no :- 40

Aim :- To Understand Continuous monitoring and Installation and configuration of Nagios Core, Nagios Plugins and NRPE (Nagios Remote Plugin Executor) on Linux Machine.

1. Create an Amazon Linux EC2 Instance

2. Configure Security Group
● Ensure HTTP, HTTPS, SSH, and ICMP are open from everywhere.
● Edit the inbound rules of the specified Security Group

You have to edit the inbound rules of the specified Security Group for this.

3. SSH into Your EC2 instance or simply use EC2 Instance Connect from the browser.

4. Update the package indices and install the following packages using yum

sudo yum update

sudo yum install httpd php

sudo yum install gcc glibc glibc-common

sudo yum install gd gd-devel

5. Create a new Nagios User with its password. You'll have to enter the password twice for confirmation.

sudo adduser -m nagios

sudo passwd nagios

6. Create a new user group

sudo groupadd nagcmd

7. Use these commands so that you don't have to use sudo for Apache and Nagios

sudo usermod -a -G nagcmd nagios
sudo usermod -a -G nagcmd apache

8. Create a new directory for Nagios downloads
mkdir ~/downloads
 cd ~/downloads

9. Use wget to download the source zip files.

Wget https://assets.nagios.com/downloads/nagioscore/releases/nagios-4.4.6.tar.gz wget

```
[ec2-user@ip-172-31-40-254 downloads]$ Wget https://assets.nagios.com/downloads/nagioscore/releases/nagios-4.4.6.tar.gz
wget https://nagios-plugins.org/download/nagios-plugins-2.3.3.tar.gz
-bash: Wget: command not found
--2024-10-02 06:15:45--  https://nagios-plugins.org/download/nagios-plugins-2.3.3.tar.gz
Resolving nagios-plugins.org (nagios-plugins.org)... 45.56.123.251
Connecting to nagios-plugins.org (nagios-plugins.org)|45.56.123.251|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 2782610 (2.7M) [application/x-gzip]
Saving to: 'nagios-plugins-2.3.3.tar.gz'

nagios-plugins-2.3.3.tar.gz         0%[                                                    ]       0  --.-KB/s
nagios-plugins-2.3.3.tar.gz        23%[=================>                                  ] 632.00K  3.02MB/s
nagios-plugins-2.3.3.tar.gz       100%[===================================================>]   2.65M  8.10MB/s    in 0.3s

2024-10-02 06:15:46 (8.10 MB/s) - 'nagios-plugins-2.3.3.tar.gz' saved [2782610/2782610]

[ec2-user@ip-172-31-40-254 downloads]$
```

https://nagios-plugins.org/download/nagios-plugins-2.3.3.tar.gz

```
[ec2-user@ip-172-31-40-254 downloads]$ wget https://assets.nagios.com/downloads/nagioscore/releases/nagios-4.4.6.tar.gz
--2024-10-02 06:17:24--  https://assets.nagios.com/downloads/nagioscore/releases/nagios-4.4.6.tar.gz
Resolving assets.nagios.com (assets.nagios.com)... 45.79.49.120, 2600:3c00::f03c:92ff:fef7:45ce
Connecting to assets.nagios.com (assets.nagios.com)|45.79.49.120|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 11333414 (11M) [application/x-gzip]
Saving to: 'nagios-4.4.6.tar.gz'

nagios-4.4.6.tar.gz         0%[                                                    ]       0  --.-KB/s
nagios-4.4.6.tar.gz         4%[==>                                                 ] 495.62K  2.40MB/s
nagios-4.4.6.tar.gz        30%[=====================>                              ]   3.26M  7.99MB/s
nagios-4.4.6.tar.gz        63%[=================================>                  ]   6.91M  11.0MB/s
nagios-4.4.6.tar.gz        96%[==================================================> ]  10.46M  12.6MB/s
nagios-4.4.6.tar.gz       100%[===================================================>]  10.81M  12.9MB/s    in 0.8s

2024-10-02 06:17:25 (12.9 MB/s) - 'nagios-4.4.6.tar.gz' saved [11333414/11333414]

[ec2-user@ip-172-31-40-254 downloads]$
```

10. Use tar to unzip and change to that directory.

tar zxvf nagios-4.4.6.tar.gz
cd nagios-4.4.6

```
[ec2-user@ip-172-31-40-254 downloads]$ tar zxvf nagios-4.4.6.tar.gz
nagios-4.4.6/
nagios-4.4.6/.gitignore
nagios-4.4.6/.travis.yml
nagios-4.4.6/CONTRIBUTING.md
nagios-4.4.6/Changelog
nagios-4.4.6/INSTALLING
nagios-4.4.6/LEGAL
nagios-4.4.6/LICENSE
nagios-4.4.6/Makefile.in
nagios-4.4.6/README.md
nagios-4.4.6/THANKS
nagios-4.4.6/UPGRADING
nagios-4.4.6/aclocal.m4
nagios-4.4.6/autoconf-macros/
nagios-4.4.6/autoconf-macros/.gitignore
nagios-4.4.6/autoconf-macros/CHANGELOG.md
nagios-4.4.6/autoconf-macros/LICENSE
nagios-4.4.6/autoconf-macros/LICENSE.md
nagios-4.4.6/autoconf-macros/README.md
nagios-4.4.6/autoconf-macros/add_group_user
nagios-4.4.6/autoconf-macros/ax_nagios_get_distrib
nagios-4.4.6/autoconf-macros/ax_nagios_get_files
nagios-4.4.6/autoconf-macros/ax_nagios_get_inetd
nagios-4.4.6/autoconf-macros/ax_nagios_get_init
nagios-4.4.6/autoconf-macros/ax_nagios_get_os
nagios-4.4.6/autoconf-macros/ax_nagios_get_paths
nagios-4.4.6/autoconf-macros/ax_nagios_get_ssl
nagios-4.4.6/base/
nagios-4.4.6/base/.gitignore
nagios-4.4.6/base/Makefile.in
nagios-4.4.6/base/broker.c
```

11. Run the configuration script with the same group name you previously created.

./configure --with-command-group=nagcmd

```
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ ./configure --with-command-group=nagcmd
checking for a BSD-compatible install... /usr/bin/install -c
checking build system type... x86_64-pc-linux-gnu
checking host system type... x86_64-pc-linux-gnu
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking whether make sets $(MAKE)... yes
checking whether ln -s works... yes
checking for strip... /usr/bin/strip
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for ANSI C header files... yes
checking whether time.h and sys/time.h may both be included... yes
checking for sys/wait.h that is POSIX.1 compatible... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking arpa/inet.h usability... yes
checking arpa/inet.h presence... yes
checking for arpa/inet.h... yes
```

12. Compile the source code.

make all

```
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ make all
cd ./base && make
make[1]: Entering directory '/home/ec2-user/downloads/nagios-4.4.6/base'
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o nagios.o nagios.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o broker.o broker.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o nebmods.o nebmods.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o ../common/shared.o ../common/shared.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o query-handler.o query-handler.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o workers.o workers.c
In function 'get_wproc_list',
    inlined from 'get_worker' at workers.c:277:12:
workers.c:253:17: warning: '%s' directive argument is null [-Wformat-overflow=]
  253 |          log_debug_info(DEBUGL_CHECKS, 1, "Found specialized worker(s) for '%s'", (slash && *slash != '/') ? slash : cmd_name);
      |                 ^~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o checks.o checks.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o config.o config.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o commands.o commands.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o events.o events.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o flapping.o flapping.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o logging.o logging.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE -c -o macros-base.o ../common/macros.c
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o netutils.o netutils.c
netutils.c: In function 'my_tcp_connect':
netutils.c:50:47: warning: '%d' directive output may be truncated writing between 1 and 11 bytes into a region of size 6 [-Wformat-truncation=]
   50 |         snprintf(port_str, sizeof(port_str), "%d", port);
      |                                               ^~
netutils.c:50:46: note: directive argument in the range [-2147483648, 65535]
   50 |         snprintf(port_str, sizeof(port_str), "%d", port);
      |                                              ^~~~
netutils.c:50:9: note: 'snprintf' output between 2 and 12 bytes into a destination of size 6
   50 |         snprintf(port_str, sizeof(port_str), "%d", port);
      |         ^~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
gcc -Wall -I.. -g -O2 -DHAVE_CONFIG_H -DNSCORE   -c -o notifications.o notifications.c
```

```
    make install-classicui
       - This installs the classic theme for the Nagios
         web interface


*** Support Notes *****************************************

If you have questions about configuring or running Nagios,
please make sure that you:

       - Look at the sample config files
       - Read the documentation on the Nagios Library at:
             https://library.nagios.com

before you post a question to one of the mailing lists.
Also make sure to include pertinent information that could
help others help you.  This might include:

       - What version of Nagios you are using
       - What version of the plugins you are using
       - Relevant snippets from your config files
       - Relevant error messages from the Nagios log file

For more information on obtaining support for Nagios, visit:

       https://support.nagios.com

***********************************************************

Enjoy.
```

13. Install binaries, init script and sample config files. Lastly, set permissions on the external command directory.

./sudo make install

sudo make install-init

sudo make install-config

sudo make install-commandmode

```
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ ./sudo make install
sudo make install-init
sudo make install-config
sudo make install-commandmode
-bash: ./sudo: No such file or directory
/usr/bin/install -c -m 755 -d -o root -g root /lib/systemd/system
/usr/bin/install -c -m 755 -o root -g root startup/default-service /lib/systemd/system/nagios.service
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/etc
/usr/bin/install -c -m 775 -o nagios -g nagios -d /usr/local/nagios/etc/objects
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/nagios.cfg /usr/local/nagios/etc/nagios.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/cgi.cfg /usr/local/nagios/etc/cgi.cfg
/usr/bin/install -c -b -m 660 -o nagios -g nagios sample-config/resource.cfg /usr/local/nagios/etc/resource.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/templates.cfg /usr/local/nagios/etc/objects/templates.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/commands.cfg /usr/local/nagios/etc/objects/commands.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/contacts.cfg /usr/local/nagios/etc/objects/contacts.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/timeperiods.cfg /usr/local/nagios/etc/objects/timeperiods.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/localhost.cfg /usr/local/nagios/etc/objects/localhost.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/windows.cfg /usr/local/nagios/etc/objects/windows.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/printer.cfg /usr/local/nagios/etc/objects/printer.cfg
/usr/bin/install -c -b -m 664 -o nagios -g nagios sample-config/template-object/switch.cfg /usr/local/nagios/etc/objects/switch.cfg

*** Config files installed ***

Remember, these are *SAMPLE* config files.  You'll need to read
the documentation for more information on how to actually define
services, hosts, etc. to fit your particular needs.

/usr/bin/install -c -m 775 -o nagios -g nagcmd -d /usr/local/nagios/var/rw
chmod g+s /usr/local/nagios/var/rw

*** External command directory configured ***
```

14. Edit the config file and change the email address.

sudo nano /usr/local/nagios/etc/objects/contacts.cfg

```
  GNU nano 5.8                              /usr/local/nagios/etc/objects/contacts.cfg                              Modified
# Just one contact defined by default - the Nagios admin (that's you)
# This contact definition inherits a lot of default values from the
# 'generic-contact' template which is defined elsewhere.

define contact {

    contact_name        nagiosadmin         ; Short name of user
    use                 generic-contact     ; Inherit default values from generic-contact template (defined above)
    alias               Nagios Admin        ; Full name of user
    email               bhagyeshpatil0702@gmail.com; <<***** CHANGE THIS TO YOUR EMAIL ADDRESS ******
}


###############################################################
#
# CONTACT GROUPS
#
###############################################################

# We only have one contact in this simple configuration file, so there is
# no need to create more than one contact group.

define contactgroup {

^G Help        ^O Write Out   ^W Where Is    ^K Cut        ^T Execute     ^C Location    M-U Undo      M-A Set Mark   M-] To Bracket  M-Q Previous
^X Exit        ^R Read File   ^\ Replace     ^U Paste      ^J Justify     ^/ Go To Line  M-E Redo      M-6 Copy       ^Q Where Was    M-W Next
```

15. Configure the web interface.

sudo make install-webconf

```
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ sudo make install-webconf
/usr/bin/install -c -m 644 sample-config/httpd.conf /etc/httpd/conf.d/nagios.conf
if [ 0 -eq 1 ]; then \
        ln -s /etc/httpd/conf.d/nagios.conf /etc/apache2/sites-enabled/nagios.conf; \
fi

*** Nagios/Apache conf file installed ***

[ec2-user@ip-172-31-40-254 nagios-4.4.6]$
```

16. Create a nagiosadmin account for nagios login along with password. You'll have

to specify the password twice.

sudo htpasswd -c /usr/local/nagios/etc/htpasswd.users nagiosadmin

```
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ sudo htpasswd -c /usr/local/nagios/etc/htpasswd.users nagiosadmin
New password:
Re-type new password:
Adding password for user nagiosadmin
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$
```

17. Restart Apache

sudo systemctl restart httpd

```
Adding password for user nagiosadmin
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ sudo systemctl restart httpd
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$
```

cd ~/downloads

tar zxvf nagios-plugins-2.3.3.tar.gz

 cd nagios-plugins-2.3.3

```
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ sudo systemctl restart httpd
[ec2-user@ip-172-31-40-254 nagios-4.4.6]$ cd ~/downloads
tar zxvf nagios-plugins-2.3.3.tar.gz
 cd nagios-plugins-2.3.3
nagios-plugins-2.3.3/
nagios-plugins-2.3.3/perlmods/
nagios-plugins-2.3.3/perlmods/Config-Tiny-2.14.tar.gz
nagios-plugins-2.3.3/perlmods/parent-0.226.tar.gz
nagios-plugins-2.3.3/perlmods/Test-Simple-0.98.tar.gz
nagios-plugins-2.3.3/perlmods/Makefile.in
nagios-plugins-2.3.3/perlmods/version-0.9903.tar.gz
nagios-plugins-2.3.3/perlmods/Makefile.am
nagios-plugins-2.3.3/perlmods/Module-Runtime-0.013.tar.gz
nagios-plugins-2.3.3/perlmods/Module-Metadata-1.000014.tar.gz
nagios-plugins-2.3.3/perlmods/Params-Validate-1.08.tar.gz
nagios-plugins-2.3.3/perlmods/Class-Accessor-0.34.tar.gz
nagios-plugins-2.3.3/perlmods/Try-Tiny-0.18.tar.gz
nagios-plugins-2.3.3/perlmods/Module-Implementation-0.07.tar.gz
nagios-plugins-2.3.3/perlmods/Makefile
nagios-plugins-2.3.3/perlmods/Perl-OSType-1.003.tar.gz
nagios-plugins-2.3.3/perlmods/install_order
nagios-plugins-2.3.3/perlmods/Nagios-Plugin-0.36.tar.gz
nagios-plugins-2.3.3/perlmods/Math-Calc-Units-1.07.tar.gz
nagios-plugins-2.3.3/perlmods/Module-Build-0.4007.tar.gz
nagios-plugins-2.3.3/ABOUT-NLS
nagios-plugins-2.3.3/configure.ac
nagios-plugins-2.3.3/Makefile.in
nagios-plugins-2.3.3/config.h.in
nagios-plugins-2.3.3/ChangeLog
nagios-plugins-2.3.3/AUTHORS
nagios-plugins-2.3.3/lib/
nagios-plugins-2.3.3/lib/parse_ini.h
nagios-plugins-2.3.3/lib/extra_opts.c
nagios-plugins-2.3.3/lib/Makefile.in
```

18. Go back to the downloads folder and unzip the plugins zip file.

./configure --with-nagios-user=nagios --with-nagios-group=nagios

make sudo

make install

```
[ec2-user@ip-172-31-80-22 nagios-plugins-2.3.3]$ ./configure --with-nagios-user=nagios --with-nagios-group=nagios
make
sudo make install
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... /usr/bin/mkdir -p
checking for gawk... gawk
checking whether make sets $(MAKE)... yes
checking whether to disable maintainer-specific portions of Makefiles... yes
checking build system type... x86_64-unknown-linux-gnu
checking host system type... x86_64-unknown-linux-gnu
checking for gcc... gcc
checking for C compiler default output file name... a.out
checking whether the C compiler works... yes
checking whether we are cross compiling... no
checking for suffix of executables...
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking for style of include used by make... GNU
checking dependency style of gcc... gcc3
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /usr/bin/grep
```

19. Compile and install plugins
sudo chkconfig --add nagios
sudo chkconfig nagios on
sudo /usr/local/nagios/bin/nagios -v /usr/local/nagios/etc/nagios.cfg

sudo systemctl start nagios

20. Check the status of Nagios

23. Open up your browser and look for http://<your_public_ip_address>/nagios

← → C ⚠ Not secure 54.173.178.241/nagios/

Nagios®

General
- Home
- Documentation

Current Status
- Tactical Overview
- Map   (Legacy)
- Hosts
- Services
- Host Groups
  - Summary
  - Grid
- Service Groups
  - Summary
  - Grid
- **Problems**
  - Services
  - (Unhandled)
  - Hosts (Unhandled)
  - Network Outages
- Quick Search:

Reports
- Availability
- Trends   (Legacy)
- Alerts
  - History
  - Summary
  - Histogram (Legacy)
- Notifications
- Event Log

System
- Comments
- Downtime
- Process Info
- Performance Info
- Scheduling Queue
- Configuration

Nagios® Core™

✔ Daemon running with PID 67992

Nagios® Core™
Version 4.4.6

April 28, 2020
Check for updates

A new version of Nagios Core is available!
Visit nagios.org to download Nagios 4.5.5.

Get Started
- Start monitoring your infrastructure
- Change the look and feel of Nagios
- Extend Nagios with hundreds of addons
- Get support
- Get training
- Get certified

Quick Links
- Nagios Library (tutorials and docs)
- Nagios Labs (development blog)
- Nagios Exchange (plugins and addons)
- Nagios Support (tech support)
- Nagios.com (company)
- Nagios.org (project)

Latest News

Don't Miss...

Page Tour