




VERTICAL LIFELINE SYSTEM

OS2000



VALUABLE CUSTOMERS



AND MANY MORE.....

15 YEARS WARRANTY ON FIXED COMPONENTS

***T&C APPLY**

PROFILE

OMKAR SAFETY AND POWER PVT LTD WAS SOLUTION FOR ALL TYPE HEIGHT SAFETY EQUIPMENTS. OMKAR PROVIDE ROOFTOP FIXED HORIZONTAL LIFELINE SYSTEM.

APPLICATION

INSTALL ON FIXED LADDERS OR SIMILAR CLIMBING SURFACES THAT ARE THE PART OF STRUCTURE I.E. WATER TANKS, ANTENNA TOWERS ETC.

CONTACT NUMBER

0124-4236614
+91-9718290642

E-MAIL I'D

TECHSUPPORT@OMKARSAFETY.COM
INFO@OMKARSAFETY.COM

WEBSITE

WWW.OMKARSAFETY.IN


INDIAMART WEBSITE

WWW.OMKARSAFETY.COM

CERIFICATION

EN 353-1:2014 CLASS C
SATRA SPC0304000/2043

SITE SURVEY FREE



ADEQUATE SAFETY TO THE LADDER WORKER AGAINST HAZARDS OF FALL FROM HEIGHT.

THE FOLLOWING COMPONENTS ARE:-


- 1- MOUNTING BRACKET (OS2001)
- 2- INTERMEDIATE BRACKET (OS2005)
- 3- SS WIRE ROPE (OS1006)
- 4- ENERGY ABSORBER (OS2002)
- 5- TENSIONER WITH CABLE EXTREMITY (OS1003)
- 6- FULL BODY HARNESS (OS356)
- 7- CONNECTING LANYARD (OSCL01)
- 8- WIRE ROPE GRAB FALL ARRESTOR (OS2007)
- 9- M12 BOLTS
- 10- SWAG-LESS TERMINATOR (OS1008)

get in
touch


15 YEARS WARRANTY ON FIXED COMPONENTS

***T&C APPLY**

TECHNICAL SPECIFICATION OF PRODUCT



OS1001 Anchor Post
Material – SS316
Height – 90 mm
Size – 310*50*10mm
Hole- 12mm



OS2005 Intermediate bracket
Material – SS316
Height – 70 mm
Strip – 40*3mm
Pipe – $\varnothing 12 \times \varnothing 9$ mm



OS1003 Tensioner
Material – SS316
Length – 300 mm
OD – 25mm
Thread – M16
Damm Pin- 10mm



OS2002 Energy absorber
Material – SS316
Length – 240 mm
ID – 57.6mm
OD- 83mm
Rod Dia – 12.7mm



OSCL01 CONNECTING LANYARD



OS1006 Wire rope
Material – SS316
Dia – 8 mm
Made-7*19mm
Strength- 3600kg




OS2007-Wire rope grab fall arrestor



OS556 FULL BODY HARNESS



M12 Bolt
Material – SS304



CABLE EXTRIMITY

15 YEARS WARRANTY ON FIXED COMPONENTS

***T&C APPLY**