



ROOF HORIZONTAL LIFELINE
SYSTEM OS1000

VALUABLE CUSTOMERS



AND MANY MORE.....

15 YEARS WARRANTY ON FIXED COMPONENTS

*T&C APPLY

PROFILE

OMKAR SAFETY AND POWER PVT LTD WAS SOLUTION FOR ALL TYPE HEIGHT SAFETY EQUIPMENTS. OMKAR PROVIDE ROOFTOP FIXED HORIZONTAL LIFELINE SYSTEM.

APPLICATION

INSTALL ON WALLS, FLOORS, CEILINGS, PRE ENGINEERING BUILDINGS ROOF, FRAGILE ROOFS, AIRPORTS TO THE CLIENT'S RECEIVING STRUCTURE

CONTACT NUMBER

0124-4236614
+91-9718290642

E-MAIL I'D

TECHSUPPORT@OMKARSAFETY.COM
INFO@OMKARSAFETY.COM

WEBSITE

WWW.OMKARSAFETY.IN


INDIAMART WEBSITE

WWW.OMKARSAFETY.COM

CERIFICATIONS

EN 795:2012 CLASS C CEN/TS 16415:2013
SATRA SPC0304000/2043

SITE SURVEY FREE



OS1000 ROOF HORIZONTAL LIFELINE SYSTEM PROVIDE ADEQUATE SAFETY TO THE ROOF WORKER AGAINST HAZARDS OF FALL FROM HEIGHT.

THE FOLLOWING COMPONENTS ARE:


- 1- ANCHOR POST (OS1001)
- 2- INTERMEDIATE ANCHOR POST (OS1001-A)
- 3-INTERMEDIATE BRACKET (OS1002)
- 4- CORNER POST (OS1001-B)
- 5- CORNER BRACKET (OS1003)
- 6- SS WIRE ROPE (OS1006)
- 7- ENERGY ABSORBER (OS1004)
- 8- TENSIONER WITH CABLE EXTREMITY (OS1003)
- 9- RUNNER (OS1007)
- 10- FULL BODY HARNESS WITH ROPE LANYARD (OS222)
- 11- WORK RESTRAINT ROPE GRAB GRIP (OSFRL01)
- 12- SWAG-LESS TERMINATOR (OS1008)
- 13- RIVETS
- 14- M12 BOLTS
- 15- EYE BOLTS

get in
touch

15 YEARS WARRANTY ON FIXED COMPONENTS

*T&C APPLY

TECHNICAL SPECIFICATION OF PRODUCT



OS1001 Anchor Post
Material – SS316
Height – 150 mm
Size – 415*355mm
Pipe – $\varnothing 102 \times \varnothing 96$ mm



OS1002 Intermediate bracket
Material – SS316
Height – 70 mm
Strip – 40*3mm
Pipe – $\varnothing 12 \times \varnothing 9$ mm



OS1003 Tensioner
Material – SS316
Length – 300 mm
OD – 25mm
Thread – M16
Damn Pin- 10mm



FULL BODY HARNESS



OS1004 Energy absorber
Material – SS316
Length – 240 mm
ID – 57.6mm
OD- 83mm
Rod Dia – 12.7mm



OS1005 Corner bracket
Material – SS316
Height – 70 mm
Strip – 40*3mm
Pipe – $\varnothing 12 \times \varnothing 9$ mm



OS1006 Wire rope
Material – SS316
Dia – 8 mm
Made-7*19mm
Strength- 3600kg



RUNNER



OS1001-A Intm. Post
Material – SS316
Height – 150 mm
Size – 415*355mm
Pipe – $\varnothing 102 \times \varnothing 96$ mm



OS1001-B Corner Post
Material – SS316
Height – 150 mm
Size – 415*355mm
Pipe – $\varnothing 102 \times \varnothing 96$ mm



M12 & Eye Bolt Anchor Post
Material – SS304



CABLE EXTRIMITY

15 YEARS WARRANTY ON FIXED COMPONENTS

***T&C APPLY**