Name	Id	Attachments	Status	Type	Description	Prerequisites	Test Step #	Test Step Description	Test Step Expected Result	Test Step Attachment	Requirements
NA-Admin Opt_Existing Customer_TC_40_To Validate the E2E flow for the Termite Corrective CP-417-REPAIR SERVICE - WOOD DESTROYING CORRECTIVE	TC-12070		New	Manual	To Validate the E2E flow for the Termite Corrective CP-417-REPAIR SERVICE - WOOD DESTROYING CORRECTIVE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Termite Corrective CP-417-REPAIR SERVICE - WOOD DESTROYING CORRECTIVE						
NA-Admin Opt_Existing Customer_TC_40_To Validate the E2E flow for the Termite Corrective CP-429-WOOD PRESERVATION TREATMENT	TC-12071		New	Manual	To Validate the E2E flow for the Termite Corrective CP-429-WOOD PRESERVATION TREATMENT MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Termite Corrective CP-429-WOOD PRESERVATION TREATMENT						
NA-Admin Opt_Existing Customer_TC_41_To Validate the E2E flow for the Wildlife - 385-Mammal Control Corrective CP-716-WILDLIFE BAITING CORRECTIVE	TC-12072		New	Manual	To Validate the E2E flow for the Wildlife - 385-Mammal Control Corrective CP-716-WILDLIFE BAITING CORRECTIVE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Wildlife - 385-Mammal Control Corrective CP-716-WILDLIFE BAITING CORRECTIVE						
NA-Admin Opt_Existing Customer_TC_42_To Validate the E2E flow for the Wildlife - 385-Mammal Control Corrective CP-254-WILDLIFE - TRAPPING AND CONTROL CORRECTIVE	TC-12073		New	Manual	To Validate the E2E flow for the Wildlife - 385-Mammal Control Corrective CP-254-WILDLIFE - TRAPPING AND CONTROL CORRECTIVE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Wildlife - 385-Mammal Control Corrective CP-254-WILDLIFE - TRAPPING AND CONTROL CORRECTIVE						
NA-Admin Opt_Existing Customer_TC_43_To Validate the E2E flow for the Merchandise Sales CP-606-INSECT LIGHT TRAP MERCHANDISE	TC-12074		New	Manual	To Validate the E2E flow for the Merchandise Sales CP-606-INSECT LIGHT TRAP MERCHANDISE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Merchandise Sales CP-606-INSECT LIGHT TRAP MERCHANDISE						
NA-Admin Opt_Existing Customer_TC_44_To Validate the E2E flow for the Merchandise Sales CP-677-PEST CONTROL - MERCHANDISE	TC-12075		New	Manual	To Validate the E2E flow for the Merchandise Sales CP-677-PEST CONTROL - MERCHANDISE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Merchandise Sales CP-677-PEST CONTROL - MERCHANDISE						
NA-Admin Opt_Existing Customer_TC_45_To Validate the E2E flow for the MosquitoTick - 373-Billing Inserd Control Corrective CP-123-TICK CONTROL CORRECTIVE	TC-12076		New	Manual	To Validate the E2E flow for the MosquitoTick - 373-Billing Inserd Control Corrective CP-123-TICK CONTROL CORRECTIVE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable MosquitoTick - 373-Billing Inserd Control Corrective CP-123-TICK CONTROL CORRECTIVE						
NA-Admin Opt_New Customer_TC_46_To Validate E2E flow for the Bed Bug Corrective product CP238-Bed Bug Corrective - BED BUG FUMIGATION CORRECTIVE SERVICE HIGH INFESTATION >100 BUGS for New Customer Flow	TC-12077		New	Manual	To Validate E2E flow for the Bed Bug Corrective product CP238-Bed Bug Corrective - BED BUG FUMIGATION CORRECTIVE SERVICE HIGH INFESTATION >100 BUGS for New Customer Flow MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Product-Code-CP238-Bed Bug Corrective - BED BUG FUMIGATION CORRECTIVE SERVICE HIGH INFESTATION >100 BUGS						
NA-Admin Opt_New Customer_TC_47_To Validate E2E flow for the Bed Bug Corrective CP239-BED BUG HEAT TREATMENT SERVICE LOW INFESTATION 0-50 BUGS product	TC-12078		New	Manual	To Validate E2E flow for the Bed Bug Corrective CP239-BED BUG HEAT TREATMENT SERVICE LOW INFESTATION 0-50 BUGS product MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Product-Code-CP239-Bed Bug Corrective - BED BUG HEAT TREATMENT SERVICE LOW INFESTATION 0-50 BUGS						
NA-Admin Opt_New Customer_TC_48_To Validate E2E flow for the Bed Bug Corrective CP240-BED BUG HEAT TREATMENT SERVICE MEDIUM INFESTATION 51-100 BUGS	TC-12079		New	Manual	To Validate E2E flow for the Bed Bug Corrective CP240-BED BUG HEAT TREATMENT SERVICE MEDIUM INFESTATION 51-100 BUGS MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Product-Code-CP240-Bed Bug Corrective - BED BUG HEAT TREATMENT SERVICE MEDIUM INFESTATION 51-100 BUGS						
NA-Admin Opt_New Customer_TC_49_To Validate E2E flow for the Bed Bug Corrective CP241-BED BUG HEAT TREATMENT SERVICE HIGH INFESTATION >100 BUGS	TC-12080		New	Manual	To Validate E2E flow for the Bed Bug Corrective CP241-BED BUG HEAT TREATMENT SERVICE HIGH INFESTATION >100 BUGS MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Product-Code-CP241-Bed Bug Corrective - BED BUG HEAT TREATMENT SERVICE HIGH INFESTATION >100 BUGS						
NA-Admin Opt_New Customer_TC_50_To Validate the E2E flow for the Genpest Corrective-RELATED REPAIR - DRAIN INSTALLATION Product	TC-12081		New	Manual	To Validate the E2E flow for the Genpest Corrective-RELATED REPAIR - DRAIN INSTALLATION Product MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable GenPest Product-CP099-RELATED REPAIR - DRAIN INSTALLATION						
NA-Admin Opt_New Customer_TC_51_To Validate the E2E flow for the Genpest Corrective-CP099-RELATED REPAIR - SUBSTRUCTURE	TC-12082		New	Manual	To Validate the E2E flow for the Genpest Corrective-CP099-RELATED REPAIR - SUBSTRUCTURE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable GenPest Product-CP099-RELATED REPAIR - SUBSTRUCTURE						
NA-Admin Opt_New Customer_TC_52_To validate the E2E flow for the Genpest Corrective-CP111-Rodent Trapping Corrective	TC-12083		New	Manual	MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable GenPest Product-CP111-RODENT - TRAPPING CORRECTIVE To validate the E2E flow for the Genpest Corrective-CP111-Rodent Trapping Corrective						
NA-Admin Opt_New Customer_TC_53_To validate the E2E flow for the Genpest Corrective-CP112-Rodent Disinfectant service Corrective	TC-12084		New	Manual	To validate the E2E flow for the Genpest Corrective-CP112-Rodent Disinfectant service Corrective MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable GenPest Product-CP-112-RODENT - DISINFECTANT SERVICE CORRECTIVE						
NA-Admin Opt_New Customer_TC_54_To validate the E2E flow for the Genpest Corrective-CP-184-RESIDENTIAL GENERAL REPAIR SERVICE-PEST CONTROL	TC-12085		New	Manual	To validate the E2E flow for the Genpest Corrective-CP-184-RESIDENTIAL GENERAL REPAIR SERVICE-PEST CONTROL MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable GenPest Product-CP-184-RESIDENTIAL GENERAL REPAIR SERVICE-PEST CONTROL						
NA-Admin Opt_New Customer_TC_55_To validate the E2E flow for the Genpest Corrective-CP-440-PEST SERVICE CORRECTIVE 1TIMPL	TC-12086		New	Manual	To validate the E2E flow for the Genpest Corrective-CP-440-PEST SERVICE CORRECTIVE 1TIMPL MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable GenPest Product-CP-440-PEST SERVICE CORRECTIVE 1TIMP						
NA-Admin Opt_New Customer_TC_56_To validate the E2E flow for the Genpest Corrective-CP-441-PEST SERVICE CORRECTIVE 2TIMP	TC-12087		New	Manual	To validate the E2E flow for the Genpest Corrective-CP-441-PEST SERVICE CORRECTIVE 2TIMP MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable GenPest Product-CP-441-PEST SERVICE CORRECTIVE 2TIMP						
NA-Admin Opt_New Customer_TC_57_To Validate the E2E flow for the Termite Corrective- CP092-GUTTER PROTECTION DIAMOND GUTTER GUARD CORRECTIVE SUBCONTRACTED Product	TC-12088		New	Manual	To Validate the E2E flow for the Termite Corrective- CP092-GUTTER PROTECTION DIAMOND GUTTER GUARD CORRECTIVE SUBCONTRACTED Product MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Termite Corrective-CP-092-GUTTER PROTECTION DIAMOND GUTTER GUARD CORRECTIVE SUBCONTRACTED						
NA-Admin Opt_New Customer_TC_58_To validate the E2E flow for the Termite corrective-CP-102-MOISTURE CONTROL - CRAWL SPACE ENCAPSULATION CORRECTIVE	TC-12089		New	Manual	To validate the E2E flow for the Termite corrective-CP-102-MOISTURE CONTROL - CRAWL SPACE ENCAPSULATION CORRECTIVE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Termite Corrective-CP-102-MOISTURE CONTROL - CRAWL SPACE ENCAPSULATION CORRECTIVE						
NA-Admin Opt_New Customer_TC_59_To Validate the E2E flow for the Termite Corrective -CP-121-MOISTURE CONTROL - VENTILATION CORRECTIVE Product	TC-12090		New	Manual	To Validate the E2E flow for the Termite Corrective -CP-121-MOISTURE CONTROL - VENTILATION CORRECTIVE Product MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Termite Corrective-CP-121-MOISTURE CONTROL - VENTILATION CORRECTIVE						
NA-Admin Opt_New Customer_TC_60_To Validate the E2E flow for the Termite Corrective-CP-417-REPAIR SERVICE - WOOD DESTROYING CORRECTIVE	TC-12091		New	Manual	To Validate the E2E flow for the Termite Corrective-CP-417-REPAIR SERVICE - WOOD DESTROYING CORRECTIVE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Termite Corrective-CP-417-REPAIR SERVICE - WOOD DESTROYING CORRECTIVE						
NA-Admin Opt_New Customer_TC_61_To Validate the E2E flow for the Termite Corrective-CP-429-WOOD PRESERVATION TREATMENT	TC-12092		New	Manual	To Validate the E2E flow for the Termite Corrective-CP-429-WOOD PRESERVATION TREATMENT MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Termite Corrective-CP-429-WOOD PRESERVATION TREATMENT						
NA-Admin Opt_New Customer_TC_62_To Validate the E2E flow for the Wildlife - 385-Mammal Control Corrective-CP-716-WILDLIFE BAITING CORRECTIVE	TC-12093		New	Manual	To Validate the E2E flow for the Wildlife - 385-Mammal Control Corrective-CP-716-WILDLIFE BAITING CORRECTIVE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Wildlife - 385-Mammal Control Corrective-CP-716-WILDLIFE BAITING CORRECTIVE						
NA-Admin Opt_New Customer_TC_63_To Validate the E2E flow for the Wildlife - 385-Mammal Control Corrective-CP-254-WILDLIFE - TRAPPING AND CONTROL CORRECTIVE	TC-12094		New	Manual	To Validate the E2E flow for the Wildlife - 385-Mammal Control Corrective-CP-254-WILDLIFE - TRAPPING AND CONTROL CORRECTIVE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Wildlife - 385-Mammal Control Corrective-CP-254-WILDLIFE - TRAPPING AND CONTROL CORRECTIVE						
NA-Admin Opt_New Customer_TC_64_To Validate the E2E flow for the Merchandise Sales CP-606-INSECT LIGHT TRAP MERCHANDISE	TC-12095		New	Manual	To Validate the E2E flow for the Merchandise Sales CP-606-INSECT LIGHT TRAP MERCHANDISE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Merchandise Sales CP-606-INSECT LIGHT TRAP MERCHANDISE						
NA-Admin Opt_New Customer_TC_65_To Validate the E2E flow for the Merchandise Sales CP-677-PEST CONTROL - MERCHANDISE	TC-12096		New	Manual	To Validate the E2E flow for the Merchandise Sales CP-677-PEST CONTROL - MERCHANDISE MSA - STP - User Setting - ConfigureTregistanSalesApp - Milliass Enable Merchandise Sales CP-677-PEST CONTROL - MERCHANDISE						

NA-Admin Opt_New Customer_TC_65_To Validate the E2E flow for the MosquitoTick - 373 Billing Inward Control Corrective CP-123-TICK CONTROL CORRECTIVE	TC-12097		New	Manual	To Validate the E2E flow for the MosquitoTick - 373 Billing Inward Control Corrective CP-123-TICK CONTROL CORRECTIVE MSSA - STP - User Setting - ConfigureTargetcustomerSalesApp - Mflaas Enable MosquitoTick - 373 Billing Inward Control Corrective CP-123-TICK CONTROL CORRECTIVE						
NA-Admin Opt_Commercial Customer_TC_67_To Validate the E2E flow for the CP-689-BED BUG CONVENTIONAL TREATMENT CORRECTIVE - OTHER	TC-12107		New	Manual	To Validate the E2E flow for the CP-689-BED BUG CONVENTIONAL TREATMENT CORRECTIVE - OTHER MSSA - STP - User Setting - ConfigureTargetcustomerSalesApp - Mflaas Enable CP-689-BED BUG CONVENTIONAL TREATMENT CORRECTIVE - OTHER						
NA-Admin Opt_Commercial Customer_TC_68_To Validate the E2E flow for the CP-686-BED BUG CONVENTIONAL MULTI-FAMILY LOW INFESTATION 0-50 BUGS CORRECTIVE	TC-12108		New	Manual	To Validate the E2E flow for the CP-686-BED BUG CONVENTIONAL MULTI-FAMILY LOW INFESTATION 0-50 BUGS CORRECTIVE MSSA - STP - User Setting - ConfigureTargetcustomerSalesApp - Mflaas Enable CP-686-BED BUG CONVENTIONAL MULTI-FAMILY LOW INFESTATION 0-50 BUGS CORRECTIVE						
NA-Admin Opt_Commercial Customer_TC_69_To Validate the E2E flow for the CP-693-BED BUG CONVENTIONAL HOSPITALITY MEDIUM INFESTATION 51-100 BUGS CORRECTIVE	TC-12109		New	Manual	To Validate the E2E flow for the CP-693-BED BUG CONVENTIONAL HOSPITALITY MEDIUM INFESTATION 51-100 BUGS CORRECTIVE MSSA - STP - User Setting - ConfigureTargetcustomerSalesApp - Mflaas Enable CP-693-BED BUG CONVENTIONAL HOSPITALITY MEDIUM INFESTATION 51-100 BUGS CORRECTIVE						
NA-Admin Opt_Commercial Customer_TC_70_To Validate the E2E flow for the CP-732-BED BUG HEAT TREATMENT ASSISTED LIVING HIGH INFESTATION >100 BUGS CORRECTIVE	TC-12110		New	Manual	To Validate the E2E flow for the CP-732-BED BUG HEAT TREATMENT ASSISTED LIVING HIGH INFESTATION >100 BUGS CORRECTIVE MSSA - STP - User Setting - ConfigureTargetcustomerSalesApp - Mflaas Enable CP-732-BED BUG HEAT TREATMENT ASSISTED LIVING HIGH INFESTATION >100 BUGS CORRECTIVE						
NA-Admin Opt_Commercial Customer_TC_71_To Validate the E2E flow for the CP-417-REPAIR SERVICE - WOOD DESTROYING CORRECTIVE	TC-12111		New	Manual	To Validate the E2E flow for the CP-417-REPAIR SERVICE - WOOD DESTROYING CORRECTIVE MSSA - STP - User Setting - ConfigureTargetcustomerSalesApp - Mflaas Enable CP-417-REPAIR SERVICE - WOOD DESTROYING CORRECTIVE						
NA-Admin Opt_Commercial Customer_TC_72_To Validate the E2E flow for the CP-429-WOOD PRESERVATION TREATMENT	TC-12112		New	Manual	To Validate the E2E flow for the CP-429-WOOD PRESERVATION TREATMENT MSSA - STP - User Setting - ConfigureTargetcustomerSalesApp - Mflaas Enable CP-429-WOOD PRESERVATION TREATMENT						
NA-Admin Opt_Commercial Customer_TC_73_To Validate the E2E flow for the CP-921-SPECIALTY WILDLIFE TRAPPING & REMOVAL CORRECTIVE	TC-12113		New	Manual	To Validate the E2E flow for the CP-921-SPECIALTY WILDLIFE TRAPPING & REMOVAL CORRECTIVE MSSA - STP - User Setting - ConfigureTargetcustomerSalesApp - Mflaas Enable CP-921-SPECIALTY WILDLIFE TRAPPING & REMOVAL CORRECTIVE						
NA-Admin Opt_Commercial Customer_TC_74_To Validate the E2E flow for the CP-931-WILDLIFE BAITING CORRECTIVE	TC-12114		New	Manual	To Validate the E2E flow for the CP-931-WILDLIFE BAITING CORRECTIVE MSSA - STP - User Setting - ConfigureTargetcustomerSalesApp - Mflaas Enable CP-931-WILDLIFE BAITING CORRECTIVE						
NA-Admin Opt_Commercial Customer_TC_75_To Validate the E2E flow for the CP-932-WILDLIFE BURROW TREATMENT CORRECTIVE	TC-12115		New	Manual	To Validate the E2E flow for the CP-932-WILDLIFE BURROW TREATMENT CORRECTIVE MSSA - STP - User Setting - ConfigureTargetcustomerSalesApp - Mflaas Enable CP-932-WILDLIFE BURROW TREATMENT CORRECTIVE						
NA-Admin Opt_Commercial Customer_TC_76_To Validate the E2E flow for the CP-933-WILDLIFE TRAPPING & REMOVAL CORRECTIVE	TC-12116		New	Manual	To Validate the E2E flow for the CP-933-WILDLIFE TRAPPING & REMOVAL CORRECTIVE MSSA - STP - User Setting - ConfigureTargetcustomerSalesApp - Mflaas Enable CP-933-WILDLIFE TRAPPING & REMOVAL CORRECTIVE						