| Name | ID | Dependencies | Status | Type | Description | Precondition | Test Step # | Test Step Description | Test Step Expected Result | Test Step Actual Result | Requirements |
|---|---|---|---|---|---|---|---|---|---|---|---|
| RC_STP_205_Verifiedthe Bim Start Day functionality in STP | TC-2154 | | Pass | Manual | Verifiedthe Bim Start Day functionality in STP | | 1 | Launch and login the STP app | The app will be launched successfully and user will be landed on schedule screen | | |
| | | | | | | | 2 | Click on the start day icon | The start day icon will change to green colour | | |
| RC_STP_206_Verifiedthat a jtechnicl visit in Postpen should intermeet successfully in STP schedule view | TC-2154 | | Pass | Manual | Verifiedthe that a jtechnicl visit in Postpen should intermeet successfully in STP schedule view | Plan a visit in Postpen | 1 | Launch and login the STP app | The app will be launched successfully and user will be landed on schedule screen | | |
| | | | | | | | 2 | Click on the start day icon | The start day icon will change to green colour | | |
| | | | | | | | 3 | Select a visit in Postpen | The visit details page will open up | | |
| RC_STP_207_Verifiedthat a jtechnicl visit in Postpen should intermeet successfully in STP map view | TC-2154 | | Pass | Manual | Verifiedthe that a jtechnicl visit in Postpen should intermeet successfully in STP map view | Plan a visit in Postpen | 1 | Launch and login the STP app | The app will be launched successfully and user will be landed on schedule screen | | |
| | | | | | | | 2 | Click on the start day icon | The start day icon will change to green colour | | |
| | | | | | | | 3 | Select a visit in Postpen | The visit details page will open up | | |
| RC_STP_208_Verifiedthat customer details updated from STP should be synced to Postpen | TC-2154 | | Pass | Manual | Verifiedthe that customer details updated from STP should be synced to Postpen | Planned visit is available in STP | 1 | Launch and login the STP app | The app will be launched successfully and user will be landed on schedule screen | | |
| | | | | | | | 2 | Select a visit in Postpen | The visit details page will open up | | |
| | | | | | | | 3 | Update the name changes in Postpen | Name will be updated in the customer screen on the app | | |
| RC_STP_209_Verifiedthat customer details updated from Postpen should be synced to STP | TC-2154 | | Pass | Manual | Verifiedthe that customer details updated from Postpen should be synced to STP | Planned visit is available in STP | 1 | Launch and login the STP app | The app will be launched successfully and user will be landed on schedule screen | | |
| | | | | | | | 2 | Select a visit in STP | The visit details page will open up | | |
| | | | | | | | 3 | Update the name changes in Postpen | Name will be updated in the customer screen on the app | | |
| RC_STP_210_Verifiedthat the welcome details of a prospects should be synced with Postpen | TC-2154 | | Pass | Manual | Verifiedthe that the welcome details of a prospects should be synced with Postpen | | 1 | Verifiedthe that the welcome details of a prospects should be synced with Postpen | User will be successfully verified the same | | |
| RC_STP_211_Verifiedthat the service point details of a property should be synced with Backoffice and Mydatacon | TC-2154 | | Pass | Manual | Verifiedthe that the service point details of a property should be synced with Backoffice and Mydatacon | | 1 | Verifiedthe that the service point details of a property should be synced with Backoffice and Mydatacon | User will be successfully verified the same | | |
| RC_STP_212_Verifiedthe the TV Models sync updates later in app | TC-2154 | | Pass | Manual | Verifiedthe the TV Models sync updates later in app | | 1 | Verifiedthe the TV Models sync updates later in app | User will be successfully verified the same | | |
| RC_STP_213_Verifiedthat a new service point can be created from STP | TC-2154 | | Pass | Manual | Verifiedthe that a new service point can be created from STP | | 1 | Verifiedthe that a new service point can be created from STP | User will be successfully verified the same | | |
| RC_STP_214_Verifiedthat the service point details updated from STP and the same should sync to Mydt applications | TC-2154 | | Pass | Manual | Verifiedthe that the service point details updated from STP and the same should sync to Mydt applications | | 1 | Verifiedthe that the service point details updated from STP and the same should sync to Mydt applications | User will be successfully verified the same | | |
| RC_STP_215_Verifiedthat a new service point can be created from STP and the same should sync to Mydt applications | TC-2154 | | Pass | Manual | Verifiedthe that a new service point can be created from STP and the same should sync to Mydt applications | | 1 | Verifiedthe that a new service point can be created from STP and the same should sync to Mydt applications | User will be successfully verified the same | | |
| RC_STP_216_Verifiedthat a new service point can be deleted from STP and the same should sync to Mydt applications | TC-2154 | | Pass | Manual | Verifiedthe that a new service point can be deleted from STP and the same should sync to Mydt applications | | 1 | Verifiedthe that a new service point can be deleted from STP and the same should sync to Mydt applications | User will be successfully verified the same | | |
| RC_STP_217_Verifiedthat the service point details updated from STP and the same should sync to Mydt applications | TC-2154 | | Pass | Manual | Verifiedthe that the service point details updated from STP and the same should sync to Mydt applications | | 1 | Verifiedthe that the service point details updated from STP and the same should sync to Mydt applications | User will be successfully verified the same | | |
| RC_STP_218_Verifiedthat other recommendation values changed from Mydt applications the same should sync to STP | TC-2154 | | Pass | Manual | Verifiedthe that other recommendation values changed from Mydt applications the same should sync to STP | | 1 | Verifiedthe that other recommendation values changed from Mydt applications the same should sync to STP | User will be successfully verified the same | | |
| RC_STP_219_Verifiedthat other task completed from STP the same should sync to Mydt applications | TC-2154 | | Pass | Manual | Verifiedthe that other task completed from STP the same should sync to Mydt applications | | 1 | Verifiedthe that other task completed from STP the same should sync to Mydt applications | User will be successfully verified the same | | |
| RC_STP_220_Verifiedthat cancellation, postponement, recommendation and task recorded from STP should reflect correctly in MyDecision | TC-2154 | | Pass | Manual | Verifiedthe that cancellation, postponement, recommendation and task recorded from STP should reflect correctly in MyDecision | | 1 | Verifiedthe that cancellation, postponement, recommendation and task recorded from STP should reflect correctly in MyDecision | User will be successfully verified the same | | |
| RC_STP_221_Verifiedthat the Bim Start Day functionality in STP | TC-2154 | | Pass | Manual | Verifiedthe that the Bim Start Day functionality in STP | | 1 | Verifiedthe that the Bim Start Day functionality in STP | User will be successfully verified the same | | |
| RC_STP_222_Verifiedthat of recent activity screen by adding information | TC-2154 | | Pass | Manual | Verifiedthe that of recent activity screen by adding information | | 1 | Verifiedthe that of recent activity screen by adding information | User will be successfully verified the same | | |
| RC_STP_223_Verifiedthat of recent activity screen by deleting information | TC-2154 | | Pass | Manual | Verifiedthe that of recent activity screen by deleting information | | 1 | Verifiedthe that of recent activity screen by deleting information | User will be successfully verified the same | | |
| RC_STP_224_Verifiedthat of recent activity screen by updating information | TC-2154 | | Pass | Manual | Verifiedthe that of recent activity screen by updating information | | 1 | Verifiedthe that of recent activity screen by updating information | User will be successfully verified the same | | |
| RC_STP_225_Verifiedthat of recent activity screen by viewing information | TC-2154 | | Pass | Manual | Verifiedthe that of recent activity screen by viewing information | | 1 | Verifiedthe that of recent activity screen by viewing information | User will be successfully verified the same | | |
| RC_STP_226_Verifiedthat of recent measurement screen by adding measurement | TC-2154 | | Pass | Manual | Verifiedthe that of recent measurement screen by adding measurement | | 1 | Verifiedthe that of recent measurement screen by adding measurement | User will be successfully verified the same | | |
| RC_STP_227_Verifiedthat of recent measurement screen by deleting measurement | TC-2154 | | Pass | Manual | Verifiedthe that of recent measurement screen by deleting measurement | | 1 | Verifiedthe that of recent measurement screen by deleting measurement | User will be successfully verified the same | | |
| RC_STP_228_Verifiedthat of recent measurement screen by updating measurement | TC-2154 | | Pass | Manual | Verifiedthe that of recent measurement screen by updating measurement | | 1 | Verifiedthe that of recent measurement screen by updating measurement | User will be successfully verified the same | | |
| RC_STP_229_Verifiedthat of recent measurement screen by viewing measurement | TC-2154 | | Pass | Manual | Verifiedthe that of recent measurement screen by viewing measurement | | 1 | Verifiedthe that of recent measurement screen by viewing measurement | User will be successfully verified the same | | |
| RC_STP_230_Verifiedthat of recent recommendation screen by adding recommendation | TC-2154 | | Pass | Manual | Verifiedthe that of recent recommendation screen by adding recommendation | | 1 | Verifiedthe that of recent recommendation screen by adding recommendation | User will be successfully verified the same | | |
| RC_STP_231_Verifiedthat of recent recommendation screen by deleting recommendation | TC-2154 | | Pass | Manual | Verifiedthe that of recent recommendation screen by deleting recommendation | | 1 | Verifiedthe that of recent recommendation screen by deleting recommendation | User will be successfully verified the same | | |
| RC_STP_232_Verifiedthat of recent recommendation screen by updating recommendation | TC-2154 | | Pass | Manual | Verifiedthe that of recent recommendation screen by updating recommendation | | 1 | Verifiedthe that of recent recommendation screen by updating recommendation | User will be successfully verified the same | | |
| RC_STP_233_Verifiedthat of recent recommendation screen by viewing recommendation | TC-2154 | | Pass | Manual | Verifiedthe that of recent recommendation screen by viewing recommendation | | 1 | Verifiedthe that of recent recommendation screen by viewing recommendation | User will be successfully verified the same | | |
| RC_STP_234_Verifiedthat Mail Toolbe to close recommendating recommendation after starting a visit in drop second Species Screen | TC-2154 | | Pass | Manual | Verifiedthe that Mail Toolbe to close recommendating recommendation after starting a visit in drop second Species Screen | | 1 | Verifiedthe that Mail Toolbe to close recommendating recommendation after starting a visit in the second Species Screen | User will be successfully verified the same | | |
| RC_STP_235_Verifiedthat of recent recommendation comment screen by adding recommendation comment | TC-2154 | | Pass | Manual | Verifiedthe that of recent recommendation comment screen by adding recommendation comment | | 1 | Verifiedthe that of recent recommendation comment screen by adding recommendation comment | User will be successfully verified the same | | |
| RC_STP_236_Verifiedthat of recent recommendation comment screen by deleting recommendation comment | TC-2154 | | Pass | Manual | Verifiedthe that of recent recommendation comment screen by deleting recommendation comment | | 1 | Verifiedthe that of recent recommendation comment screen by deleting recommendation comment | User will be successfully verified the same | | |
| RC_STP_237_Verifiedthat of recent recommendation comment screen by updating recommendation comment | TC-2154 | | Pass | Manual | Verifiedthe that of recent recommendation comment screen by updating recommendation comment | | 1 | Verifiedthe that of recent recommendation comment screen by updating recommendation comment | User will be successfully verified the same | | |
| RC_STP_238_Verifiedthat of recent recommendation comment screen by viewing recommendation comment | TC-2154 | | Pass | Manual | Verifiedthe that of recent recommendation comment screen by viewing recommendation comment | | 1 | Verifiedthe that of recent recommendation comment screen by viewing recommendation comment | User will be successfully verified the same | | |
| RC_STP_239_Verifiedthat of recent tenant/landlord actions screen by adding task | TC-2154 | | Pass | Manual | Verifiedthe that of recent tenant/landlord actions screen by adding task | | 1 | Verifiedthe that of recent tenant/landlord actions screen by adding task | User will be successfully verified the same | | |
| RC_STP_240_Verifiedthat of recent tenant/landlord actions screen by updating task | TC-2154 | | Pass | Manual | Verifiedthe that of recent tenant/landlord actions screen by updating task | | 1 | Verifiedthe that of recent tenant/landlord actions screen by updating task | User will be successfully verified the same | | |
| RC_STP_241_Verifiedthat of recent tenant/landlord actions screen by viewing task | TC-2154 | | Pass | Manual | Verifiedthe that of recent tenant/landlord actions screen by viewing task | | 1 | Verifiedthe that of recent tenant/landlord actions screen by viewing task | User will be successfully verified the same | | |
| RC_STP_242_Verifiedthat of recent tenant/landlord actions screen by updating task update | TC-2154 | | Pass | Manual | Verifiedthe that of recent tenant/landlord actions screen by updating task update | | 1 | Verifiedthe that of recent tenant/landlord actions screen by updating task update | User will be successfully verified the same | | |
| RC_STP_243_Verifiedthat of recent tenant/landlord actions screen by viewing task update | TC-2154 | | Pass | Manual | Verifiedthe that of recent tenant/landlord actions screen by viewing task update | | 1 | Verifiedthe that of recent tenant/landlord actions screen by viewing task update | User will be successfully verified the same | | |
| RC_STP_244_Verifiedthat of recent visit notes screen by adding visit notes | TC-2154 | | Pass | Manual | Verifiedthe that of recent visit notes screen by adding visit notes | | 1 | Verifiedthe that of recent visit notes screen by adding visit notes | User will be successfully verified the same | | |
| RC_STP_245_Verifiedthat of recent visit notes screen by deleting visit notes | TC-2154 | | Pass | Manual | Verifiedthe that of recent visit notes screen by deleting visit notes | | 1 | Verifiedthe that of recent visit notes screen by deleting visit notes | User will be successfully verified the same | | |
| RC_STP_246_Verifiedthat of recent visit notes screen by updating visit notes | TC-2154 | | Pass | Manual | Verifiedthe that of recent visit notes screen by updating visit notes | | 1 | Verifiedthe that of recent visit notes screen by updating visit notes | User will be successfully verified the same | | |
| RC_STP_247_Verifiedthat of recent visit notes screen by viewing visit notes | TC-2154 | | Pass | Manual | Verifiedthe that of recent visit notes screen by viewing visit notes | | 1 | Verifiedthe that of recent visit notes screen by viewing visit notes | User will be successfully verified the same | | |
| RC_STP_248_Verifiedthat of recent visit notes screen by deleting visit notes | TC-2154 | | Pass | Manual | Verifiedthe that of recent visit notes screen by deleting visit notes | | 1 | Verifiedthe that of recent visit notes screen by deleting visit notes | User will be successfully verified the same | | |
| RC_STP_249_Verifiedthat the shared work functionality in STP | TC-2154 | | Pass | Manual | Verifiedthe that the shared work functionality in STP | | 1 | Verifiedthe that the shared work functionality in STP | User will be successfully verified the same | | |
| RC_STP_250_Verifiedthe the shared work functionality with Homecare.co.uk | TC-2154 | | Pass | Manual | Verifiedthe that the shared work functionality with Homecare.co.uk | | 1 | Verifiedthe that the shared work functionality with Homecare.co.uk | User will be successfully verified the same | | |
| RC_STP_251_Verifiedthe the Hazmat Hotspots functionality in STP | TC-2154 | | Pass | Manual | Verifiedthe that the Hazmat Hotspots functionality in STP | | 1 | Verifiedthe that the Hazmat Hotspots functionality in STP | User will be successfully verified the same | | |
| RC_STP_252_Verifiedthe the Hazmat Hotspots functionality in STP | TC-2154 | | Pass | Manual | Verifiedthe that the Hazmat Hotspots functionality in STP | | 1 | Verifiedthe that the Hazmat Hotspots functionality in STP | User will be successfully verified the same | | |
| RC_STP_253_Verifiedthe the service receipt in STP and NoJS | TC-2154 | | Pass | Manual | Verifiedthe the service receipt in STP and NoJS | | 1 | Verifiedthe the service receipt in STP and NoJS | User will be successfully verified the same | | |
| RC_STP_254_Verifiedthe the progressive disclosure functionality in STP | TC-2154 | | Pass | Manual | To validate The Progressive Disclosure Feature for UIS 37c build | | 1 | To validate The Progressive Disclosure Feature for UIS 37c build | 1. As part of PO - In Percent Service Screen - Activity Drop-down all Pest will not be displayed. - Pest - Pest Type mapped to specific Device and Device Type shall be displayed.<br><br>2. As part of PO - In Percent Service Screen - Treatment Drop-down all Preparation will not be displayed. - Materials Type mapped to specific Device shall be displayed.<br><br>3. Similarly in Target Pest while adding Preparation only the Target pest pertaining to the Pest, Pest Type - Device mapping should be displayed not all.<br><br>4. Report Bug Functionality should work accordingly, for different device and device Type sets, mapped to | User will be successfully verified the same | |
| RC_STP_255_Verifiedthe the perform functionality both from schedule view and menu options (numpingme & doward visit) in STP | TC-7143 | | Pass | Manual | Verifiedthe of Non Performed Reason for NA STC | | 1 | To validate the Non performed feature for UIS 37c build<br><br>- Non performing a visit from Schedule view<br><br>- Non Performing a visit which is started from recent service screen<br><br>- Non Performing a Passed and in-complete visit | The Non performed feature should with free | User will be successfully verified the same | |
| RC_STP_256_Verifiedthe the extra recommendation functionality in STP | TC-2483 | | Pass | Manual | Verifiedthe the extra recommendation functionality in STP | | 1 | Verifiedthe the extra recommendation functionality in STP | User will be successfully verified the same | | |
| RC_STP_257_Verifiedthe the extra recommendation and task should be displayed on Service Point Detailed screen and creation screen of STP | TC-2483 | | Pass | Manual | Verifiedthe that extra recommendation and task should be displayed on Service Point Detailed screen and creation screen of STP | | 1 | Verifiedthe that extra recommendation and task should be displayed on Service Point Detailed screen and creation screen of STP | User will be successfully verified the same | | |
| RC_STP_258_Verifiedthe the Imaging STAT functionality from STP | TC-2483 | | Pass | Manual | Verifiedthe the Imaging STAT functionality from STP | | 1 | Verifiedthe the Imaging STAT functionality from STP | User will be successfully verified the same | | |
| RC_STP_259_Verifiedthe the Imaging STAT functionality from STP usingPing | TC-2483 | | Pass | Manual | Verifiedthe the Imaging STAT functionality from STP usingPing | | 1 | Verifiedthe the Imaging STAT functionality from STP usingPing | User will be successfully verified the same | | |
| RC_STP_260_Verifiedthe the displaying of DBs_cases & Ibdrts_1600Dts from STP | TC-2483 | | Pass | Manual | Verifiedthe the displaying of DBs_cases & Ibdrts_1600Dts from STP | | 1 | Verifiedthe the displaying of DBs_cases & Ibdrts_1600Dts from STP | User will be successfully verified the same | | |
| RC_STP_261_Verifiedthe the Catflash functionality in STP | TC-2483 | https://docs.google.com/document/d/1Tem0Ouqc0YpBqSeCmOWGpMbXdUjzpeaPPCHgHcDfMbUeM/mail=marketing | Pass | Manual | To validate catflashs<br><br>https://docs.google.com/document/d/1Tem0Ouqc0YpBqSeCmOWGpMbXdUjzpeaPPCHgHcDfMbUeM/mail=marketing | Jail test: Scenario.DOC - https://docs.google.com/document/d/1Tem0Ouqc0YpBqSeCmOWGpMbXdUjzpeaPPCHgHcDfMbUeM/mail=marketing | 1 | To validate if catflashs is implemented in the burger menu of web and customer screens and to check if catflashs can be performed and a sure work is created by clicking service, cancel, reset and close activities on the catflashes pop-up on catflash<br>To validate catflash functionality on the mobile app and customer screen, and check if the catflash is created and displayed on the mobile app and customer screen<br>To validate catflash functionality on the mobile app and customer screen, and check if the catflash is created and displayed on the mobile app and customer screen<br>To validate catflash work pop-up displays information on service, work, time or date, is editable/ not editable<br>To validate catflashs can be classified for some customers from customer view screen<br>To validate catflashs can be classified for some customers from customer view screen | Catflashs is implemented in the burger menu of web and customer screens and catflashs can be performed and a sure work is created by clicking service, cancel, reset and close activities on the catflashes pop-up on catflash<br>Catflash work pop-up displays information on service, work, time or date, is editable/ not editable<br>Catflashs can be classified for some customers from customer view screen<br>Catflashs can be classified for some customers from customer view screen | RN-2018-TR-JUDD-TEP - 5.6 Batchfor and Regression test file.xlsx, RN-2018-TR-JUDD-TEP - 5.6 Draft Update |
| RC_STP_262_Verifiedthe the Non Service (work functionality in STP | TC-2483 | | Pass | Manual | Verifiedthe the Non Service (work functionality in STP | | 1 | Verifiedthe the Non Service (work functionality in STP | User will be successfully verified the same | | |
| RC_STP_263_Verifiedthe the Inspection Work Order functionality | TC-2483 | | Pass | Manual | Verifiedthe the Inspection Work Order functionality | | 1 | Verifiedthe the Inspection Work Order functionality | User will be successfully verified the same | | |
| RC_STP_264_Verifiedthe the recent issue at service point-level functionality | TC-2483 | | Pass | Manual | Verifiedthe the recent issue at service point-level functionality | | 1 | Verifiedthe the recent issue at service point-level functionality | User will be successfully verified the same | | |
| RC_STP_265_Verifiedthe the recent issue at service point-level functionality | TC-2483 | | Pass | Manual | Verifiedthe the recent issue at service point-level functionality | | 1 | Verifiedthe the recent issue at service point-level functionality | User will be successfully verified the same | | |
| RC_STP_266_Verifiedthe the Integration functionality in a mobile screen of STP | TC-2483 | | Pass | Manual | Verifiedthe the Integration functionality in a mobile screen of STP | | 1 | Verifiedthe the Integration functionality in a mobile screen of STP | User will be successfully verified the same | | |
| RC_STP_267_Verifiedthe the Bike functionality in desktop screen of STP | TC-2483 | | Pass | Manual | Verifiedthe the Bike functionality in desktop screen of STP | | 1 | Verifiedthe the Bike functionality in desktop screen of STP | User will be successfully verified the same | | |
| RC_STP_268_Verifiedthat what are app MY bills, the error should be logged in support case and that should be successful when JRV is up and running and logged after 15mins is for any other actions call | TC-2483 | | Pass | Manual | Verifiedthat what are app MY bills, the error should be logged in support case and that should be successful when JRV is up and running and logged after 15mins is for any other actions call | | 1 | Verifiedthat what are app MY bills, the error should be logged in support case and that should be successful when JRV is up and running and logged after 15mins is for any other actions call | User will be successfully verified the same | | |
| RC_STP_269_Verifiedthe the Quote functionality in STP | TC-2483 | | Pass | Manual | Verifiedthe the Quote functionality in STP | | 1 | Verifiedthe the Quote functionality in STP | User will be successfully verified the same | | |
| RC_STP_270_Verifiedthe the Email functionality in STP | TC-2483 | | Pass | Manual | Verifiedthe the Email functionality in STP | | 1 | Verifiedthe the Email functionality in STP | User will be successfully verified the same | | |
| RC_STP_271_Verifiedthat the Jobs are created successfully in CRM and Sales Force systems after completing new creations from TMP | TC-2484 | | Pass | Manual | Verifiedthe that the Jobs are created successfully in CRM and Sales Force systems after completing new creations from TMP | | 1 | Verifiedthe that the Jobs are created successfully in CRM and Sales Force systems after completing new creations from TMP | User will be successfully verified the same | | |
| RC_STP_272_Verifiedthat in the service receipt we are getting the below text: To case of poisoning call Poison Control Center @1-800-222-1222 - for all the states in service receipt for both residential and commercial it should come below the termination signature. | TC-1361 | | Pass | Manual | To validate that in the service receipt we are getting the below text:<br><br>- for case of poisoning call Poison Control Center @1-800-222-1222 - for all the states in service receipt for both residential and commercial it should come below the termination signature.<br><br>- It is applicable for both residential and commercial properties.<br>- Not applicable | Pre-Test:<br><br>- It is applicable for both residential and commercial properties.<br>- Not applicable | 1 | To validate that in the service receipt we are getting the below text:<br><br>- for case of poisoning call Poison Control Center @1-800-222-1222 - for all the states in service receipt for both residential and commercial properties.<br>- It should come below the termination signature. | After completing the visit, user should get the mentioned text in the service receipt below the customer charge. | |
| RC_STP_273_To validate that we are getting the Pest-insects and Safety data sheets section in service receipt for all the states in Ga | TC-1361 | | Pass | Manual | To validate that we are getting the Pest-insects and Safety data sheets section in service receipt for all the states in Ga for both residential and commercial. | | 1 | To validate that we are getting the Pest-insects and Safety data sheets section in service receipt for all the states in Ga. | After completing the visit, user should get the pest-insect labels and safety data sheets section in the service receipt. | | |
| RC_STP_274_To validate that in the Michigan state service receipt, we are getting the Road-tent labels in the last page of the service receipt for both residential and commercial customers. | TC-1361 | Ticket:Bug-0 | Pass | Manual | To validate that in the Michigan state service receipt, we are getting the Road-tent labels in the last page of the service receipt for both residential and commercial customers. | Pre-Test:<br><br>- It is applicable for both residential and commercial properties.<br>- Not applicable | 1 | To validate that in the Michigan state service receipt, we are getting the Road-tent labels in the last page of the service receipt for both residential and commercial customers. | After completing the visit for the property in michigan state, that in the last page of the service receipt should have the Road-tent labels | | |
| RC_STP_275_To validate that state wise custom terms working as expected or not in the service receipt when the release 'ShowStatewiseCustomerOCFOR' is enabled | TC-1361 | | Pass | Manual | To validate that state wise custom terms working as expected or not in the service receipt when the release 'ShowStatewiseCustomerOCFOR' is enabled. | Pre-Test:<br><br>- It is applicable for both residential and commercial properties.<br>- Not applicable<br><br>DBA:GS_ShowStatewiseCustomerOCFOC<br><br>Below sheet is having details related to the state wise text<br><br>https://docs.google.com/spreadsheets/d/1_aRdMOhu_GGdFmuSnSVOfuAUVRuEGJ3uxe8qaG3Ii8c4/edit?gid=0#gid=0 | 1 | To validate that state wise custom terms working as expected or not in the service receipt when the release 'ShowStatewiseCustomerOCFOR' is enabled. | After completing the visits, user should get the custom text below the general comments in the service receipt according to the state. | |
| RC_STP_276_To validate the licence details in the service receipt for both Technician and supervisor in the service receipt | TC-1361 | Ticket:Bug-0 | Pass | Manual | To validate the licence details in the service receipt for both employee and supervisor in the service receipt | Pre-Test:<br><br>DBA:GS_showEmployeeLicenseNumberStatewiseOCFOC<br><br>To add the licence details for user:Considering STRAAT (in Pooltper, settings / lookup tables, nemployee, nlicense | 1 | To validate the licence details in the service receipt for both employee and supervisor in the service receipt. | After completing the visit , in the service receipt, we should get both technician and supervisor licence details. It is for both residential and commercial properties.<br><br>Make sure that only licence details that are related to the service code which some Pesticid and alert, and it is applicable for tech, supervisor and supervisor licenses.<br>Technician licence will only related to one single entry and not available in the service receipt.<br>Supervisor licence will be related to multiple entries and should be displayed in the service receipt. | User | |
| | | Ticket:Bug-0 | | | | | 2 | To validate the licence details for user:Considering STRAAT (in Pooltper, settings / lookup tables, nemployee, nlicense | The licence details for user:Considering STRAAT (in Pooltper, settings / lookup tables, nemployee, nlicense | | |
| | | | | | | | 3 | To validate that if employee licence and supervisor licence is updated then it should not come in the service receipt | The licence that was passed to tech technician and supervisor should not come in the service receipt | | |
| | | | | | | | 4 | | licence in the service receipt | | |
| RC_STP_277_Verified the displaying of Pesticide Item STP | TC-1372 | | Pass | Manual | Verifiedthe the displaying of Pesticide Item STP | | 1 | Verifiedthe the displaying of Pesticide Item STP | User will be successfully verified the same | | |
| RC_STP_278_Verified the Quote functionality in STP | TC-1372 | | Pass | Manual | Verifiedthe the Quote functionality in STP | | 1 | Verifiedthe the Quote functionality in STP | User will be successfully verified the same | | |
| RC_STP_279_Verified the Bike functionality functionality | TC-1372 | | Pass | Manual | Verifiedthe the Bike functionality functionality | | 1 | Verifiedthe the Bike functionality functionality | User will be successfully verified the same | | |
| RC_STP_280_Verified the Non Service functionality | TC-1372 | | Pass | Manual | Verifiedthe the Non Service functionality | | 1 | Verifiedthe the Non Service functionality | User will be successfully verified the same | | |
| RC_STP_281_Verified the Inspection functionality | TC-1372 | | Pass | Manual | Verifiedthe the Inspection functionality | | 1 | Verifiedthe the Inspection functionality | User will be successfully verified the same | | |
| RC_STP_282_Verified the Email functionality functionality | TC-1372 | | Pass | Manual | Verifiedthe the Email functionality functionality | | 1 | Verifiedthe the Email functionality functionality | User will be successfully verified the same | | |
| RC_STP_283_Verified the Imaging STAT functionality functionality | TC-1372 | | Pass | Manual | Verifiedthe the Imaging STAT functionality functionality | | 1 | Verifiedthe the Imaging STAT functionality functionality | User will be successfully verified the same | | |
| RC_STP_284_To validate that the Jobs are created successfully in CRM and Sales Force systems after completing new creations from STP | TC-1372 | | Pass | Manual | To validate The Jobs are created successfully in CRM and Sales Force systems after completing new creations from STP | | 1 | To validate The Jobs are created successfully in CRM and Sales Force systems after completing new creations from STP | User will be successfully verified the same | | |
| RC_STP_285_Verified the Bike functionality in desktop screen of STP | TC-1372 | | Pass | Manual | Verifiedthe the Bike functionality in desktop screen of STP | | 1 | Verifiedthe the Bike functionality in desktop screen of STP | User will be successfully verified the same | | |
| RC_STP_286_Verified the Quote functionality in STP | TC-1372 | | Pass | Manual | Verifiedthe the Quote functionality in STP | | 1 | Verifiedthe the Quote functionality in STP | User will be successfully verified the same | | |
| RC_STP_287_Verified the Email functionality in STP | TC-1372 | | Pass | Manual | Verifiedthe the Email functionality in STP | | 1 | Verifiedthe the Email functionality in STP | User will be successfully verified the same | | |
| RC_STP_288_Verified the Jobs are created successfully in CRM and Sales Force systems after completing new creations from STP | TC-1372 | | Pass | Manual | Verifiedthe that the Jobs are created successfully in CRM and Sales Force systems after completing new creations from STP | | 1 | Verifiedthe that the Jobs are created successfully in CRM and Sales Force systems after completing new creations from STP | User will be successfully verified the same | | |
| RC_STP_289_To validate that in the service receipt we are getting the below text: To case of poisoning call Poison Control Center @1-800-222-1222 - for all the states in service receipt for both residential and commercial it should come below the termination signature. | TC-1361 | | Pass | Manual | To validate that in the service receipt we are getting the below text:<br><br>- for case of poisoning call Poison Control Center @1-800-222-1222 - for all the states in service receipt for both residential and commercial it should come below the termination signature.<br><br>- It is applicable for both residential and commercial properties.<br>- Not applicable | Pre-Test:<br><br>- It is applicable for both residential and commercial properties.<br>- Not applicable | 1 | To validate that in the service receipt we are getting the below text:<br><br>- for case of poisoning call Poison Control Center @1-800-222-1222 - for all the states in service receipt for both residential and commercial properties.<br>- It should come below the termination signature. | After completing the visit, user should get the mentioned text in the service receipt below the customer charge. | |
| RC_STP_290_To validate that in the Michigan state service receipt, we are getting the Road-tent labels in the last page of the service receipt for both residential and commercial customers. | TC-1361 | | Pass | Manual | To validate that in the Michigan state service receipt, we are getting the Road-tent labels in the last page of the service receipt for both residential and commercial customers. | Pre-Test:<br><br>- It is applicable for both residential and commercial properties.<br>- Not applicable | 1 | To validate that in the Michigan state service receipt, we are getting the Road-tent labels in the last page of the service receipt for both residential and commercial customers. | After completing the visit for the property in michigan state, that in the last page of the service receipt should have the Road-tent labels | | |
| RC_STP_291_To validate that state wise custom terms working as expected or not in the service receipt when the release 'ShowStatewiseCustomerOCFOR' is enabled | TC-1361 | | Pass | Manual | To validate that state wise custom terms working as expected or not in the service receipt when the release 'ShowStatewiseCustomerOCFOR' is enabled. | Pre-Test:<br><br>- It is applicable for both residential and commercial properties.<br>- Not applicable<br><br>DBA:GS_ShowStatewiseCustomerOCFOC<br><br>Below sheet is having details related to the state wise text<br><br>https://docs.google.com/spreadsheets/d/1_aRdMOhu_GGdFmuSnSVOfuAUVRuEGJ3uxe8qaG3Ii8c4/edit?gid=0#gid=0 | 1 | To validate that state wise custom terms working as expected or not in the service receipt when the release 'ShowStatewiseCustomerOCFOR' is enabled. | After completing the visits, user should get the custom text below the general comments in the service receipt according to the state. | |
| RC_STP_292_Verified the displaying of Pesticide Item STP | TC-1372 | | Pass | Manual | Verifiedthe the displaying of Pesticide Item STP | | 1 | Verifiedthe the displaying of Pesticide Item STP | User will be successfully verified the same | | |
| RC_STP_293_Verified the Quote functionality in STP | TC-1372 | | Pass | Manual | Verifiedthe the Quote functionality in STP | | 1 | Verifiedthe the Quote functionality in STP | User will be successfully verified the same | | |
| RC_STP_294_Verified the Bike functionality functionality | TC-1372 | | Pass | Manual | Verifiedthe the Bike functionality functionality | | 1 | Verifiedthe the Bike functionality functionality | User will be successfully verified the same | | |
| RC_STP_295_Verified the Non Service functionality | TC-1372 | | Pass | Manual | Verifiedthe the Non Service functionality | | 1 | Verifiedthe the Non Service functionality | User will be successfully verified the same | | |
| RC_STP_296_Verified the Inspection functionality | TC-1372 | | Pass | Manual | Verifiedthe the Inspection functionality | | 1 | Verifiedthe the Inspection functionality | User will be successfully verified the same | | |
| RC_STP_297_Verified the Email functionality functionality | TC-1372 | | Pass | Manual | Verifiedthe the Email functionality functionality | | 1 | Verifiedthe the Email functionality functionality | User will be successfully verified the same | | |
| RC_STP_298_Verified the Imaging STAT functionality functionality | TC-1372 | | Pass | Manual | Verifiedthe the Imaging STAT functionality functionality | | 1 | Verifiedthe the Imaging STAT functionality functionality | User will be successfully verified the same | | |
| RC_STP_299_To validate that - the Profile in account tool- which all are in Landlordring Price Inspectionlink - over symbol will come | TC-1359 | | Pass | Manual | To validate that - the Profile in account tool- which all are in Landlordring Price Inspectionlink - over symbol will come. | Pre-requisite - - Up and run-time-attention-item Schedules<br>Priorities - The configuration details are added in DIST Appetite for amount = 1000000, 2010000, 3100000000, 4100000000 | 1 | To validate that - the Profile in account tool- which all are in Landlordring Price Inspectionlink - over symbol will come. | In accounts for which tenure exists in new configured in DIST Appetite for time-dependency term will not be able to update Building Price - Inspectionlink | | |
| | | | | | | Location=SSDTC-Bill to , Location=SSDTC<br><br>The application depends on a property from the backend. Specifically, it monitors a property called "isAccountOwner" of the account level (screenshot attached for reference).<br><br>A "case-sensitive" issue, the application between screens broken | | | | | |