



INDIA'S FIRST

SUPERSONIC LOITERING MUNITION

SOVEREIGN TECHNOLOGY.
A SAFER TOMORROW.

PRECISION
TECHNOLOGY
A STRONGER
TOMORROW

PRECISION
TECHNOLOGY
A STRONGER
TOMORROW

VISION

**TO MAKE INDIA THE FIRST NATION
TO FIELD AN INDEPENDENTLY
DESIGNED AND MANUFACTURED
SUPERSONIC LOITERING
MUNITION.**

Closing the speed gap that
subsonic drones and transonic
loiterers can no longer survive on
a modern battlefield.

MISSION

**DESIGN, PROTOTYPE, AND MANUFACTURE NEXT-
GENERATION UNMANNED STRIKE SYSTEMS IN INDIA.**

Integrating with India's existing
propulsion ecosystem and built for
Atmanirbhar Bharat and wartime-
scale production.

नवोन्मेष तन्त्रज्ञाना भ्यां राष्ट्रसेवा

DEFEND

DETER

LEAD

INDIAN
TECHNOLOGY
STRONGER INDIA.

NEXT ESCALATION

Mach 1+

Current drones are too slow. Russia fields jet-powered variants to outrun interceptors, reaching 400–600 km/h. SAG targets Mach 1+.



400 – 600
km/h

CURRENT JET DRONE
SPEED RANGE



Mach 1+

SAG TARGET
SPEED



**Faster.
Stronger. Ahead.**

STAYING AHEAD
OF TOMORROW

SPEED
TECHNOLOGY
STRATEGIC
ADVANTAGE

PRECISION
TECHNOLOGY
A STRONGER
TOMORROW

OUR POSITIONING

01

CURRENT LANDSCAPE

Global primes offer subsonic/ transonic loitering munitions. Russia's newest drones operate in the 400–600 km/h band.

02

INDIAN MARKET

Indian private sector focuses on piston and subsonic turbojet designs, lacking supersonic capabilities.

03

SAG'S ADVANTAGE

SAG's flagship platform targets the supersonic (Mach 1+) class from the outset, leapfrogging current generations.

FASTER
FURTHER
STRONGER

BUILDING SOVEREIGN
CAPABILITIES FOR
A SECURE TOMORROW.

PRECISION
TECHNOLOGY
A STRONGER
TOMORROW

MARKET OPPORTUNITY

Global loitering munition market projected to reach \$13-24B by 2030-34 (20% CAGR).

Asia-Pacific dominates, holding 73.5% of revenue. India's drone market is also rapidly expanding (21% CAGR).



\$13-24B

MARKET SIZE BY
2030-34



73.5%

ASIA-PACIFIC
MARKET SHARE



21%

INDIA DRONE
MARKET CAGR



EXPANDING
MARKETS,
GREATER
POSSIBILITIES.

COMPETITIVE LANDSCAPE

Key players across the globe

The global loitering munition space is led by a few established defence players, while India's private sector is still building towards advanced capabilities.

STRATEGY
TECHNOLOGY
TALENT
A STRONGER
TOMORROW.



01

ESTABLISHED PLAYERS

Aero/ironment, Elbit, UVision, Rheinmetall, Anduril offer subsonic/transonic loitering munitions.



GLOBAL
LEADERSHIP

02

US REFERENCE

Boeing/Kratos Powered-JDAM represents a subsonic standoff extension.



STRATEGIC
REFERENCE

03

INDIAN ENTRANTS

Focus on piston/subsonic turbojet products; no supersonic programs disclosed.



EMERGING
CAPABILITIES

TECHNOLOGY ROADMAP

From Concept to Capability

A phased development approach
ensuring innovation, validation and
real-world readiness

DISCIPLINED.
FOCUSED.
MISSION READY.



LEADERSHIP

Founder & MD — Arun Yamanappa Chimmalagi

Driving sustainable growth through discipline, innovation and execution.



Military discipline, applied to industry

Served in the Indian Army (Para Military Force) before transitioning into industrial and energy-sector entrepreneurship — bringing operational rigor and field-execution discipline directly relevant to defence manufacturing quality standards.



Founder / MD, ARVS Power Solutions Pvt. Ltd. (2016–present)

Built a solar EPC company from the ground up, delivering 65 MW+ of ground-mounted solar installations and rooftop projects for industrial clients, alongside HTTTLT (11kV–110KV) electricals line and substitution work.



Group of companies built and run

Arun Engineers and Services (2008), ARVS Power Solutions (2016), SK Exams India (2018), AGP Renewable Energy (2026), AGP Elite Training (2026) — a demonstrated track record of founding, scaling, and operating multiple ventures simultaneously.



Industry recognition

Awarded by EQ International for MNRE contribution (Karnataka) and by the All India Achievers Foundation for outstanding business excellence.

ARUN CHIMALAGI

Founder & MD



ExIndian Army (Para Military Force)



Entrepreneur & Industrial Leader



20+ years
Building and running multiple companies end-to-end

ARUN YAMANAPPA
CHIMALALGI

*"Discipline in service.
Impact through enterprise."*

ARUN CHIMALALGI



LEADERSHIP

Founder & Chief Technical Director — Rahul G

Engineering advanced solutions for a stronger, self-reliant tomorrow.



Founder & CEO, Yudha Tech Solutions (2023-2025)

Built and flight-tested dual-motor tailslitter VTOL drones; engineered the AYK 250 VTOL platform; secured ₹50 lakhs in funding for a heavy-lift prototype.



Engineer Level 4, IQ Defence Noida (Feb 2026-present)

Hands-on development across FPV kamikaze, ISR, logistics Jaga/Caja series up to 250 kg payload, counter-UAS, and VTOL MALE UAV programmes.



UAV Flight Test Engineer, General Aeronautics

Flight-test campaigns for multi-rotor, tailsitter, and mapping UAVs; DCCA type-certification support; raised flight-test team efficiency by 15%.



R&D Manager, Sparse Aerorobotics

Led specialised industrial drone development for wind-turbine and façade cleaning operations, concept-to-field deployment.

RAHUL G

Founder & Chief Technical Director



B.E. Aeronautical Engineering
KLS Gogte Institute of
Technology



7+ years

Hands-on UAV systems
experience across defection,
logistics, agriculture &
industrial domains.

RAHUL G

*Building indigenous technology
for a self-reliant and stronger India. ”*

— RAHUL G

WHY THIS TEAM

Experience. Execution. Impact.

A rare combination of technical depth, entrepreneurial drive and operational discipline.



01

HANDS-ON EXPERIENCE

Direct aerospace engineering and UAV flight-test leadership across various platforms.



02

FOUNDER TRACK RECORD

Successfully led an aerospace startup through prototype to funding, delivering working hardware.



03

OPERATIONAL DISCIPLINE


Military-trained co-founder with experience scaling multiple companies.

OUR PRODUCTS

SAG RAZOR P1

FPV COMBAT DRONE

An indigenous FPV combat drone for precision strike missions, delivering rapid response and battlefield dominance in contested environments.



KEY SPECIFICATIONS

PLATFORM	FPV Kamikaze
RANGE	20 km
ENDURANCE	Up to 50 mins
MTOW	12 kg
PAYLOAD	Up to 5 kg
SPEED	Cruise 80 km/h • Loiter 100 km/h • Sprint
OPERATIONAL	Up to 5,000 m AMSL
OPERATING	-20 °C to +60 °C

KEY SPECIFICATIONS

DAY CAMERA	1920×1080p digital or 1500 TVL analog –
NIGHT	640×512p thermal / low-light – configurable
GUIDANCE &	Operator in the loop; GNSS waypoint
COMMUNICATI	Encrypted RF datalink – low-latency terminal
LAUNCH &	VTOL – under 5 minutes to set up
USE CASES	ISR, grenade drop, kamikaze strike; close-
IP RATING	IP54
EMI/EMC &	MIL-STD-461E • MIL-STD-810G

FIBER-OPTIC FPV DRONE

RAZOR OFC

A fiber-optic guided FPV drone engineered for high-precision operations, delivering secure, reliable and mission-critical performance even in contested environments.



PLATFORM TYPE Fiber-optic guided FPV	PLATFORM TYPE Fiber-optic guided FPV	RANGE Fiber length up to 10 km	RANGE Fiber length up to 10 km
ENDURANCE Up to 50 mins	ENDURANCE Up to 50 mins	MTOW 12 kg	MTOW 12 kg
PAYLOAD HE warhead; onboard day/thermal ISR for terminal guidance	PAYLOAD HE warhead; onboard day/thermal ISR for terminal guidance	SPEED Cruise 80 km/h • Loiter 100 km/h • Sprint 120 km/h	SPEED Cruise 80 km/h • Loiter 100 km/h • Sprint 120 km/h
OPERATIONAL ALTITUDE Up to 5,000 m AMSL	OPERATIONAL ALTITUDE Up to 5,000 m AMSL	OPERATING TEMPERATURE -20 °C to +60 °C	OPERATING TEMPERATURE -20 °C to +60 °C

ISR QUADCOPTER

SCOUT-X

An ISR quadcopter platform delivering persistent, real-time intelligence, surveillance, and reconnaissance for mission-critical border security.



PLATFORM TYPE ISR Quadcopter	DAY CAMERA 1920×1080p baseline; 2K/4K configurations available	RANGE 20 km	NIGHT CAMERA 640×512p thermal EO/IR
ENDURANCE 90 mins free-flight; tethered 24+ hr (extendable)	GUIDANCE & NAVIGATION GNSS-denied navigation; operates through jamming/spoofing	MTOW 8 kg	COMMUNICATION / DATA LINK Encrypted RF, AES-256; mesh-capable multi-asset coord.
PAYLOAD Up to 1.5–2 kg modular ISR payload	LAUNCH & DEPLOYMENT VTOL — under 5 minutes to set up	SPEED Max 60 km/h	USE CASES Border surveillance, counter-infiltration, route recon
OPERATIONAL ALTITUDE Up to 5,000 m AMSL	IP RATING IP55	OPERATING TEMPERATURE -20 °C to +60 °C	EMI/EMC & STANDARDS MIL-STD-461E • MIL-STD-810G

VTOL HYBRID ISR PLATFORM

AERON A1

A VTOL hybrid ISR platform delivering long-endurance, high-resolution intelligence, surveillance, and reconnaissance for mission-critical operations.



PLATFORM TYPE VTOL hybrid ISR platform	DAY CAMERA 1920×1080p baseline; 2K/4K configurations available	RANGE 50 km	NIGHT CAMERA 640×512p thermal EO/IR
ENDURANCE Up to 120 min	GUIDANCE & NAVIGATION Autonomy through GNSS denial/jamming; terrain avoidance	MTOW 12 kg	COMMUNICATION / DATA LINK Encrypted telemetry & HD video; ground relay extends range
PAYLOAD RGB baseline; multispectral/thermal payloads	LAUNCH & DEPLOYMENT VTOL — operates from confined sites	SPEED Cruise 60–80 km/h • Max 100 km/h	USE CASES Long-endurance ISR and wide-area surveillance
OPERATIONAL ALTITUDE Up to 5,000 m AMSL	IP RATING IP55	OPERATING TEMPERATURE -20 °C to +55 °C	EMI/EMC & STANDARDS MIL-STD-461E • MIL-STD-810G

SHORT-RANGE MISSILE SYSTEM

DOOM MK-1

A short-range surface-to-air missile system designed for rapid, reliable air defence against UAVs and other aerial threats.



PLATFORM TYPE Short-Range Surface-to-Air Missile	MISSION ROLE Air Defence against UAVs	ENGAGEMENT RANGE 2–5 km (extended short-range envelope)
ENGAGEMENT ALTITUDE 50 m to 5,000 m	ACCURACY CEP < 2 m at max range	PROPULSION SYSTEM Dual-pulse solid rocket motor with fin control
WARHEAD Pre-fragmented HE, 0.5–1.5 kg, proximity fuze	LAUNCH CONFIGURATION Truck-Mounted Multi-Canister Launcher	REACTION TIME < 7 seconds (detection to launch)

COUNTER UAV
THREATS

RAPID RESPONSE

RELIABLE DEFENCE

PROVEN
PERFORMANCE

“CLOSER THREATS.
STRONGER DEFENCE.”

COUNTER DRONE INTERCEPTOR

SAG VELOCITY

Counter Drone Interceptor UAV technology for mission-critical security.



PLATFORM TYPE Counter Drone Interceptor UAV	GUIDANCE MODE Autonomous / Semi-Autonomous	CONFIGURATION VTOL Interceptor	COMMUNICATION LINK Encrypted RF Telemetry
TOTAL TAKE-OFF WEIGHT 5 kg	DETONATION MODES Impact / Proximity	WARHEAD CAPACITY 1 kg	TARGETING SYSTEM AI-Based Target Locking
OPERATIONAL RANGE 5 km	DEPLOYMENT TIME Under 2 minutes	ENDURANCE 20 minutes	OPERATING ENVIRONMENT Day / Night Operations
MAXIMUM SPEED 180–250 km/h	LAUNCH METHOD Vertical Take-Off	NAVIGATION GNSS + INS + AI Guidance	RECOVERY MODE Autonomous Return / Vertical Landing

COUNTER UAV
THREATS

RAPID
DEPLOYMENT

MISSION-CRITICAL
PROTECTION

AUTONOMOUS
ENGAGEMENT

“FASTER RESPONSE.
SAFER SKIES.”

Let's Build the Future of Defence Together

