

## 1. Registration Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Welcome to Qspider</title>
  <link rel="stylesheet" href="/style_1.css">
  <link rel="stylesheet" href="/font-awesome-4.7.0/font-awesome-4.7.0/css/font-awesome.css">
  <script src="/code_1.js"></script>
</head>
<body>
  <form action="">

    <div class="loginbox">
      
      <h1 class="head_log">User Login</h1>
      <label for="" class="bold">User Name</label >
      <a href="" class="move0"> <i class="fa fa-user-plus" aria-hidden="true"></i></a>
      <input type="text" name="" placeholder="Enter Usre Name" id="bold1_" class="bold1">

      <br>
      <br>
      <label for="" class="bold">User Password</label >
      <a href="#" class="move"> <i class="fa fa-unlock-alt" aria-hidden="true"></i></a>
      <input type="password" name="" max="8" maxlength="8" min="4" placeholder="Enter Usre Password" id="bold2_" class="bold2">

      <br>
      <br>
      <label for="" class="bold">Re-Enter Password</label >
      <a href="#" class="move1"> <i class="fa fa-key" aria-hidden="true"></i></a>

      <input type="password" name="" max="8" maxlength="8" min="4" placeholder="Re-Enter Password" id="bold3_" class="bold3">

      <br>
      <br>
      <label for="" class="bold">User Phone no.</label >
      <a href="" class="move2"> <i class="fa fa-phone" aria-hidden="true"></i></a>
      <input type="text" name="" max="10" maxlength="10" required placeholder="Enter Phone no." class="bold4">

      <br>
      <br>

      <input type="button" value="Submit" class="bold_but" onclick="validation()">

      <a href="" class="link1">Lost Your Password?</a>
      <br><br>
      <a href="" class="link2">Don't have an Account?</a>
    </div>
  </form>
</body>
</html>
```

## 2. Bootstrap

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>QSpider</title>
  <link rel="stylesheet" href="./style.css">
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/4.1.1/animate.min.css" />
</head>
<body id="101">

  <header>
    <nav>
      <div class="logo">
        <h1 class="animate__animated animate__heartBeat animate__infinite"><b
style="color: white; font-size: 35px;">Q</b>Spider</h1>
      </div>
      <div class="menu">
        <a href="#" class="head_focus">Home</a>
        <a href="#" class="head_focus">Gallery</a>
        <a href="#" class="head_focus">About</a>
        <a href="#" class="head_focus">Contact</a>
      </div>
    </nav>

    <main>
      <section>
        <h3>Welcome to Traning Center</h3>
        <p>"COURSES OFFERED BY QSpider"</p>
        <h1>DO COME & VISIT FOR <span class="change_content"></span></h1>
        <p>"CONGRATULATIONS ON YOUR NEW JOB LIFE"</p>
        <a href="" class="butone">Learn more</a>
        <a href="../youtyb_demo_3/login_form.html" class="butttwo" target="_blank">Signup
here</a>
      </section>
    </main>
  </header>

</body>

</html>
```

---

## REGISTRATION CSS

---

```
body{
  margin: 0px;
  padding-top: 0px;
  background: url(/bcak_1pic.jpg);
  background-size: cover;

  background-position: center;
  font-family: Arial, Helvetica, sans-serif;
}
```

```
.loginbox
{
  margin-top: 30px;
  width: 520px;
  height: 620px;
  background: rgba(202, 109, 239, 0.281);
  color: rgb(249, 249, 0);
  top: 50%;
  left: 50%;
  border-radius: 50px;
  /* border-radius: 180px; */
  position: absolute;
  transform: translate(-50%,-50%);
  box-sizing: border-box;
  /* padding-left: 30px; */
  padding-top: 220px;
  /* padding-bottom: 30px; */
  box-sizing: border-box;
}
```

```
.head_log
{
  position: absolute;
  color: rgb(255, 0, 200);
  font-family: Chiller;
  font-size: 80px;
  top: 20px;
  left: 130px;}
```

```
.log_img
{
  width: 150px;
  height: 150px;
  border-radius: 80px;
  position: absolute;
  top: -80px;
  right: calc(90% - 280px);}
```

```
.bold
{
  text-align:center;
```

```
font-weight: bold;
font-size: 20px;}
.bold1
{
    text-align:center;
font-weight: bold;
font-size: 20px;
margin-left:119px ;
border: none;
border-bottom: 1px solid white;
outline:none ;
background: transparent;
color: rgb(255, 238, 0);
}
.bold2
{
    text-align:center;
font-weight: bold;
font-size: 20px;
margin-left:80px ;
border: none;
border-bottom: 1px solid white;
outline:none ;
background: transparent;
color: rgb(255, 238, 0);

}
.bold3
{
    text-align:center;
font-weight: bold;
font-size: 20px;
margin-left:42px ;
border: none;
border-bottom: 1px solid white;
outline:none ;
background: transparent;
color: rgb(255, 238, 0);
}
.bold4
{
    text-align:center;
font-weight: bold;
font-size: 20px;
margin-left:80px ;
border: none;
border-bottom: 1px solid white;
outline:none ;
background: transparent;
color: rgb(255, 238, 0);

}
.move0
{
    position: absolute;
```

```
    top: 220px;
    font-size: 25px;
    color: rgb(0, 255, 34);
    right: calc(295px - 0px);
}
.move
{
    position: absolute;
    top: 265px;
    font-size: 25px;
    color: rgb(0, 255, 34);
    right: calc(300px - 0px);
}
.move1
{
    position: absolute;
    top: 310px;
    font-size: 25px;
    color: rgb(0, 255, 34);
    right: calc(294px - 0px);
}
.move2
{
    position: absolute;
    top: 360px;
    font-size: 25px;
    color: rgb(0, 255, 34);
    right: calc(295px - 0px);
}
.bold_but
{
    position: absolute;
    text-align:center;
    font-weight: bold;
    font-size: 20px;
    top: 420px;
    left: 330px;
    border-radius: 10%;
    border-style: outset;
    outline:none ;
}
.link1{
    position: absolute;
    font-weight: bold;
    font-size: 20px;
    font-family: cursive;
    color: rgb(0, 255, 174);
    top: 450px;}
.link2{
    position: absolute;
    font-weight: bold;
    font-size: 20px;
    font-family: cursive;
    color: rgb(0, 255, 174);
    top: 500px;}
```

---

## BOOTSTRAPE CSS

---

```
* {  
  
  margin: 0;  
  
  padding: 0;  
  
  box-sizing: border-box;  
  
}
```

```
header {  
  
  width: 100%;  
  
  height: 100vh;  
  
  background-image: url(./photo/web_photo_4.jpeg);  
  
  background-repeat: no-repeat;  
  
  background-size: cover;  
  
}
```

```
nav {  
  
  width: 100%;  
  
  height: 15vh;  
  
  background: rgb(0, 0, 0, 0.3);  
  
  color: white;  
  
  display: flex;  
  
  justify-content: space-between;  
  
  align-items: center;  
  
  text-transform: uppercase;
```

```
}
```

```
nav .logo {  
    width: 25%;  
    color: red;  
    text-align: center;  
}
```

```
nav .menu {  
    width: 40%;  
    /* background: yellow; */  
    display: flex;  
    justify-content: space-around;  
}
```

```
nav .menu a {  
    width: 25%;  
    text-decoration: none;  
    color: #00b894;  
    font-weight: bold;  
}
```

```
main {  
    width: 100%;  
    height: 85%;  
    display: flex;  
    justify-content: center;
```

```
align-items: center;

text-align: center;

color: white;

}
```

```
section h3 {

    font-size: 35px;

    color: rgb(255, 123, 0);

    font-weight: 200;

    letter-spacing: 3px;

    text-shadow: 1px 1px 2px black;

}
```

```
section h1 {

    margin: 30px 0 20px 0;

    font-size: 55px;

    font-weight: 700;

    text-shadow: 2px 1px 5px black;

    text-transform: uppercase;

}
```

```
section p {

    font-size: 25px;

    color: #eee;

    word-spacing: 2px;

}
```



```
margin-bottom: 25px;

text-shadow: 1px 1px 1px black;

}
```

```
section a {

padding: 12px 30px;

border-radius: 4px;

outline: none;

text-transform: uppercase;

font-size: 13px;

font-weight: 500;

text-decoration: none;

letter-spacing: 1px;

transition: all .5s ease;

}
```

```
section .butone {

/* background: #00b894; */

background: #fff;

color: #000;

}
```

```
.butone:hover {

background: #00b894;

color: #fff;

}
```

```
section .buttwo {  
    background: #00b894;  
    color: #fff;  
  
}
```

```
.buttwo:hover {  
    background: #fff;  
    color: #000;  
}
```

```
.change_content:after {  
    content: 'ff';  
    animation: changetext 10s infinite linear;  
    color: #00b894;  
}
```

```
@keyframes changetext {  
    0% {  
        content: "Java";  
    }  
  
    20% {  
        content: "Advance Java";  
    }  
  
    35% {
```

```
        content: "HTML5";
    }

    60% {
        content: "CSS3";
    }

    80% {
        content: "Python";
    }

    100% {
        content: "MANUAL+AUTO+TESTING";
    }
}

.head_focus:hover {
    font-size: 20px;
    color: red;
}
```