In [1]:
```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

In [2]:
```
dataset = sns.load_dataset('titanic')
dataset.head()
```

Out[2]:

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adult_m
0	0	3	male	22.0	1	0	7.2500	S	Third	man	T
1	1	1	female	38.0	1	0	71.2833	C	First	woman	Fa
2	1	3	female	26.0	0	0	7.9250	S	Third	woman	Fa
3	1	1	female	35.0	1	0	53.1000	S	First	woman	Fa
4	0	3	male	35.0	0	0	8.0500	S	Third	man	T

In [3]:
```
dataset.shape
```

Out[3]:
```
(891, 15)
```

In [4]:
```
dataset.isnull()
```

Out[4]:

	survived	pclass	sex	age	sibsp	parch	fare	embarked	class	who	adult_male
0	False	False	False	False	False	False	False	False	False	False	False
1	False	False	False	False	False	False	False	False	False	False	False
2	False	False	False	False	False	False	False	False	False	False	False
3	False	False	False	False	False	False	False	False	False	False	False
4	False	False	False	False	False	False	False	False	False	False	False
...	...	...	...	...	...	...	...	...	...	...	...
886	False	False	False	False	False	False	False	False	False	False	False
887	False	False	False	False	False	False	False	False	False	False	False
888	False	False	False	True	False	False	False	False	False	False	False
889	False	False	False	False	False	False	False	False	False	False	False
890	False	False	False	False	False	False	False	False	False	False	False

891 rows × 15 columns

In [5]:
```
dataset.isnull().sum()
```

Out[5]:
```
survived         0
pclass           0
sex              0
age            177
sibsp            0
parch            0
fare             0
embarked         2
class            0
who              0
adult_male       0
deck           688
embark_town      2
alive            0
alone            0
dtype: int64
```

In [6]:
```
dataset = dataset.dropna()
```

In [7]:
```
sns.jointplot(x='age', y='fare', data=dataset)
```

Out[7]:
```
<seaborn.axisgrid.JointGrid at 0x26711027230>
```



In [8]:
```
sns.jointplot(x='age', y='fare', data=dataset, kind='hex')
```

Out[8]:
```
<seaborn.axisgrid.JointGrid at 0x2671221f890>
```



In [9]:
```
sns.rugplot(dataset['fare'])
```

Out[9]: <Axes: xlabel='fare'>



In [10]:
```
sns.barplot(x='sex', y='age', data=dataset)
```

Out[10]: <Axes: xlabel='sex', ylabel='age'>



In [11]:
```
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
sns.barplot(x='sex', y='age', data=dataset, estimator=np.std)
```

Out[11]:
```
<Axes: xlabel='sex', ylabel='age'>
```



In [12]:
```
sns.countplot(x='sex', data=dataset)
```

Out[12]:
```
<Axes: xlabel='sex', ylabel='count'>
```



In [13]:
```
sns.boxplot(x='sex', y='age', data=dataset)
```

Out[13]: <Axes: xlabel='sex', ylabel='age'>



In [14]:
```
sns.boxplot(x='sex', y='age', data=dataset, hue="survived")
```

Out[14]:
```
<Axes: xlabel='sex', ylabel='age'>
```



In [15]:
```
sns.violinplot(x='sex', y='age', data=dataset)
```

Out[15]:
```
<Axes: xlabel='sex', ylabel='age'>
```



In [16]:
```
sns.violinplot(x='sex', y='age', data=dataset, hue='survived')
```

Out[16]: <Axes: xlabel='sex', ylabel='age'>



In [17]:
```
sns.stripplot(x='sex', y='age', data=dataset)
```

Out[17]:
```
<Axes: xlabel='sex', ylabel='age'>
```



In [18]:
```
sns.stripplot(x='sex', y='age', data=dataset, jitter=True)
```

Out[18]:
```
<Axes: xlabel='sex', ylabel='age'>
```



In [19]:
```
sns.stripplot(x='sex', y='age', data=dataset, jitter=True, hue='survived')
```

Out[19]: <Axes: xlabel='sex', ylabel='age'>