
Analysing Twitter Data on Rhino Conservation using Natural Language Processing

Swapnil Mallick

Department of Computer Science
University of Southern California
Los Angeles, CA 90007
smallick@usc.edu

Venkatesh Dharmaraj

Department of Computer Science
University of Southern California
Los Angeles, CA 90007
vdharmar@usc.edu

Kiran Sampat

Department of Computer Science
University of Southern California
Los Angeles, CA 90007
ksampat@usc.edu

Samarth Ganesh Khaire

Department of Computer Science
University of Southern California
Los Angeles, CA 90007
khaire@usc.edu

Abstract

This study addresses the complex issue of illegal wildlife trade, focusing on rhino poaching and its profound impact on global biodiversity. Our research leverages the power of social media data to gauge public sentiment and identify trends in rhino conservation efforts. We analyzed a dataset comprising over 19 million tweets, with a focus on English-language content related to rhino conservation. Various toolkits, including Pattern, TextBlob, VADER, and Twitter-roBERTa-base, were utilized to gauge the sentiment expressed in the tweets. In parallel, topic modeling techniques such as LDA and BTM were applied to gain deeper insights into the prevalent discussion topics and identify the user categories participating in these conversations. These methodologies yielded satisfactory outcomes, providing valuable insights into the critical aspects of rhino conservation discussions on Twitter. Furthermore, this study shed light on the extent to which pre-trained natural language processing tools can be relied upon to draw conclusions about conservation related issues.

1 Introduction

Illegal wildlife trade is a pervasive and highly challenging issue concerning global biodiversity preservation and international collaboration [35]. It is one of the most profitable transnational organized crimes [55]. The commerce of wildlife has roots that stretch back to ancient times [3], with early Egyptian and Greek civilizations recording commercial dealings involving wildlife, a tradition that has persisted throughout history [26]. Instances of extensive and unsustainable commercial utilization of wildlife were observed even during the Roman Empire [3], and concerns regarding the unsustainable exploitation of wildlife for conservation purposes can be traced back to at least the 1960s [32].

Illegal wildlife trade is causing immense harm to wildlife species globally, with poachers, traffickers, and well-organized criminal groups relentlessly pursuing financial gain without regard for the consequences to meet consumer demand [54]. The trafficking and unsustainable trade of wildlife products such as elephant ivory, rhino horn, pangolin scales, tiger bone, bear bile, and rosewood are leading to unprecedented declines in a wide range of wildlife species, including some of the world's most iconic creatures as well as lesser-known species.

Asia, with a particular focus on China and Southeast Asia, is recognized as a critical region for both the procurement and the utilization of illegal wildlife [5, 27]. Rhino horns, elephant ivory, and tiger products remain in high demand among consumers, particularly in Asia. One of the primary motivations cited for the use of rhino horn is its perceived health benefits [25]. Rhino horn is believed to possess detoxifying properties, which stems from Chinese traditional medicine practices. Practitioners in this tradition characterize rhino horn as having bitter, acidic, and salty attributes, which are thought to be effective in lowering body temperature and purging toxins from the body [11]. Vietnam, a nation where the native Javan rhinoceros (*R. s. annamiticus*) was officially declared extinct in 2011, has been acknowledged as one of the globe's major hubs for the illegal trade of African rhino horns. In just the initial five months of 2015, Vietnamese authorities confiscated a minimum of 100 kilograms of illegally imported rhino horns [25]. In Vietnam, an unfounded belief that rhino horn possesses cancer-curing properties resulted in extensive poaching in South Africa [9] and drove the price of a single rhino horn to as much as \$300,000 [13].

The rhino poaching crisis we are currently facing commenced in 2008, witnessing a surge in the number of rhinos slaughtered for their horns across Africa until 2015. Fortunately, there has been a decline in poaching incidents across the continent since the peak of 1,349 in 2015 [53]. However, it's crucial to note that at least one rhino still falls victim to poaching daily, emphasizing the urgent need for further action. South Africa, home to the majority of the world's rhino population, has borne the brunt of poaching activities, enduring over 1,000 rhino deaths annually from 2013 to 2017. South Africa continues to grapple with significant losses to poaching, with 448 rhinos illegally killed in 2022, a slight decrease from the 451 killed in 2021. In anticipation of World Rhino Day on September 22, 2023, authorities in Africa estimate that by the end of 2022, the continent was home to 23,290 rhinos, marking a 5.2% increase compared to 2021 [49]. While this is a positive trend, it's essential to note that a rhino is still poached in the country every 20 hours [53].

Animals, including rhinos, play a vital role in biodiversity and ecosystem dynamics. They create habitats for other species, offering opportunities for future global restoration and rewilding initiatives. Thriving wild rhino populations can also have a positive impact on the livelihoods and well-being of local communities, attracting tourists from around the world, generating employment opportunities, and contributing to economic development.

Numerous global and regional organizations are committed to wildlife conservation. One of these is the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES), an international treaty with the primary goal of ensuring the survival of wildlife in the face of trade [7]. The UNEP World Conservation Monitoring Centre has established the CITES Trade Database, which encompasses more than 25 million trade transaction records (as of 2023) involving living animals, plants, and their derivatives [51, 50]. This valuable database plays a crucial role in monitoring the extent of illegal wildlife trade and offers a comprehensive overview of significant trade activities between countries.

In today's age of information technology, personal computers and the widespread availability of affordable smartphones, social media services and platforms like Facebook, Instagram, Twitter, Flickr, WhatsApp, WeChat and Sina Weibo have collectively attracted over two billion users worldwide. This accounts for approximately 29% of the global population and encompasses around 67% of all internet users worldwide [33]. Hence, social media presents a potential avenue for devising creative approaches to promote social change and combat the loss of biodiversity [34]. Notably, social media has demonstrated its capacity to influence people's actions [40, 44, 36].

Leveraging the extensive reach and impact of social media could enhance conservation initiatives and mobilize pro-environmental actions on a broad scale to benefit nature conservation efforts [46]. Twitter provides a valuable means to gather and assess public sentiment regarding the boycott of wildlife trade or the call for government bans on such trade [31]. It has emerged as a potent instrument for data collection, offering insights into the public's perception of this issue. Consequently, social media offers a fresh and distinct vantage point for the analysis of trends in rhino trade, differing significantly from conventional data sources.

This study is designed to demonstrate the utility of social media data in monitoring public opinion regarding illegal rhino poaching and trade. To fulfill the research objectives, our study has been divided of three main components:

1. Understanding public sentiment towards rhino conservation to assist in the prioritization of conservation efforts. Positive sentiment can mobilize support, while negative sentiment can pinpoint areas requiring immediate attention and intervention.
2. Categorizing social media posts by topic to aid conservationists in identifying the most critical issues and priorities concerning animal conservation.
3. Analyzing and classifying Twitter user profiles to gain insights into which user demographics are actively involved in tweeting about rhino conservation.

To garner vital insights into public sentiment as well as to monitor the evolving trends surrounding rhino conservation efforts, we aim to use Natural Language Processing methods to analyze tweets related to rhinos and see how useful these can be in rhino conservation efforts.

2 Related Works and Background

The widespread illegal wildlife trade poses a significant threat to biodiversity conservation. Historically, researchers have sought to analyze this phenomenon by conducting global surveys on wildlife trade [1]. Additionally, there have been endeavors to assess the impact of the 1989 CITES ivory trade ban on reducing both ivory demand and elephant poaching, while also exploring innovative approaches to decrease ivory demand [4]. Region-specific wildlife trade has also been a focus of research. For instance, there has been a study quantifying the rise and distribution of illegal trade in Temminck’s ground pangolin in Zimbabwe between October 2010 and June 2015 [30]. Furthermore, efforts have been made to evaluate the effectiveness of measures taken to combat this illegal trade, including seizures, legal penalties, and convictions carried out by the Zimbabwe Parks and Wildlife Management Authority, magistrates, and public prosecutors in Zimbabwe.

Sentiment analysis [24, 6] and opinion mining have found applications across various domains. However, their utilization in conservation science remains limited [36], particularly in studies focused on evaluating people’s attitudes, opinions, and reactions to species and conservation-related events [19]. Previous research, which didn’t employ natural language processing techniques, has examined how conservation topics are portrayed in television, movies [10], news media [15], online search trends [22], and social media [12, 28]. Only a small number of reliable studies have ventured into the analysis of social media data related to conservation using natural language processing methods.

Using a case study approach, a content and sentiment analysis of tweets was conducted about seven South African national parks (Table Mountain, Karoo, Addo Elephant, Pilanesberg, West Coast, Tsitsikamma and Golden Gate Highlands) posted over 14 months on Twitter [45]. The analysis aimed to assess the following aspects: the topics discussed, the authors of the tweets, the timing of the tweets, the emotions conveyed, and the potential managerial implications. To gain insights into public perceptions and interests regarding these seven parks, a quantitative content analysis of the tweet text was conducted using a culturomics approach [20]. First, word counts for all tweets were obtained using Google word cloud. Then using the Tidytext package in R [23, 8], place names, special characters, connecting and stop words were removed. Then the frequencies of variants or plural forms of words referring to similar terms were merged. Finally, tweets were classified and coded into broad topics relating to national parks based on the use of specific terms. Chi-square tests in R [8] were used to test for significant differences in the frequency with which topics were discussed in tweets among the seven parks.

In their study [39], Anna Hausmann et al. utilized automated natural language processing techniques to evaluate the sentiment expressed by visitors when they described their experiences in Instagram posts that were geolocated within four national parks in South Africa. To conduct this analysis, they opted to employ the NRC Word-Emotion Lexicon [14], which is a general lexicon-based approach. This approach involves classifying text based on a predefined dictionary (lexicon) containing words associated with different sentiment polarities. By assessing the occurrence of these words in the text and their corresponding values as annotated in the lexicon, the authors calculated a cumulative value for each sentiment and emotion category for each social media post.

Another work introduces novel application methods to automatically collect and analyze textual data on species of conservation concern from digital platforms [43]. In this work, news articles were

compiled together from two channels, namely, Google News and Twitter. After the collation of articles, all data were filtered for duplicates and irrelevant articles using machine learning techniques. Deduplication was performed using a vector comparison algorithm and thus takes into account text similarity of articles rather than just webpage links or titles. Meanwhile, irrelevant articles were removed using a neural network trained to identify such articles from relevant ones. Once the articles are selected, Named Entity Recognition [21, 48] was applied to tag articles and particular sentences with specific information such as names of persons, prices, locations, etc. For the purpose of this study, six types of entities were extracted using the `en_core_sm` model for English.

Using elephants (*Loxodonta Africana*, *Loxodonta cyclotis*, and *Elephas maximus*) as test species, Hammond et al. conducted a content analysis of tweets about elephants posted to Twitter during 2019 [47]. To classify the emotional sentiment of each remaining tweet, we utilized a well-regarded sentiment analysis tool, VADER: Valence Aware Dictionary and sEntiment Reasoner [17], using the R package vader [42]. Apart from that, a quantitative content analysis of a random sample of tweets was undertaken to understand what was discussed outside of the main events. The authors identified eight topics occurring within our dataset by reading a random sample of tweets. These topics were “elephant welfare concerns,” “general conservation messages,” “habitat loss,” “human-elephant conflict,” “poaching and wildlife trade,” “tourism,” “trophy hunting and culling,” and “videos and non-conservation news.”

Yufang Gao et al. used mass media coverage as a proxy for macro-level public opinion to analyze the media framing of elephant ivory in 6394 Chinese newspaper articles published from 2000 to 2021 and thus determine the effects of wildlife policies on public opinion [52]. Using Latent Dirichlet Allocation topic modeling [2], we identified 8 topics about elephant ivory and grouped them into 3 frames: ivory arts and culture, ivory crimes, and elephant conservation. Studies showed that topics related to ivory crimes remained the most prevalent in news articles over the past two decades. Contrary to popular belief, results also indicated that Chinese macro-level public opinion on ivory had become more negative following the CITES approval of ivory importation and less negative after the ivory ban announcement, at least for certain periods.

3 Data

3.1 Data Description

The raw datasets that we are using consist of two tables, the first table contains tweet information of 19,606,315 tweets, in different languages, and the second table contains twitter user bio information, that corresponds to the twitter data, which has 452,552 unique users.

Each tweet contains a unique `tweet_id`, the author who posted it (`author_id`) and the language it is written in (`lang`) along with the time (`created_at`) that the tweet was posted on the platform. Some tweets are also found to be composed of multiple languages, though as explained in the following sections, our models only utilised the tweets in English, for better consistency. In the user description dataset, each user is uniquely identified by a `user_id`. Each user entry also contains information such as the username, account description, user defined location, the date the account was created, the total number of followers, the total number of accounts followed, and whether the account is verified or not. However, we refrained from utilizing a significant portion of user information due to privacy considerations. The entire dataset can be found at the following Google Drive link [here](#).

After processing we reduced the total number of tweets to 6,296,568 and after analysing this tweet data itself we found there are 2,120,163 unique users who have tweeted, and out of this we have user bios for 288,217 which is around 13.5% of users. All the data remains unlabelled.

3.2 Data Scraping

Given the multilingual nature of the dataset, our focus in this study is solely on English-language tweets. Within the dataset, a substantial portion is comprised of tweets unrelated to the topic of animal rhinos, including references to sports teams known as ‘Rhinos.’ To address this, a set of 38 selected keywords is utilized to filter out tweets pertaining to animal rhinos, ensuring the precision and relevance of our analysis. As mentioned previously, 6,296,568 English tweets were scraped from the dataset using the scrap words.

3.3 Data Statistics

Stages	Number of Tweets
Initially	19,606,315
After filtering English Tweets	16,383,449
After Scraping	6,296,568

Table 1: Data Statistics of User Tweets

	Number of Users
Total User Bios	452,552
User Bios related to Scraped Tweets	288,217
After Analysis of only Tweet Data without User Bio Data	2,120,163

Table 2: Data Statistics of Unique Twitter Users

3.4 Data Visualisation

In this section we will discuss the interesting findings after analysing the dataset, in the form of visualisations.




Figure 1: Distribution of tweets

The dataset's total distribution of tweets is shown in Figure 1, which displays the volume of collected tweets per year. Interestingly, the highest frequencies were found between the years 2014 and 2019, with the highest peak in 2018.




Figure 2: Distribution of Conservation-related tweets

Figure 2 focuses on the subset of conservation-related tweets, indicating the rhino conservation engagement level. Similarly to Figure 1, we found that there was significant activity in conservation-related Tweets between 2014 and 2019. These conservation-related tweets are scrapped using the keywords 'save', 'conserve/conservation/conserving', 'awareness', 'vulnerable', 'extinction', and 'endanger'.




Figure 3: Frequency of scrap words across the tweets

The frequency of scrap words that appear within the dataset is depicted in Figure 3. This is very important, as it reveals the most mentioned words in the context of rhino conservation, across the entire dataset.

3.5 User Activity Data

To prepare our analysis on rhino conservation Twitter user activity, we categorized user engagement levels. This categorization helped us create visual representations of the data: a pie chart showing how often users tweeted and a bar chart identifying the most active users in terms of tweet counts.




Figure 4: Shows the Top 15 Users by Tweet Count

From the bar chart, which can be seen in Figure 4, the analysis further uncovers that the top 3 users in terms of tweeting activity, originated from Twitter accounts associated specifically with rhino conservation groups. This information was found after matching the author IDs in the tweet dataset with the IDs in the User Bios dataset. Notably, profiles such as HelpingRhinos, SudanTheRhino, and SaveTheRhinos were among the most active in tweet contributions, all possessing more than 15,000 tweets each, with the top contributor, having over 25,000 tweets, a finding that aligns with expectations.




Figure 5: Shows the Distribution of Users having User Bios by Tweet Activity

Figure 5 illustrates the distribution of tweets for users who have user bios, accounting for approximately 288k users.




Figure 6: Shows the Distribution of Users by Tweet Activity

The pie chart, as can be seen in Figure 6, shows three metrics, the first metric indicates the different user activity levels, i.e. the number and/or range of tweets per user, which are split into the following sections: once, twice, between three and ten times, between 11 and 100 times, and over 101 times tweets per user within the dataset, which is abbreviated as "TPU".

The second metric denotes the percentage of users in each section out of the total number of users, these are the percentages shown in black text in Figure 6. Some very interesting statistics from this, are that the majority of users, i.e. 71.7% (1,554,991 out of 2,120,163), were only single contributors, meaning they were only recorded to have Tweeted once each (1 TPU). Secondly, only 0.2% of users (4,670 out of 2,120,163), were recorded to have Tweeted more than 100 times each (more than 100 TPU). This suggests that while engagement on the topic is widespread, it is often only limited to a singular expressions or instances of interest for certain users.

Finally, the third metric illustrates the total number of tweets contributed by the users in each section, which is the text shown in red in Figure 6. Fascinating statistics from this metric, are that the sections, except the section for 2 tweets per user, each appear to have around 1.5 million tweets in total, and the section for 2 tweets per user has around 500,000 tweets in total. To confirm this,

summing all these figures in red, for the number of tweets contributed by section, gives us the total number of tweets in the dataset, which is exactly 6,296,568.

This visual representation reveals an especially striking insight, as it essentially illustrates the Pareto Principle in a unique context. It highlights how a very small percentage of total users, 0.2% (the users with more than 100 tweets each), can have an almost equivalent impact in terms of tweet volume as a vastly larger group of the total users, 71.7% (the users with only single tweet contribution), with both subsets of users contributing 1,554,991 and 1,442,188 tweets respectively. This demonstrates the significant influence of a few highly active users on social media platforms, underscoring the role of power users in shaping online discourse. The comparison between these two vastly different groups, in terms of both size and contribution, provides a fascinating look into user behavior and content creation on social media platforms, and especially in relation to rhino conservation.

3.6 Hashtags Analysis

Analyzing hashtags in rhino-related tweets is important for rhino conservation in gauging public sentiment and awareness, enabling conservation organizations to tailor their outreach efforts. It can help us identify influential trends and campaigns for targeted engagement and fundraising.

In this work, hashtags used along with the frequencies of tweets containing the hashtag have been analyzed. Since different forms of the same word are used as hashtags across the tweets, the 'Stemming' methodology is carried out to group or convert the words in the hashtag to their base or root form.

Before Stemming, there were 173,870 unique hashtags in the tweets. However, after applying stemming, these hashtags were grouped or converted into 134,944 root forms. The hashtag with the root '#rhino' is been found to be most common among the tweets with their presence in 949479 tweets.




Figure 7: Frequency distribution of top 20 hashtags except the hashtag set '#rhino+'

Figure 7 displays the frequencies of the top 20 hashtags used, excluding '#rhino+'. It is noteworthy that the hashtags associated with conservation awareness, such as '#conserve,' '#extinct,' '#killthetrade,' '#endanger,' and '#savetherhino,' are prevalent among these hashtags. Additionally, tweets related to other wildlife, such as '#elephant,' '#lion,' and '#tiger,' are commonly tagged alongside rhino-related content.

4 Approaches and Result Analysis

4.1 Sentimental Analysis on Tweets

In this study, we conducted sentiment analysis on approximately 6.2 million English Tweets pertaining to rhino conservation. The objective was to gain insights into the emotional expressions conveyed in these tweets. Twitter, being a widely-used social media platform with a diverse user base, serves as a valuable source for assessing public awareness and engagement in animal conservation issues. By analyzing sentiment, we aimed to identify positive sentiment as an indicator of public support and detect negative sentiment as an area where increased education and outreach efforts may be necessary.

Our initial approach involved utilizing K-means clustering to categorize tweets based on their sentiment. Additionally, we employed voting method using three pretrained models to generate the labels for each tweet and evaluated the performance of Twitter-roBERTa-base.

4.1.1 Data Preprocessing

Data preprocessing for the English rhino-related tweets involves several essential tasks:

1. Eliminating special characters, URLs, and emojis from the text;
2. Converting all words to lowercase for consistency;
3. Normalizing the text by addressing spelling and abbreviation errors;
4. Tokenizing the text to break it down into individual words;
5. Removing stopwords that do not carry significant meaning for analysis

4.1.2 Sentiment Analysis Using K-Mean clustering

We applied K-Means clustering as our baseline model to group the tweets into three clusters. We used TF-IDF (Term Frequency-Inverse Document Frequency) for feature extraction. However, the results have not met our expectations. We observed that tweets sharing common terms like 'poaching' have been grouped together, even though they express different sentiments. As an illustration, tweets such as "funded programme fails to curb poaching of wild rhino in south africa" and "trust campaign launched in namibia to create awareness and save rhinos from poaching" have been clustered together, despite the fact that they express markedly distinct sentiments.

4.1.3 Sentiment Analysis Using Voting Method

We have used the following toolkits/models for Sentiment Analysis:

- **Pattern:** Pattern is a text data-mining tool that has a text-processing component. Its `sentiment()` function returns a tuple with the polarity and subjectivity of a given text, respectively, where polarity is a value between -1.0 and +1.0 and subjectivity is a value between 0.0 and 1.0.
- **TextBlob:** A Python library that provides a simple API for diving into common natural language processing (NLP) tasks such as part-of-speech tagging, noun phrase extraction, sentiment analysis, classification, translation etc.
- **VADER:** VADER (Valence Aware Dictionary for sEntiment Reasoning) [17] is an NLTK module that provides sentiment scores based on the words used. It is a rule-based sentiment analyzer specifically attuned to sentiments expressed in social media, in which the terms are generally labeled as per their semantic orientation as either positive or negative. Vader not only monitors for valence shifters but also assesses emoticons, slang, punctuation, and capitalization. For example, the sentence "I LOVE rhinos" will be assigned a more positive compound score (0.713) than "I love rhinos" (0.637), where scoring ranges from -1 (very negative) to +1 (very positive). The relevant tweets were classified into three categories - "Positive", "Negative" and "Neutral".

- **Twitter-roBERTa-base:** A RoBERTa-base model trained on 124M tweets from January 2018 to December 2021, and finetuned for sentiment analysis with the TweetEval [38] benchmark.

Since our data is not labelled, we had to generate the labels using a voting method. Initially, the label for each tweet is generated using **Pattern**, **TextBlob** and **VADER**. The final label for each tweet is decided by taking the label occurring the most number of times. Eg, if the three labels generated for a tweet are “POSITIVE”, “POSITIVE” and “NEUTRAL”, then the final label is considered “POSITIVE”; if there is a tie (eg, NEUTRAL, POSITIVE, NEGATIVE) then that tweet has not been taken into consideration. Once we generated labels for each of the tweets, the performance of Twitter-roBERTa-base was then evaluated based on the following evaluation metrics: **Accuracy**, **Precision**, **Recall**, **F1-score**.

Our Findings:

Table 3 shows the performance of the Twitter-roBERTa-base model:

Evaluation Metric	Score
Accuracy	57.67%
Precision	0.63
Recall	0.58
F1 Score	0.56

Table 3: Performance Evaluation of Twitter-roBERTa-base

Based on the table above, it may seem that the Twitter-roBERTa-base model fails to provide satisfactory results for classification on the given dataset. However since the data has been annotated using pretrained models, we think that there are cases where a tweet has been labelled incorrectly using the voting method. Eg, a tweet stating “nine poachers arrested in Kenya...” has been labelled as “NEGATIVE” by Pattern and VADER but “POSITIVE” by TextBlob. So, this causes the final label of the tweet to be “NEGATIVE” when it should not have been so. These cases affect the scores even if the Twitter-roBERTa-base model manages to predict the sentiment of the tweet correctly.

4.1.4 Interpretation Using SHAP Scores:

Because of this obscurity in the evaluation of the Twitter-roBERTa-base model, SHAP (SHapley Additive exPlanations) values [29] were used to get a consistent and objective explanation of how each feature impacts the model’s prediction. SHAP has specific support for natural language models like those in the Hugging Face transformers library. By adding coalitional rules to traditional Shapley values we can form games that explain large modern NLP model using very few function evaluations [41]. One of the fundamental properties of SHAP values is that they always sum up to the difference between the game outcome when all players are present and the game outcome when no players are present. For machine learning models this means that SHAP values of all the input features will always sum up to the difference between baseline (expected) model output and the current model output for the prediction being explained. The easiest way to visualize this is through a waterfall plot.

Tweet 1: “This baby orphan Black Rhino is an endangered species and needs your help. #phinda #ProtectThePlanet” (Figures 8, 9)




Figure 8: Tweet 1 SHAP Score Plot




Figure 9: Tweet 1 Waterfall Plot

Tweet 2: “Rhino at risk of an early death due to loneliness and isolation at #Lahore Zoo!” (Figures 10, 11)



Figure 10: Tweet 2 SHAP Score Plot




Figure 11: Tweet 2 Waterfall Plot

Tweet 3: “KRUGER NATIONAL PARK RHINO POACHER IN COURT It is alleged that Kipampa is part of a syndicate involved with poaching in the Kruger National Park. Full story: <https://t.co/B79FgEDtPg> #TzaneenVoice” (Figures 12, 13)




Figure 12: Tweet 3 SHAP Score Plot




Figure 13: Tweet 3 Waterfall Plot

Tweet 4: “The West African Black Rhino has been officially declared extinct. It was hunted for its horn. Shame on our species.” (Figures 14, 15)




Figure 14: Tweet 4 SHAP Score Plot




Figure 15: Tweet 4 Waterfall Plot

4.2 Topic Modeling

Topic Modeling (TM) is a Natural Language Processing (NLP) Technique used to identify hidden themes within an extensive collection of textual data, helping to categorize and extract meaningful topics. Various techniques in Topic Modeling (TM) can automatically extract topics from both short texts and standard long-text data. These methods yield reliable results across diverse text analysis domains, including probabilistic latent semantic analysis (PLSA), latent semantic analysis (LSA), and latent dirichlet allocation (LDA). However, numerous existing TM methods face challenges in effectively learning from short texts. Additionally, within Online Social Network (OSN) platforms, TM approaches encounter various issues with short textual data. These challenges encompass slang usage, data sparsity, spelling and grammatical errors, unstructured data, inadequate word co-occurrence information, and the presence of non-meaningful and noisy words [37]. Yan et al. have introduced a short-text TM method known as the biterm topic model (BTM). This approach leverages word correlations or embeddings to enhance the capabilities of TM [16].

In this work, LDA and BTM are used for TM on tweets and user bios. Both the models are evaluated quantitatively by means of the Coherence Score and qualitatively by means of the dominant topics identified.

In topic modeling, coherence scores quantify the interpretability of topics. Topics, represented by the top N words with the highest probabilities, are evaluated based on the similarity of these words. This metric helps to distinguish between topics that are semantically interpretable topics and topics that are artifacts of statistical inference.

In this work, the coherence scores of both LDA and BTM are evaluated using Gensim Library. Two coherence metrics, namely CV (the default in the Gensim library) and UMass, are employed for this evaluation. CV is based on a sliding window, one-set segmentation of the top words and an indirect confirmation measure that uses normalized pointwise mutual information (NPMI) and the cosine similarity whereas UMass is based on document co-occurrence counts, a one-preceding

segmentation, and a logarithmic conditional probability as confirmation measure. In this study, the UMass metric is used as the primary metric due to its suitability for document co-occurrence-based confirmation, providing a more robust measure of topic coherence in the context of our analysis. Both metrics are calculated considering topics represented by the top 5, 10, and 20 words.

4.2.1 Data Preprocessing for Topic Modelling

The steps involved in topic modelling for tweets and user bios are as follows,

1. Exclude mentions (user references) from the text.
2. Eliminate special characters and URLs from the text.
3. Exclude texts that are not in English and consist of more than 30% non-standard English words.
4. Change the text to lowercase.
5. Produce part-of-speech (POS) tags for text and retain only the words with specific tags (based on the analysis carried out).
6. Filter out most common words as well anonymous/irrelevant words from the text.
7. Lastly, Lemmatize each filtered word.

Tweets containing more than 30% of non-standard words are removed to improve data quality, consistency, and interoperability. Removing the most common and anonymous/irrelevant helps focus more on specific and meaningful nouns, which leads to more informative and distinct topics, improving the quality and interpretability of the results. Retaining words with specific POS tags in topic modeling is important for enhancing relevance, reducing noise, improving interpretability, and addressing data quality issues. The selective consideration of words with specific tags also contributes to reduced computation time. The choice of specific tags depends on the goals of the analysis and the characteristics of the data being used. Martin et al. study found that lemmatizing and limiting the news corpus to the nouns offers advantages in topic coherence and speed, compared to topic modeling the raw corpus of SJMN articles, or lemmatizing alone [18].

Here, POS tagging and lemmatization are performed using spaCy.

4.2.2 Topic Modeling on Tweets

Topic modeling on Twitter data would be a promising avenue for understanding discussions about rhinos and their conservation. This method facilitates a nuanced understanding of trends and key topics within the Rhino-related discourse on Twitter. During preprocessing, common words like 'rhino', 'animal', 'specie' etc., and irrelevant words like 'rt', and 'amp' are removed from the tweets.

4.2.2.1 Baseline Approach: The K-means clustering technique is the baseline approach for topic modeling with tweets. While K-means is not inherently a topic modeling algorithm, in this work, it is employed to cluster tweets based on the similarity of their feature vectors, often representing word frequency or presence. Only nouns (NOUN) and proper nouns (PROPN) from the tweets are considered. The feature extraction process used TF-IDF (Term Frequency-Inverse Document Frequency) with a feature dimensionality of 100, encompassing unigrams and bigrams.

Under this baseline framework, evaluating the K-means clustering method entails a systematic investigation of cluster numbers ranging from 5 to 15 for randomly selected 100k tweets, with a particular emphasis on assessing cluster quality using silhouette scores. Notably, a consistent pattern emerges within the confines of the baseline methodology, as silhouette scores steadily rise with an increasing number of clusters. The observed increase in cluster size may be attributed to potential over-segmentation, which, in turn, impacts the generalizability of the topic modeling process. Careful consideration of the optimal cluster number is essential to balance granularity and general applicability in clustering tasks.




Figure 16: Silhouette Scores Vs. Number of Clusters for Topic Modeling on Tweets using K-means Clustering

Figure 16 illustrates the contrast in silhouette scores between scenarios where only Nouns and Proper Nouns are taken into account and scenarios where all parts of speech are considered. From the figure, it can be seen that using only nouns and proper nouns helps in improving the silhouette scores significantly. However, The Silhouette Scores of the clusters still remain low. The highest Silhouette score achieved is approximately 0.184, observed when considering only Nouns and Proper Nouns and utilizing 14 clusters.

After analyzing the clusters, the model groups tweets about 'horns and trade' into a single cluster, tweets about 'South Africa' into a single cluster, and tweets about 'extinction' into a single cluster. However, some clusters lack informativeness, such as one cluster dedicated to tweets containing the word 'help'. This can be observed from Figure 17. The clusters generated by the model demonstrate limitations in terms of informativeness and interpretability. Specifically, the quality of clusters, as determined by k-means, does not meet the desired standards for meaningful and useful topic delineation.

topics, each model introduces some distinct dominant topics. For instance, Table 6 highlights the topic of Rhino Horns - Medicine by BTM, while Table 5 emphasizes the topic of the Loneliness Struggle of Rhinos by LDA.

The inclusion of Verbs and Adjectives alongside Nouns and Proper Nouns proves to be valuable in pinpointing topics related to specific news and rhino-related discussions. Notably, both models captured event-specific topics, such as the Last White Male Northern Rhino Extinction and the Black African Rhino Extinction. The qualitative enhancement achieved by considering Verbs and Adjectives, in addition to Nouns and Proper Nouns, underscores the models' capability to identify a broader spectrum of topics, encompassing both general and event-specific discussions.

Figure 18 and 19 depict the year-wise tweet distribution of each topic. From both graphs, it can be observed that the topic "Last White Male Northern White Rhino Extinction" reaches a peak in 2018, and this peak is significantly higher compared to all other topics. The surge is attributed to the declaration of the extinction of the last male white rhino named Sudan on March 19, 2018. Notably, in 2014, the second last white male rhino died, and in 2015, the last male white rhino was guarded 24 hours. Additionally, 2014 and 2015 marked periods with a higher number of rhinos being poached.

While the West African Black Rhino was declared extinct in 2011, the news garnered widespread attention through tweets and retweets in 2015. This phenomenon is evident in Figures 18 and 19 under the topic "Black African Rhino Extinction". Additionally, the BTM model identifies an event-specific topic "Horn Stealing/Veterinarians." As depicted in Figure 19, it is evident that this topic garnered significant discussion primarily in 2019. This surge in discussion can be attributed to numerous tweets and retweets regarding a rhino whose horn was poached by hunters. The incident gained widespread attention due to accompanying images and clips depicting the rhino's cries when veterinarians attempted to save its life.

Model (POS Tags)	UMass			CV		
	5	10	20	5	10	20
LDA (NOUN, PROPN)	-4.9942	-6.0526	-7.7187	0.4595	0.2897	0.2751
LDA (NOUN, PROPN, VERB, ADJ)	-3.5453	-4.5691	-5.7713	0.5541	0.4063	0.2802
BTM (NOUN, PROPN)	-2.7616	-3.5083	-4.3234	0.6288	0.4395	0.2451
BTM (NOUN, PROPN, VERB, ADJ)	-2.3550	-2.8250	-3.6007	0.6162	0.5444	0.3984

Table 4: Topic Coherence Scores considering topn = 5, 10, 20 words per topic for Tweets.

Dominant Topics	Top 10 Related Words	Top 5 Frequent Words	Example Tweet
Topic 1 (Last White Male Northern Rhino Extinction)	white, last, male, world, protect, extinction, leave, sudan, htt, kenya	white, last, male, world, sudan	"With the passing away of the last male northern white rhino, there are now just two female northern white rhinos alive"
Topic 2 (Trophy Hunting/ Elephants)	elephant, hunter, need, pay, see, more, be, trophy, knowlton, corey	elephant, lion, black, poacher, tiger	"Black Rhino Extinct? Texas Hunter Corey Knowlton Pays \$350k To Kill A Rhino And Save The Species http://t.co/S2DFE39FKA #BanTrophy-Hunting"
Topic 3 (Horn/ Ivory Trade)	horn, ivory, trade, say, level, stuff, ban, think, vietnam, man	horn, trade, ivory, ban, south	"Legal rhino horn and ivory trade should benefit Africa, says Swaziland government - The Guardian https://t.co/r170fxW0ER "
Topic 4 (Loneliness Struggle/ Sumatran Rhino)	save, help, loneliness, thank, sumatran, work, follow, ht, tweets, today	save, help, sumatran, zoo, thank	"Rhino at risk of an early death due to loneliness and isolation at #Lahore Zoo! Please do something to save him"
Topic 5 (Endangered or orphan Rhinos/ News)	endanger, find, wildlife, orphan, news, calf, week, old, post, dead	wildlife, endanger, calf, black, news	"This baby orphan Black Rhino is an endangered species and needs your help. #phinda #ProtectThePlanet"
Topic 6 (Poachers/ National Park)	kill, poacher, africa, south, baby, picture, poach, shoot, stop, park	poacher, kill, south, africa, poach	"KRUGER NATIONAL PARK RHINO POACHER IN COURT It is alleged that Kipampa is part of a syndicate involved with poaching in the Kruger National Park. Full story: https://t.co/B79FgEDtPg #Tzaneen-Voice"
Topic 7 (Black African Rhino Extinction)	black, african, extinct, hunt, declare, west, armed, arrest, sad, innocent	black, extinct, african, horn, declare	"The West African Black Rhino has been officially declared extinct. It was hunted for its horn. Shame on our species."
Topic 8 (Rhino Conservation/ Texas Hunting)	shame, hour, conservation, look, hope, day, texas, have, endangered, get	horn, save, have, life, day	"Your show on the rhino hunt was irresponsible and inaccurate! #KillingIs-NOTConservation! #SHAME! https://t.co/SKL1nsVdzf ,"
Topic 9 (Poaching/ Anti-poaching)	guard, year, poach, poaching, survive, ranger, namibia, victim, record, Mozambique	poach, year, poaching, horn, white	"In 2022, South Africa's anti-poaching efforts led to a decline in #rhino poaching numbers."

Table 5: LDA Topic Modeling on Tweets - NOUN, PROP, VERB, ADJ

Dominant Topics	Top 10 Related Words	Top 5 Frequent Words	Example Tweet
Topic 1 (Wildlife Poaching/ Conservation/ World Rhino Day)	poach, wildlife, poaching, conservation, save, day, world, help, new, great	poach, save, poaching, conservation, day	“Today is World Rhino Day! Poaching is devastating Rhino populations in Africa and Asia. Let’s help save these amazing creature”
Topic 2 (Other Wildlife Species)	elephant, save, tiger, have, help, lion, wild, live, india, other	save, elephant, help, lion, tiger	“Nepal has made progress in recent years to conserve its charismatic mammals like tigers and rhinos, but similar attention now needs to be paid to orchid conservation. Otherwise, we may soon find that these flowers will only exist in pictures. https://t.co/vNt4I2YZnJ ”
Topic 3 (Black African Rhino Extinction)	black, year, extinct, african, hunt, kill, horn, white, declare, see	black, extinct, hunt, year, declare	“The West African Black Rhino has been officially declared extinct. It was hunted for its horn. Shame on our species.”
Topic 4 (Rhino Horn - Medicine)	horn, black, make, have, white, think, medicine, get, people, go	horn, white, black, make, have	“We’re getting into ”rhino horn medicine” territory.”
Topic 5 (Rhino Killing/ Poachers/ Other Wildlife Species)	poacher, kill, south, horn, africa, lion, poach, eat, elephant, park	poacher, south, kill, horn, africa	“Poachers killed more than 190 rhinos in Assam between 2000 and 2021 but none was killed last year, according to data shared”
Topic 6 (Horn/ Ivory Trade)	horn, trade, ivory, elephant, save, south, africa, ban, stop, china	horn, trade, elephant, save, ivory	“Legal rhino horn and ivory trade should benefit Africa, says Swaziland government - The Guardian https://t.co/r170fxW0ER ”
Topic 7 (Last White Male Northern Rhino Extinction)	white, last, male, world, sudan, die, extinction, leave, photo, say	white, last, male, world, sudan	“ With the passing away of the last male northern white rhino there are now just two female northern white rhino alive”
Topic 8 (Horn Stealing/ Veterinarian)	horn, save, life, try, hunter, steal, cry, time, veterinarian, man	horn, save, life, cry, try	“Rhino cries while veterinarians try to save its life after hunters steal its horn ... I feel sick inside.”
Topic 9 (Baby/ Calf/ Orphan Rhinos)	baby, zoo, calf, black, white, mother, bear, orphan, poacher, park	baby, zoo, calf, black, white	“During their visit, the King and Queen announced the name of a southern white rhino calf born at Colchester Zoo”

Table 6: BTM Topic Modeling on Tweets - NOUN, PROPN, VERB, ADJ

Dominant Topics	Top 10 Related Words	Top 5 Frequent Words	Example Tweet
Topic 1 (Elephants/Wildlife conservation)	elephant, poach, africa, protect, ranger, endanger, south, conservation, wildlife, news	africa, elephant, south, poacher, wildlife	"Human-wildlife conflicts are common across Africa as human populations grow and compete with nature for space. In 2021, due to the deployment of 37 rangers under the @biglifeafrica no rhino or elephant poaching incidents were reported. https://t.co/daFB8j3tja https://t.co/rYv9NxAbjZ "
Topic 2 (Sudan Rhinos/ Botswana Rhinos/ Poaching)	poacher, sudan, work, mother, ht, look, san, rate, protection, botswana	poacher, sudan, world, mother, today	"The last male northern white rhino on Earth! Please support the rangers who protect Sudan from poachers. https://t.co/66ir4LT3uv "
Topic 3 (Hunting)	hour, hunter, help, male, texas, shoot, follow, knowlton, jonathan, sign	help, sign, petition, male, hunter	"No one knows, cares; loves wildlife more than a hunter." Riiiiight Corey Knowlton Black Rhino??? #Trophy-HuntingLies http://t.co/CHF3lyvr1K
Topic 4 (Medicinal Purpose/ Tiger)	year, htt, place, jones, post, medicine, tiger, hand, stop, end	year, horn, tiger, end, india	"Sadly different places actually believe in odd things like this, it's embedded in their culture and their ancestry. Just like how Rhinos are still being hunted for their horns used in Chinese medicine."
Topic 5 (Guards/ National Parks)	guard, day, park, month, national, man, face, word, pembient, die	park, day, national, guard, poacher	"In India all the rhinos are protected in sanctuaries where there are 24x7 patrol guards and range officers, it's not hard to come across this"
Topic 6 (Others 1)	world, save, orphan, hope, kenya, people, enjoy, tweets, time, camera	world, horn, life, time, cry	"Camera Trap Tuesday Black Rhino Look who popped up on our camera traps! One of our inquisitive black rhino orphans."
Topic 7 (Calf/ Loneliness Struggle/ Others)	baby, loneliness, calf, white, week, today, zoo, video, share, name	zoo, baby, calf, bear, white	"A Rhino Calf's Prayer, by YvdM http://t.co/vfOBx6i5Ad . Capturing the devastation, terror and loneliness an orphaned baby rhino may feel."
Topic 8 (Horny/ Ivory Trade)	horn, hunt, ivory, trade, victim, ban, vietnam, police, d***, sale	horn, trade, ivory, hunt, ban	"Legal rhino horn and ivory trade should benefit Africa, says Swaziland government - The Guardian https://t.co/r170fxW0ER "
Topic 9 (Extinction)	shame, extinction, picture, photo, head, kruger, rh, attack, print, rip	extinction, photo, goodbye, moment, man	"countdown to extinction: only 6 northern white rhinos left on earth. shame on you, human race. http://t.co/DyizbYEoi "

Table 7: LDA Topic Modeling on Tweets - NOUN, PROP

Dominant Topics	Top 10 Related Words	Top 5 Frequent Words	Example Tweet
Topic 1 (World Rhino day/ Conservation)	world, horn, day, elephant, conservation, save, hunt, africa, endanger, wildlife	world, day, horn, save, conservation	""Anti-Rhino poaching activist, Wayne Bolton's, cycling adventure is almost complete. His journey is expected to end on World Rhino Day on the 22nd of September" #WorldRhinoDay #RhinoConservation https://t.co/I4Dbv5nm7o "
Topic 2 (Poachers/ Wildlife news)	poacher, work, hope, wildlife, news, kenya, people, follow, horn, elephant	work, hope, poacher, kenya, wildlife	"It's too late. There are 5 of these particular rhinos left anywhere, and they're not interested in mating. I hope all poachers rot in hell."
Topic 3 (Last Northern White Rhino/ Others)	year, end, age, ice, survive, era, poacher, meteor, sudan, str	year, end, age, guard, sudan	"The end of an era.. The northern white rhino which survived 55 million years and saw ice ages, earthquakes, meteor strikes and was testament to innumerable historical changes on the planet could not survive humans."
Topic 4 (Baby Rhinos/ Last Northern White Rhino and Photos)	horn, poacher, baby, photo, mother, extinction, wildlife, world, assam, park	photo, extinction, horn, baby, goodbye	"Saying goodbye to a species, the very last male Northern White Rhino. A powerful photo of 2018. https://t.co/QynOebPIVd "
Topic 5 (Elephant/ Wildlife Conservation)	elephant, horn, wildlife, poach, city, africa, conservation, drone, trade, day	elephant, horn, poach, wildlife, drone	"Support this anti-poaching campaign and help save #elephants and #rhinos! #conservationbiology https://t.co/yswspeh6yM "
Topic 6 (Horn Stealing/ Veterinarian)	horn, life, man, hunter, steal, cry, time, veterinarian, tiger, f***	horn, life, man, hunter, steal	"For ISU veterinarian and vet students, an endangered black rhinos pregnancy is a (very) big deal - https://t.co/k3LTxSqzIN "
Topic 7 (Baby/Calf Rhinos)	zoo, baby, calf, world, park, bear, sudan, day, sumatran, white	zoo, world, baby, calf, sudan	"During their visit, the King and Queen announced the name of a southern white rhino calf born at Colchester Zoo"
Topic 8 (Poachers/South Africa)	poacher, africa, south, horn, lion, poach, arrest, park, elephant, reserve	poacher, africa, south, horn, poach	"\$25 billion offered to South Africa to crack down on Rhino poachers (Natives starving forced to poach to feed villages)"
Topic 9 (Horn/ Ivory Trade)	horn, trade, elephant, ivory, ban, africa, wildlife, hunt, sign, trophy	horn, trade, elephant, hunt, ivory	"Legal rhino horn and ivory trade should benefit Africa, says Swaziland government - The Guardian https://t.co/r170fxW0ER "

Table 8: BTM Topic Modeling on Tweets - NOUN, PROPEN




Figure 18: Year-wise Frequency of Tweets for each Topic found through LDA Model (NOUN, PROP, VERB, ADJ)




Figure 19: Year-wise Frequency of Tweets for each Topic found through BTM Model (NOUN, PROP, VERB, ADJ)

4.2.3 Topic Modeling on User Bios

Topic modeling on user bios can reveal shared themes and interests from user profiles, providing insights into user characteristics and affinities. This information is versatile and applicable for community analysis. Specifically, only user bios associated with users in the scraped dataset are considered for this process. This selective approach aims to exclude users who did not tweet about

animal rhinos, ensuring a focused exploration of topics related to the target subject matter. During preprocessing, common words like 'love', 'like', or 'fan' etc., and anonymous words like 'rt' or 'dm' etc. are removed from the user bios.

Although there are approximately 2.12 million unique users who have tweeted about rhinos, data on the bios of only around 288k unique users who tweeted about rhinos is available.

4.2.3.1 Baseline Approach: Similar to topic modeling on tweets, K-means clustering is employed as the baseline model for user bios. The baseline approach considers only Nouns and Proper Nouns in user bios. Feature extraction is performed using TF-IDF with a feature dimensionality of 50, encompassing only unigrams.

The evaluation of the K-means clustering method within this baseline framework involves a systematic investigation of cluster numbers ranging from 3 to 7. A particular emphasis is placed on assessing cluster quality using silhouette scores. The highest silhouette score achieved is approximately 0.37, observed when considering only Nouns and Proper Nouns and utilizing 7 clusters.

All the clusters did not provide significant insights into users' occupations, such as whether they are conversationalists or journalists etc. This limitation may arise from the fact that not all users specify their occupations in their bios; instead, many users include their hobbies.

Figure 20 displays word clouds representing sample clusters. In Figure 20(a), it can be observed that user bios in this cluster are predominantly grouped based on the term 'animal.' Conversely, in Figure 20(b), user bios in this cluster are primarily grouped based on the term 'thing,' which does not provide meaningful insights into the users.

The clusters generated by k-means lack distinctiveness and fail to provide comprehensive descriptions of users.

4.2.3.2 Major Approaches: Similar to TM on Tweets, LDA and BTM models are used for TM on user Bios. Each of the model is been modeled in two ways

1. Considering only Nouns (NOUN) and Proper Nouns (PROPN)
2. Considering only Nouns (NOUN), Proper Nouns (PROPN), and Verbs (VERB)

The first approach, focusing solely on Nouns and Proper Nouns, is designed to identify and extract essential primary entities. This method can provide valuable insights into user attributes such as occupation and key terms associated with their bios.


Whereas, the second approach, which includes Verbs in addition to Nouns and Proper Nouns, offers a more comprehensive understanding of user bios. Verbs have the capacity to reveal actions, interests, and activities associated with users, thereby enriching the topics with dynamic elements related to user behavior.

By employing both approaches, the topic modeling process gains versatility. This dual methodology allows for a nuanced exploration of user characteristics and interests encapsulated in bios, offering a more thorough and detailed representation of the diverse facets of user profiles.

Both models were modeled to uncover six topics. Leveraging LDA, we experimented with topic counts ranging from 3 to 10. The final choice of six topics was determined by selecting the number of topics that yielded the highest coherence score. Table 13 depicts the result of quantitative analysis for topic modeling on User Bios with LDA and BTM. It is observed that the BTM model quantitatively outperforms the LDA with respect UMass Coherence measures.

Tables 11 and 12 present the topics identified by considering Nouns, Proper Nouns, and Verbs for LDA and BTM respectively. Meanwhile, Tables 9 and 10 showcase the topics identified by considering Nouns and Proper Nouns for LDA and BTM respectively. Most of the topics identified by LDA and BTM exhibit similarity. Qualitatively, considering only Nouns and Proper Nouns yields more satisfactory results compared to the inclusion of Verbs. The top-related words tend to be populated with common verbs, including unwanted ones such as 'have,' 'do,' 'get,' etc. This presence

of generic verbs may contribute to the observed improvement in coherence scores. BTM is slightly to provide better dominant topics like Information Providers/ Journalist, Writers, Conversation/ Environment Enthusiast compared to LDA (Table 10).



(a)



(b)

Figure 20: Word clouds of sample clusters from Topic Modeling on User Bios with number of clusters as seven.

Dominant Topics	Top 10 Related Words	Top 5 Frequent Words	Example User Bio
Topic 1 (Tweeters/ Others)	thing, time, account, tweet, twitter, opinion, endorsement, view, way	thing, time, account, tweet, twitter	“Lightly following all things Royal. Retweets are not endorsements”
Topic 2 (Political Enthusiast/Veteran)	god, FOR-MER_US_PRESIDENT, man, maga, family, country, truth, patriot, peace, president	god, man, FOR-MER_US_PRESIDENT, maga, family	“I love God, Country our Constitution, Bill of Rights, Liberal turned Conservative. I voted for FOR-MER_US_PRESIDENT and I will vote for FORMER_US_PRESIDENT again”
Topic 3 (Family-Centric/ Sports Enthusiast)	father, husband, dad, football, music, jesus, rugby, cricket, player, coach	father, husband, football, dad, music	“Husband, father, brother, coach, politically independent, self-employed, cursed Cincinnati sports fan, environment wacko, in that order.”
Topic 4 (Media, News or Business Professional/ Organization)	news, world, business, medium, story, editor, journalist, community, director, founder.	news, world, business, medium, africa	“Former Senior TV News Journalist at SABC. Deputy News Editor and Head of Politics at You FM”
Topic 5 (Others)	writer, game, video, stuff, student, day, engineer, nft, enthusiast, designer	writer, game, nft, enthusiast, day	“Libertarian, Philosopher, Poet, Writer, Gamer, Native Arizonan; Strength of will means letting the waves crash upon you while being unchanged”
Topic 6 (Family-Centric/ Animal Lovers)	animal, music, people, dog, mom, cat, wife, nature, book, mother	animal, music, nature, people, dog	“Animal lover, animal advocate, wildlife enthusiast”

Table 9: LDA Topic Modeling on User Bio - NOUN, PROPN

Dominant Topics	Top 10 Related Words	Top 5 Frequent Words	Example User Bio
Topic 1 (Others)	animal, music, nature, science, history, world, family, politic, dog, view	animal, music, nature, science, history	"I love most music, all Elvis Presley, all animals, avid Reader, Science, History, football, hockey, am supporter of our military & Troops. Devoted to God"
Topic 2 (Conservationist / Information provider/ Journalist)	news, travel, world, africa, business, medium, conservation, view, twitter, journalist	news, world, travel, business, africa	"Wildlife Conservation Society (East Africa), follow me for news on African, Asian and Marine conservation, plus wildlife updates from the field, views my own."
Topic 3 (Political Enthusiast/ Animal Lovers/ theist)	animal, god, right, FORMER_US.PRESIDENT, people, maga, world, truth, country, family	animal, god, people, right, world	"CA girl. Loves God, All animals and FORMER_US.PRESIDENT"
Topic 4 (Family-Centric/ Pet Lovers)	dog, mom, music, animal, cat, wife, time, writer, husband, family	dog, mom, animal, wife, music	"Family girl. My Passions are my family, Pets & Travel"
Topic 5 (Writers/Entertainment Pursuits)	writer, game, music, book, nsfw, thing, account, stuff, video, movie	thing, writer, game, music, account	"British Asian. She/They. Writer, gamer. Clarion West 2012 grad"
Topic 6 (Animal Lovers/ Others)	animal, member, writer, music, right, science, dog, mom, nature, teacher	animal, member, writer, teacher, music	"Retired teacher, gardener, animal lover, environmentalist"

Table 10: BTM Topic Modeling on User Bio - NOUN, PROPN

Dominant Topics	Top 10 Related Words	Top 5 Frequent Words	Example User Bio
Topic 1 (Others)	make, thing, time, have, world, do, live, travel, day, get	make, world, thing, have, time	"there are only two things i love in this world: everybody and television."
Topic 2 (Entertainment Pursuits)	music, game, book, enthusiast, movie, video, rugby, gamer, nerd, ig	music, game, book, enthusiast, movie	"HUGE Dallas Cowboys Fan; MASSIVE Supporter of NHS; Love Diversity & Culture; Food & Music; HUGE Gamer Supporter (JazzyFaux) TOGETHER we can CONQUER the World"
Topic 3 (Political Enthusiast/Family-Centric/Animal Lovers)	animal, FORMER_US.PRESIDENT, maga, dog, mom, family, wife, country, god, mother	animal, dog, right, mom, cat	"Denali Alaska 2015 Antarctica 2013 advocate Intellectual disabled US Civil war, US/Australian politics, love animals Anti FORMER_US.PRESIDENT living in Wodi Wodi land"
Topic 4(Media/ Information Providers/ Journalist)	writer, author, medium, director, editor, journalist, manager, creator, photographer, consultant	writer, author, africa, medium, photographer	"progressive, writer, journalist, editor, educator. Interests: History, politics, psychology, mythology, ethics."
Topic 5 (News Providers/ Others)	news, account, twitter, follow, business, nft, community, science, post, use	news, account, follow, twitter, world	"All latest local News, statistics, match updates ,opinion, and many more."
Topic 6(Family-Centric / theist)	father, god, husband, view, child, dad, jesus, endorsement, state, university	view, father, husband, god, endorsement	"Husband,Father, Conservative God fearing Patriot!"

Table 11: LDA Topic Modeling on User Bio - NOUN, PROPN, VERB

Dominant Topics	Top 10 Related Words	Top 5 Frequent Words	Example User Bio
Topic 1 (Information Providers/ Journalist)	news, medium, endorsement, view, world, business, twitter, writer, journalist, tweet	news, view, tweet, endorsement, twitter	"Egyptian Blogger / Journalist / Photographer. Just another talkative Egyptian RT is not Endorsement. My views do not represent my employer"
Topic 2 (Political Enthusiast/ Animal Lovers/ theist)	god, animal, FORMER_US_PRESIDENT, maga, family, country, man, father, music, time	god, FORMER_US_PRESIDENT, animal, time, maga	"Former County Chairman (retired), county manager, business owner. Conservative Christian, President FORMER_US_PRESIDENT #MAGA"
Topic 3 (Others)	travel, music, africa, news, world, tour, business, book, photographer, food	travel, music, africa, world, photographer	"Human, woman, US citizen with Constitutional Rights, world traveler, environmental & humanitarian volunteer"
Topic 4 (Family- Centric/ Animal Lovers)	animal, mom, dog, cat, music, wife, mother, right, blm, democrat	animal, mom, dog, cat, wife	"caring, kind, helpful, good sense of humor. Dog mom to Riley Australian Terrier who is very demanding. Lover of all animals."
Topic 5 (Writers/Entertainment Pursuits)	writer, game, music, nsfw, thing, book, account, stuff, enthusiast, video	game, thing, account, writer, nsfw	"Writer/story editor Documentary tv/ GS & IMAX, Strategic Communications/Marketing Content Creator/ Neurodivergent"
Topic 6 (Conservation/ Environment Enthusiast)	animal, science, nature, conservation, right, world, climate, people, health, environment	animal, nature, world, science, conservation	"Forester, Conservationists, Wildlifer, Climate Advocate, Traveler, Volunteer, Event Organizer, Team Work, NPU Ambassador, National Coordinator"

Table 12: BTM Topic Modeling on User Bio - NOUN, PROPON

Model (POS Tags)	UMass			CV		
	5	10	20	5	10	20
LDA (NOUN, PROPON)	-3.4086	-3.9009	-4.6429	0.6291	0.5395	0.4023
LDA (NOUN, PROPON, VERB)	-3.2527	-3.8306	-4.2100	0.6490	0.5399	0.4485
BTM (NOUN, PROPON)	-3.2924	-3.6045	-3.9943	0.6190	0.5117	0.4060
BTM (NOUN, PROPON, VERB)	-3.1432	-3.6032	-3.9846	0.6329	0.5349	0.4432

Table 13: Topic Coherence Scores considering topn = 5, 10, 20 words per topic for User Bios.

4.3 Additional Analysis

4.3.1 Sentiment Analysis of Example Tweets Per Topic:

Tables 14 and 15 present the sentiment of example tweets as predicted by the Twitter-roBERTa-base model under each topic identified by LDA and BTM:

Topics	Example Tweet	Predicted Sentiment
Topic 1 (Last White Male Northern Rhino Extinction)	“With the passing away of the last male northern white rhino, there are now just two female northern white rhinos alive”	NEUTRAL
Topic 2 (Trophy hunting/ Elephants)	“Black Rhino Extinct? Texas Hunter Corey Knowlton Pays \$350k To Kill A Rhino And Save The Species http://t.co/S2DFE39FKA #BanTrophyHunting”	NEURTAL
Topic 3 (Horn/ Ivory Trading)	“Legal rhino horn and ivory trade should benefit Africa, says Swaziland government - The Guardian https://t.co/r170fxW0ER ”	NEUTRAL
Topic 4 (Loneliness Struggle/ Sumatran Rhino)	“Rhino at risk of an early death due to loneliness and isolation at #Lahore Zoo! Please do something to save him”	NEGATIVE
Topic 5 (Endangered or Orphan Rhinos/ News)	“This baby orphan Black Rhino is an endangered species and needs your help. #phinda #ProtectThePlanet”	NEGATIVE
Topic 6 (Poachers/ National Park)	“KRUGER NATIONAL PARK RHINO POACHER IN COURT It is alleged that Kipampa is part of a syndicate involved with poaching in the Kruger National Park. Full story: https://t.co/B79FgEDtPg #TzaneenVoice”	NEGATIVE
Topic 7 (Black African Rhino Extinction)	“The West African Black Rhino has been officially declared extinct. It was hunted for its horn. Shame on our species.”	NEGATIVE
Topic 8 (Rhino Conservation/ Texas Hunting)	“Your show on the rhino hunt was irresponsible and inaccurate! #KillingIsNOT-Conservation! #SHAME! https://t.co/SKL1nsVdzf ”	NEGATIVE
Topic 9 (Poaching/ Anti-poaching)	“In 2022, South Africa’s anti-poaching efforts led to a decline in #rhino poaching numbers.”	NEGATIVE

Table 14: Sentiment Analysis of Tweets Under Each Topic Provided by LDA

Topics	Example Tweet	Predicted Sentiment
Topic 1 (Wildlife Poaching/ Conservation/ World Rhino Day)	“Today is World Rhino Day! Poaching is devastating Rhino populations in Africa and Asia. Let’s help save these amazing creature”	NEUTRAL
Topic 2 (Other Wildlife Species)	“Nepal has made progress in recent years to conserve its charismatic mammals like tigers and rhinos, but similar attention now needs to be paid to orchid conservation. Otherwise, we may soon find that these flowers will only exist in pictures. https://t.co/vNt4I2YZnJ ”	NEUTRAL
Topic 3 (Black African Rhino Extinction)	“The West African Black Rhino has been officially declared extinct. It was hunted for its horn. Shame on our species.”	NEGATIVE
Topic 4 (Rhino Horn - Medicine)	“We’re getting into ”rhino horn medicine” territory.”	NEUTRAL
Topic 5 (Rhino Killing/ Poachers/ Other Wildlife Species)	“Poachers killed more than 190 rhinos in Assam between 2000 and 2021 but none was killed last year, according to data shared”	NEGATIVE
Topic 6 (Horn/ Ivory Trade)	“Legal rhino horn and ivory trade should benefit Africa, says Swaziland government - The Guardian https://t.co/r170fxW0ER ”	NEUTRAL
Topic 7 (Last White Male Northern Rhino Extinction)	“With the passing away of the last male northern white rhino there are now just two female northern white rhino alive”	NEUTRAL
Topic 8 (Horn Stealing/ Veterinarian)	“Rhino cries while veterinarians try to save its life after hunters steal its horn ... I feel sick inside.”	NEGATIVE
Topic 9 (Baby/ Calf/ Orphan Rhinos)	“During their visit, the King and Queen announced the name of a southern white rhino calf born at Colchester Zoo”	NEUTRAL

Table 15: Sentiment Analysis of Tweets Under Each Topic Provided by BTM

4.3.2 Tweet Distribution Per Topic For Both LDA and BTM:

Figures 21, 22 present the tweet distribution for each topic generated by LDA whereas Figures 23, 24 depict the same for each topic generated by BTM. These histograms show the count of POSITIVE, NEGATIVE and NEUTRAL tweets under each topic given by LDA and BTM.

LDA: Tweets are majorly NEGATIVE under topics "Horn/Ivory Trading", "Poachers/National Park" and "Poaching/Anti-poaching"; POSITIVE under the topics "Loneliness Struggle/Sumatran Rhino" and "Rhino Conservation/Texas Hunting"; evenly distributed under the topics "Last White Male Northern Rhino Extinction" and "Trophy Hunting/Elephants".

BTM: Tweets are majorly NEGATIVE under topics "Black African Rhino Extinction", "Rhino Killing/Poacher/Other Wildlife Species", "Horn/Ivory Trade" and "Horn Stealing/Veterinarian"; POSITIVE under the topics "Wildlife Poaching/ Conservation/ World Rhino Day" and "Other Wildlife Species"; evenly distributed under the topics "Last White Male Northern Rhino Extinction" and "Rhino Horn - Medicine".




Figure 21: Tweet Distribution Under Each Topic Given By LDA






Figure 22: Tweet Distribution Under Each Topic Given By LDA









Figure 23: Tweet Distribution Under Each Topic Given By BTM




Figure 24: Tweet Distribution Under Each Topic Given By BTM

4.3.3 Topic Modeling on Tweets - Users with 10 or Fewer Tweets

Exploring topics from users with fewer tweets allows for a deeper understanding of how novice or less active users engage with and contribute to discussions on Rhinos. This exploration is crucial for tailoring outreach strategies to effectively reach and engage this specific user segment.

As illustrated in Figure 6, 97% of the users have tweeted less than or equal to 10 times, contributing to only 47% of all tweets, which amounts to approximately 3.3 million tweets. BTM is been employed considering Nouns, Proper Nouns, Verbs and Adjectives to identify the topics. The number of topics to be identified by BTM is set to six. The quantitative result analysis of the model is shown in Table 16. The identified topics are presented in Table 17. Most of the tweets by these users revolve around specific events, such as 'Last White Male Rhino Extinction,' 'Black African Rhino Extinction,' and 'Horn Stealing/Veterinarian.' In comparison, there are fewer tweets discussing rhinos and their conservation in a more general context.




Figure 25: Year-wise Frequency of Tweets for Topic Modeling on Tweets - Users with 10 or Fewer Tweets (BTM Model - NOUN, PROPN, VERB, ADJ)

Figure 25 depicts the year-wise distribution of tweets for these specific topics. Notably, topics like 'Last White Male Rhino Extinction,' 'Black African Rhino Extinction,' and 'Horn Stealing/Veterinarian' exhibit similar patterns to those shown in Figure 19.

Model (POS Tags)	UMass			CV		
	5	10	20	5	10	20
BTM (NOUN, PROPN, VERB, ADJ)	-2.1118	-2.5463	-3.7297	0.6783	0.5991	0.3950

Table 16: Topic Coherence Scores considering $\text{topn} = 5, 10, 20$ words per topic for Tweets - Users with 10 or Fewer Tweets

Dominant Topics	Top 10 Related Words	Top 5 Frequent Words	Example Tweet
Topic 1 (Wildlife Conservation)	save, have, white, help, elephant, tiger, day, world, live, make	save, help, white, have, day	"Save our tigers, our pride. Otherwise our future generation will address the Tiger in the same way as today we are addressing the Tapanauli Orungutan, Northern White Rhino and many more."
Topic 2 (Wildlife Poaching)	poacher, south, kill, lion, africa, elephant, poach, eat, african, reserve	poacher, south, kill, africa, lion	"There is a lot wrong with the anti poaching scene in general. One of the most hardcore units i worked for, who have never ever lost a rhino in their area, are absolutely brilliant elephant poachers themselves and make millions doing it."
Topic 3 (Last White Male Northern Rhino Extinction)	white, last, northern, male, sudan, world, die, extinction, earth, leave	white, last, northern, male, world	"The last male Northern White Rhino died yesterday. The species has existed for at least 55 million years and survived"
Topic 4 (Horn Stealing/ Veterinarian)	horn, save, try, life, hunter, steal, cry, veterinarian, come, time	save, horn, life, cry, try	"Rhino cries while veterinarians try to save its life after hunters steal its horn ... I feel sick inside."
Topic 5 (Horn/ Ivory Trade/ Medicinal Purpose)	horn, f***, trade, poacher, kill, medicine, china, make, ivory, mother	horn, poacher, trade, kill, f***	"Legal rhino horn and ivory trade should benefit Africa, says Swaziland government - The Guardian https://t.co/r170fxW0ER "
Topic 6 (Black African Rhino Extinction/ Baby/ Calf Rhinos)	black, zoo, baby, horn, extinct, calf, white, park, african, first	black, baby, zoo, extinct, white	"I'm sorry to tell you its too late. The black African rhino has been declared #extinct #extinctionisnow #Extinction-IsForever"

Table 17: BTM Topic Modeling on Tweets: Users with 10 or Fewer Tweets - NOUN, PROP, VERB, ADJ

5 Conclusion

In conclusion, the exploratory data analysis conducted on rhino-related tweets unveiled notable trends. The volume of such tweets exhibited a comparative increase from 2014 to 2019, reaching a peak in 2018. Poaching and Rhino horn-related discussions emerged as prominent themes within these conversations. Hashtag analysis further underscored the prevalence of conservation-related tags, indicating a significant focus on efforts to protect rhinos. Additionally, the co-occurrence of hashtags with other animal-related terms suggests a broader context of wildlife conservation discussions on the platform.

Our current sentiment analysis approach, based on a voting method, falls short of our expectations. To enhance the data annotation process, we are considering two potential improvements: one is employing models that have been pretrained on Twitter data for voting method, and the other involves exploring the option of manual labeling. The results we have obtained so far do not provide a clear indication of the effectiveness of relying on pretrained NLP tools for assessing the sentiment of tweets in conservation-related discussions.

Our approach to topic modeling, focusing on retaining words associated with specific tags, proved effective in enhancing the informativeness of topics in both Tweets and User Bios. The quantitative analysis revealed that BTM outperformed LDA in coherence scores for both Tweets and User Bios. Qualitative analysis further highlighted similarities in identified topics between LDA and BTM, yet each model presented distinct dominant topics, offering valuable insights. This combined quantitative and qualitative evaluation underscores the effectiveness of BTM in extracting meaningful and coherent topics from text data.

The topic modeling analysis revealed a dual nature of discussions on rhinos, encompassing both general themes such as 'Poaching' and 'Horn/Ivory Trade', as well as event-specific topics like the 'Last White Male Northern Rhino Extinction' and 'Horn Stealing/Veterinarian.' Notably, a substantial proportion of tweets were event-based, with the extinction of the Last White Male Northern Rhino in 2018 emerging as the most trending topic in the context of rhinos.

Remarkably, a small fraction of users, constituting only 3% contributed significantly and were responsible for 53% of the overall tweets. Conversely, approximately 97% of users engaging in rhino-related discussions were infrequent tweeters, posting ten or fewer tweets. These infrequent users predominantly shared retweets, and their tweets were predominantly event-specific. This distribution sheds light on the concentration of engagement within a minority of active users, with the majority participating in the discourse around specific events. Also, There is been a significant drop in tweets after 2019 related to rhinos.

Despite the limited dataset comprising user bios of approximately 13.5% of total unique users, the topic modeling analysis on user bios has provided insights into the diverse backgrounds of individuals engaging in discussions about rhinos on social media. Among those identified, the user categories encompass animal lovers, journalists, writers, conservationists, political enthusiasts, and so on.

Overall, this multifaceted analysis contributes to a richer comprehension of the online narrative surrounding rhinos, emphasizing the importance of considering temporal trends, key themes, and user engagement patterns. These findings not only inform our understanding of public interest in rhino conservation but also offer valuable insights for conservation organizations and policymakers seeking to leverage online platforms for effective outreach and awareness.

5.1 Limitations

The limitations of this work could include,

1. Despite preprocessing the data, certain unwanted characters/words such as 'htt' and 'ht' etc. are still present and observable in the Topic Modeling results.
2. Topic Modeling on User Bios is performed with limited data (around 13.5% of the actual number of users).
3. The method used for annotating data for sentiment analysis is not reliable.

4. Cross-analysis couldn't be carried out due to limitations with Sentiment Analysis and the limited availability of User Bios.

5.2 Possible extensions

Some of the Future scope of this work could include,

1. Implementing stricter data scraping techniques by considering the exclusion of scrap words.
2. Exploring more or different preprocessing techniques for improved data preparation.
3. Enhancing topic modeling, especially on user bios when considering verbs, by eliminating common verbs.
4. Conducting topic modeling on both users and tweets with a higher number of topics and tuning hyperparameters.
5. Obtaining more particular topics in context with the initial one, topic modeling can be done within the tweets that correspond to a topic on the initial modeling.
6. Performing topic modeling on tweets based on a specific type or category of users.
7. Using models specifically pretrained using twitter data for voting method.
8. Fine-tuning the roBERTa model using the given dataset for Sentiment Analysis.

References

- [1] C Margules and MB Usher. "Criteria used in assessing wildlife conservation potential: a review". In: *Biological conservation* 21.2 (1981), pp. 79–109.
- [2] David M Blei, Andrew Y Ng, and Michael I Jordan. "Latent dirichlet allocation". In: *Journal of machine Learning research* 3.Jan (2003), pp. 993–1022.
- [3] J Donald Hughes. "Europe as consumer of exotic biodiversity: Greek and Roman times". In: *Landscape Research* 28.1 (2003), pp. 21–31.
- [4] Daniel Stiles. "The ivory trade and elephant conservation". In: *Environmental Conservation* 31.4 (2004), pp. 309–321.
- [5] TRAFFIC. "What's Driving the Wildlife Trade? A Review of Expert Opinion on Economic and Social Drivers of the Wildlife Trade and Trade Control Efforts in Cambodia, Indonesia, Lao PDR and Vietnam". In: *East Asia and Pacific Region Sustainable Development Discussion Papers. East Asia and Pacific Region Sustainable Development Department, World Bank, Washington, DC.* (2008).
- [6] Rudy Prabowo and Mike Thelwall. "Sentiment analysis: A combined approach". In: *Journal of Informetrics* 3.2 (2009), pp. 143–157.
- [7] Gail Emilia Rosen and Katherine F Smith. "Summarizing the evidence on the international trade in illegal wildlife". In: *EcoHealth* 7 (2010), pp. 24–32.
- [8] R Development Core Team. "R: A language and environment for statistical computing". In: (*No Title*) (2010).
- [9] Tom Milliken and Jo Shaw. "The South Africa-Viet Nam rhino horn nexus". In: (2012).
- [10] Gregg Mitman. *Reel nature: America's romance with wildlife on film*. University of Washington Press, 2012.
- [11] Julie Ayling. "What sustains wildlife crime? Rhino horn trading and the resilience of criminal networks". In: *Journal of International Wildlife Law & Policy* 16.1 (2013), pp. 57–80.
- [12] Bram Büscher and Jim Igoe. "'Prosuming' conservation? Web 2.0, nature and the intensification of value-producing labour in late capitalism". In: *Journal of Consumer Culture* 13.3 (2013), pp. 283–305.
- [13] Gwynn Guilford. "Why does a rhino horn cost \$300,000? Because Vietnam thinks it cures cancer and hangovers". In: *The Atlantic* 15 (2013). URL: <http://www.theatlantic.com/business/archive/2013/05/why-does-a-rhinohorn-cost-300-000-because-vietnam-thinks-it-cures-cancer-and-hangovers/275881/>.
- [14] Saif M Mohammad and Peter D Turney. "Nrc emotion lexicon". In: *National Research Council, Canada* 2 (2013), p. 234.
- [15] Bret A Muter et al. "Australian and US news media portrayal of sharks and their conservation". In: *Conservation Biology* 27.1 (2013), pp. 187–196.
- [16] Xiaohui Yan et al. "A Biterm Topic Model for Short Texts". In: (2013), pp. 1445–1456. URL: <https://doi.org/10.1145/2488388.2488514>.
- [17] C. Hutto and Eric Gilbert. "VADER: A Parsimonious Rule-Based Model for Sentiment Analysis of Social Media Text". In: *Proceedings of the International AAAI Conference on Web and Social Media* 8.1 (May 2014), pp. 216–225. DOI: 10.1609/icwsm.v8i1.14550. URL: <https://ojs.aaai.org/index.php/ICWSM/article/view/14550>.
- [18] Fiona Martin and Mark Johnson. "More Efficient Topic Modelling Through a Noun Only Approach". In: (Dec. 2015). Ed. by Ben Hachey and Kellie Webster, pp. 111–115. URL: <https://aclanthology.org/U15-1013>.
- [19] Margreet Drijfhout et al. "Sentiment Analysis: ready for conservation". In: *Frontiers in Ecology and the Environment* 14.10 (2016), pp. 525–526.
- [20] Richard J Ladle et al. "Conservation culturomics". In: *Frontiers in Ecology and the Environment* 14.5 (2016), pp. 269–275.

- [21] Guillaume Lample et al. “Neural Architectures for Named Entity Recognition”. In: *Proceedings of the 2016 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*. Ed. by Kevin Knight, Ani Nenkova, and Owen Rambow. San Diego, California: Association for Computational Linguistics, June 2016, pp. 260–270. DOI: 10.18653/v1/N16-1030. URL: <https://aclanthology.org/N16-1030>.
- [22] Le TP Nghiem et al. “Analysis of the capacity of Google Trends to measure interest in conservation topics and the role of online news”. In: *PloS one* 11.3 (2016), e0152802.
- [23] Julia Silge and David Robinson. “tidytext: Text mining and analysis using tidy data principles in R”. In: *Journal of Open Source Software* 1.3 (2016), p. 37.
- [24] Maite Taboada. “Sentiment analysis: An overview from linguistics”. In: *Annual Review of Linguistics* 2 (2016), pp. 325–347.
- [25] V Dao Truong, Nam VH Dang, and C Michael Hall. “The marketplace management of illegal elixirs: illicit consumption of rhino horn”. In: *Consumption Markets & Culture* 19.4 (2016), pp. 353–369.
- [26] Daan P Van Uhm. *The illegal wildlife trade: Inside the world of poachers, smugglers and traders*. Vol. 15. Springer, 2016.
- [27] *World wildlife crime report*. Tech. rep. United Nations Office on Drugs and Crime (UNODC), 2016. URL: <http://www.unodc.org/unodc/en/data-and-analysis/wildlife.html>.
- [28] Roberta Hawkins and Jennifer J Silver. “From selfie to# sealfie: Nature 2.0 and the digital cultural politics of an internationally contested resource”. In: *Geoforum* 79 (2017), pp. 114–123.
- [29] Scott M Lundberg and Su-In Lee. “A Unified Approach to Interpreting Model Predictions”. In: *Advances in Neural Information Processing Systems* 30. Ed. by I. Guyon et al. Curran Associates, Inc., 2017, pp. 4765–4774. URL: <http://papers.nips.cc/paper/7062-a-unified-approach-to-interpreting-model-predictions.pdf>.
- [30] Chris R Shepherd et al. “Taking a stand against illegal wildlife trade: the Zimbabwean approach to pangolin conservation”. In: *Oryx* 51.2 (2017), pp. 280–285.
- [31] Lindall R Kidd et al. “Tweeting for their lives: Visibility of threatened species on twitter”. In: *Journal for Nature Conservation* 46 (2018), pp. 106–109.
- [32] EJ Milner-Gulland. “Documenting and tackling the illegal wildlife trade: change and continuity over 40 years”. In: *Oryx* 52.4 (2018), pp. 597–598.
- [33] Yinglin Wu et al. “Using social media to strengthen public awareness of wildlife conservation”. In: *Ocean & Coastal Management* 153 (2018), pp. 76–83.
- [34] Sandra Díaz et al. “Pervasive human-driven decline of life on Earth points to the need for transformative change”. In: *Science* 366.6471 (2019), eaax3100.
- [35] Michael ‘t Sas-Rolfes et al. “Illegal wildlife trade: Scale, processes, and governance”. In: *Annual Review of Environment and Resources* 44 (2019), pp. 201–228.
- [36] Tuuli Toivonen et al. “Social media data for conservation science: A methodological overview”. In: *Biological Conservation* 233 (2019), pp. 298–315.
- [37] Rania Albalawi, Tet Hin Yeap, and Morad Benyoucef. “Using Topic Modeling Methods for Short-Text Data: A Comparative Analysis”. In: *Frontiers in Artificial Intelligence* 3 (2020). ISSN: 2624-8212. DOI: 10.3389/frai.2020.00042. URL: <https://www.frontiersin.org/articles/10.3389/frai.2020.00042>.
- [38] Francesco Barbieri et al. “TweetEval: Unified Benchmark and Comparative Evaluation for Tweet Classification”. In: *Findings of the Association for Computational Linguistics: EMNLP 2020*. Online: Association for Computational Linguistics, Nov. 2020, pp. 1644–1650. DOI: 10.18653/v1/2020.findings-emnlp.148. URL: <https://aclanthology.org/2020.findings-emnlp.148>.
- [39] Anna Hausmann et al. “Understanding sentiment of national park visitors from social media data”. In: *People and Nature* 2.3 (2020), pp. 750–760.
- [40] Magdalena Lenda et al. “Effects of amusing memes on concern for unappealing species”. In: *Conservation Biology* 34.5 (2020), pp. 1200–1209.

- [41] Scott M. Lundberg et al. “From local explanations to global understanding with explainable AI for trees”. In: *Nature Machine Intelligence* 2.1 (2020), pp. 2522–5839.
- [42] K Roehrick. *vader: Valence Aware Dictionary and sEntiment Reasoner (VADER)*. 2020.
- [43] Ritwik Kulkarni and Enrico Di Minin. “Automated retrieval of information on threatened species from online sources using machine learning”. In: *Methods in Ecology and Evolution* 12.7 (2021), pp. 1226–1239.
- [44] Magdalena Lenda et al. “Misinformation, internet honey trading and beekeepers drive a plant invasion”. In: *Ecology Letters* 24.2 (2021), pp. 165–169.
- [45] Joy Rumbidzai Mangachena and Catherine Marina Pickering. “Implications of social media discourse for managing national parks in South Africa”. In: *Journal of Environmental Management* 285 (2021), p. 112159.
- [46] Jordanna N Bergman et al. “Evaluating the benefits and risks of social media for wildlife conservation”. In: *Facets* 7.1 (2022), pp. 360–397.
- [47] Niall L Hammond, Amy Dickman, and Duan Biggs. “Examining attention given to threats to elephant conservation on social media”. In: *Conservation Science and Practice* 4.10 (2022), e12785.
- [48] Jing Li et al. “A Survey on Deep Learning for Named Entity Recognition”. In: *IEEE Transactions on Knowledge and Data Engineering* 34.1 (Jan. 2022), pp. 50–70. DOI: 10.1109/tkde.2020.2981314. URL: <https://doi.org/10.1109%2Ftkde.2020.2981314>.
- [49] *African Rhino Numbers Are Increasing Despite Poaching*. Tech. rep. IUCN, 2023. URL: <https://www.iucn.org/press-release/202309/african-rhino-numbers-are-increasing-despite-poaching>.
- [50] *CITES Trade Database*. Tech. rep. CITES.ORG, 2023. URL: <https://trade.cites.org/>.
- [51] *CITES Trade Database surpasses 25 million trade transaction records*. Tech. rep. CITES.ORG, 2023. URL: https://cites.org/eng/news/cites_trade_database_surpasses_25_million_trade_transaction_records.
- [52] Yufang Gao et al. “Tracking Chinese newspaper coverage of elephant ivory through topic modeling”. In: *Conservation Biology* (2023).
- [53] *Rhino Poaching Stats*. Tech. rep. Save The Rhino, 2023. URL: <https://www.savetherhino.org/rhino-info/poaching-stats/>.
- [54] *TRAFFIC Illegal Wildlife Trade*. Tech. rep. TRAFFIC, Nov. 2023. URL: <https://www.traffic.org/about-us/illegal-wildlife-trade/>.
- [55] *UNODC Transnational Organized Crime*. Tech. rep. United Nations Office on Drugs and Crime, Nov. 2023. URL: <https://www.unodc.org/toc/en/crimes/organized-crime.html>.