3:Existing Project Coverage (IDP Login & Related Flows)

Purpose

To document the current scripts, flows, and Jenkins-enabled projects for IDP login performance testing. This ensures clarity on what is already automated, what's pending, and what requires maintenance.

1. IDP Login Flows

- **`idp-login` (PKCE Flow)**
  - Combination of CS (Client-Side) + API calls.
  - Captures session/cookies via CS.
  - Validates user lands on **Account Overview**.
  - Requires test data in CSV: `plan prefix`, `username`, `password`, `9-digit account number`.
  - Accounts must have **MFA disabled**.
  - **Jenkins Enabled**
  - **Throughput Formula:**

    Users/Sum of avg. response times across all stepsUsers / \text{Sum of avg. response times across all steps}
- **`idp-login-resources` (PKCE + Resources)**
  - CS + API calls + **static resources** (JS files).
  - Includes MFA calls (traffic only, not validation).
  - Validates user lands on **Account Overview**.
  - Random delays included.
  - Requires test data in CSV.
  - **Jenkins Enabled**
  - **Throughput Formula:**

    Users/Sum of avg. response times (Steps 4.3 9)Users / \text{Sum of avg. response times (Steps 4.3 9)}

2. Auth Server Flows

- **`auth-server`**
  - Client ID/Secret `/token`.
  - Optional: `/introspect`, `/userinfo`.
  - Pure API call–based.
  - **Jenkins Enabled**
- **`auth-server-delay`**
  - Same as above, but introduces random delays during execution.
  - Useful for simulating **staggered user behavior**.
  - **Jenkins Enabled**

3. Account Services

- **`up-get-aws-account-ms`**
  - Get access token GET root & member account.
  - Requires CSV test data (member UUID, plan UUID, 9-digit root number).
  - **Jenkins Enabled**
- **`up-enrollment-aws-account-ms`**
  - Get token POST enrollment.
  - Enrollment data randomized where possible.
  - Requires CSV input.
  - **Jenkins Enabled**
- **`up-enrollment-submission`**
  - UI page–based POST account flow.
  - **Currently broken – requires maintenance**
- **`up-post-withdrawal-ms`**
  - POST withdrawal (bank, flywire).
  - API service for non-PKCE plans.
  - Requires work to extend for PKCE plans.
  - **Jenkins Enabled**
- **`up-get-metadata-ms`**
  - Token metadata/plans/allocationfunds/fees.

    - Requires CSV data (member UUID, account number, school).
    - **Jenkins Enabled**
- **`up-get-metadata-cache-ms`**
    - Same as above but includes cache calls.
    - **Not currently enabled in Jenkins**

4. UI/Taurus Selenium Flows

- **Local Execution**
    - `Blazemeter-Login-Local` (Apiritif, hardcoded credentials).
    - `Blazemeter-Login-Local-PY` (Python, CSV-driven).
    - `Blazemeter-UE-Local` (Apiritif, enrollment flow).
    - `Blazemeter-UE-Local-PY` (Python, enrollment flow).
- **Selenium Grid Execution**
    - `Blazemeter-Login-Grid` (Apiritif, hardcoded credentials).
    - `Blazemeter-Login-Grid-PY` (Python, CSV-driven).
    - `Blazemeter-UE-Grid` (Apiritif, enrollment).
    - `Blazemeter-UE-Grid-PY` (Python, enrollment).

All UI flows report directly to **BlazeMeter** for centralized analysis.

5. Coverage Summary

- **Strong Coverage:** IDP login, Auth server, Account retrieval/enrollment, Metadata.
- **Partial Coverage:** UI enrollment (Grid + Local).
- **Pending Maintenance:**
    - Enrollment submission (UI).
    - Withdrawal API for PKCE plans.
    - Metadata-cache integration.

6. Best Practices for Coverage

1. **Track “Enabled vs Not Enabled”** in Jenkins to avoid confusion.
2. **Document CSV requirements** (each script has strict dependencies).
3. **Flag broken scripts** (like enrollment submission) and track JIRA tickets for fixes.
4. **Centralize flow naming** (consistent prefixes: `idp-*`, `auth-*`, `up-*`).
5. **Keep throughput formulas** documented alongside each flow.