


Installing Taurus Locally

Install Python 3+

1. [Download Link](#)
 - **Note: install Python 3.10.4 to avoid**
2. During installation (On Windows Machine), be sure to check "Add Python #version# to PATH"

- a. This allows pip (Pythons Package Manager) to work on cmd prompt



b.

Setup pip properly (Internal Package Repo)


1. Navigate to C:\Users\{YOURUSERNAME}\AppData\Roaming\pip
 - **Note: if folder doesn't exist create one**
2. Create a pip.ini file if none exists
 - **Note: From notepad++, Save as MS ini file type.**
3. Add the following to the pip.ini file

pip.ini

```
[global]
index-url = http://devpi.ascensus.com/buildservice/ascensus
trusted-host = devpi.ascensus.com
```


Install JAVA

1. Get the latest Java from <https://www.java.com/download/> and install it.
2. Update Environment Variable JAVA_HOME with <Path to jre bin folder>
 - Refer to below image (modify path according to your directory)




Install Microsoft C++ build tools

1. Open visual studio installer (Tools > Get Tools and Features)
2. Find your installation, click more > modify



3. Click Desktop development with C++



4. Install the new toolset

Install Taurus

1. While still being at C:\Users\{YOURUSERNAME}\AppData\Roaming\pip, run following command, pip install bzt

Make sure you get below line if not your pip.ini file is not setup correctly.

```
C:\Users\tdesai\AppData\Roaming\pip>pip install bzt
Looking in indexes: http://devpi.ascensus.com/buildservice/ascensus
Collecting bzt
```

if you receive an error for fuzzysset

```
ERROR: Failed building wheel for fuzzysset
Running setup.py clean for fuzzysset
Failed to build fuzzysset
Installing collected packages: fuzzysset, Cython, colorlog, astunparse, Appium-Python-Client, apiritif, bzt
Running setup.py install for fuzzysset ... error
```

1. pip install Cython
2. pip install bzt

If you receive an error for lxml

1. pip install lxml==4.9.0


Configure Taurus

1. Download latest Jmeter ZIP http://jmeter.apache.org/download_jmeter.cgi
2. Unzip file to a folder
3. Navigate C:\Users\{YOURUSERNAME}
4. Create or Open file named only .bzt-rc
5. Use sample from <https://github.com/Blazemeter/taurus/blob/master/bzt/resources/base-bzt-rc.yml>
6. Scroll down to jmeter settings and uncomment modules, jmeter, and path.

```
# JMeter settings
modules:
jmeter:
# properties: # JMeter properties for every JMeter run
#   prop_name: prop value
# system-properties: # Java system properties
#   sun.net.http.allowRestrictedHeaders: "true"
# memory-xmx: 4G # allow JMeter to use up to 4G of memory
path: C:\apache-jmeter-5.4.3\apache-jmeter-5.4.3 #\bin\jmeter # path to local jmeter installation
# version: 3.2 # version to use
# plugins: # plugins to install
# - jpqc-json=2.2
# - jmeter-ftp
# - jpqc-casutg
```


7. Point path to your installation of Jmeter. The path you put should have the bin folder as a direct child.
 - a. For instance, JMeter bin folder exists at C:\apache-jmeter-5.4.3\apache-jmeter-5.4.3\bin
 - i. path variable should be C:\apache-jmeter-5.4.3\apache-jmeter-5.4.3 as it is in above image
8. If you plan on using assert-jsonpath you'll need to complete the following:

- a. Install JMeter Plugin Manager: [How to Install the JMeter Plugins Manager | Blazemeter by Perforce](#)
- b. Open JMeter (<YourJMeterPath>/bin/ApacheJMeter.jar) and navigate to Options and select Plugins Manager




- i.
- c. Go to the Available Plugins tab

JMeter Plugins Manager



- i.
- d. Search for and install 'JSON/YAML Plugins (deprecated)'
- e. Then you should see this in the Installed Plugins tab

JMeter Plugins Manager




- i.
- f. If you run into issues with the above steps, just Unzip the following to your C drive and update your JMeter settings to point to this file. This zipped file contains the plug-in that is needed.


- i. [apache-jmeter-5.4.3.zip](#)

9. Update Environment Variable PATH and JMETER_HOME

- a. Update/Add system Environment Variable JMETER_HOME <Path to jmeter folder that contains bin folder>



- b.
- c. Update user Environment Variable PATH<Add jmeter bin folder path>



- d.

Run sample test

1. Create hello-world.yml

hello-world.yml

```
execution:
- concurrency: 1
  ramp-up: 1s
  hold-for: 30s
  scenario: quick-test

scenarios:
  quick-test:
    requests:
      - url: https://www.ascensus.com
```

2. Open command prompt in the same folder as the hello-world.yml
3. bzt hello-world.yml
 - a. Run below command if it throws an error like "ERROR: Can't fetch https://jmeter.apache.org/download_jmeter.cgi"
 - b. `bzt hello-world.yml -o modules.jmeter.path="C:\Users\larjaiswa\Desktop\Softwares\apache-jmeter-5.6.3\bin\jmeter.bat"`
4. Seeing some errors on failed to install updates is normal. This is happening because of our proxy. In Python windows, there isn't a great way to globally apply the cert. If anyone comes with a solution, update the document. Linux has a solution, where you can just update an environment variable.
5. If all goes well, you will see a screen that looks like below. Any issues please reach out to [Unknown User \(mchiciak\)](#)

