

Universal/IDP - Performance Coverage

Created performance scripts as of 06 Oct 2025

Improvements

Item	Scope	Timeline
Add client ID/Secret rotation to scripts	All scripts	TBD
Add PKCE token to withdrawal	All scripts	TBD

JMeter

*Most JMX files already have associated YAML files for execution through Taurus for Blazemeter reporting [Bullet list](#)

Service	Script Name	Flow	Notes/Comments	Jenkins Enabled	Data Setup	Throughput Formula
Auth Server	idp-login	PKCE	- Combination of CS/API calls - Utilize CS to capture session/cookies - Utilize API calls to fill in normal JS calls (which jmeter will not perform) - Validate user lands on account overview - Requires data in CSV - plan prefix (e.g. nmd) - username - password 9 digit account number - Accounts must have MFA disabled	YES		- Users across login flow (Number of users) / (Sum of average responses in seconds across all steps) = users / second - Users completing login (after submission > loading overview) (Number of users) / (Sum of average responses in seconds across steps #5 to #8) = users / second
	idp-login-resources	PKCE	- Combination of CS/API calls - Utilize CS to capture session/cookies - Utilize API calls to fill in normal JS calls (which jmeter will not perform) - Includes MFA calls (for traffic only) include random delay - Include static resources calls (JS files) - Validate user lands on account overview - Requires data in CSV - plan prefix (e.g. nmd) - username - password 9 digit account number - Accounts must have MFA disabled	YES	- Goal 5 plans 2 users - Stage 1 10 / 6 / 2025	- Users across login flow (Number of users) / (Sum of average responses in seconds across all steps) = users / second - Users completing login (PIN submission > loading overview) (Number of users) / (Sum of average responses in seconds across steps #4-3 to #9) = users / second
Auth Server	auth-server	Client ID/Secret (/token) - introspect (Optional) - userinfo (Optional)	- Utilize API calls only - Default has been to only obtain token (and not use it)	YES		

	auth-server-delay	Client ID/Secret (/token) - introspect (Optional) - userinfo (Optional)	- Utilize API calls only - Add a random delay during execution - Default has been to only obtain token (and not use it)	YES	- Goal - N/A	
Account	up-get-aws-account-ms	- Get access token - GET account (root account) - GET account (member)	- Gets token from auth server using client ID/secret - Required data in CSV (has associated SQL file to utilize) - member UUID 9 digit root number - owner person UUID	YES	- Goal 5 plans 20 users each - Stage 1 10/6/2025	
Account	up-enrollment-aws-account-ms	- Get access token - POST account - snapshot (optional)	- Utilizes API calls to services - Gets token from auth server using client ID/secret - Enrollment data is generated randomly where possible - Required data in CSV (has associated SQL file to utilize) - branding - plan UUID - investFund1 - investFund2 - investFund3	YES		
Account	up-enrollment-submission	- POST login - POST account	- Utilizes UI pages - Enrollment data is generated randomly where possible - Required data in CSV (has associated SQL file to utilize) - branding - plan UUID - investFund1 - investFund2 - investFund3	YES	- Goal 5 plans - Stage 1 10/6/2025	

Financial	up-post-withdrawal-ms	- Get access token - One of: - POST withdrawal (Bank) - POST withdrawal (Flywire)	- Utilizes API calls to services for non-PKCE plans only - Gets token from auth server using client ID /secret **Required work to add PKCE plans** - Required data in CSV (has associated SQL file to utilize) - member UUID 11 digit account number - plan UUID - plan branding - bank UUID	YES	- Goal 5 plans 20 users each - Stage 1 10/6/2025	
Metadata	up-get-metadata-ms	- Get access token - GET metadata - GET plans - GET allocationfunds (autoselect) - GET allocationfunds (all) - GET fee - GET recipient	- Utilizes API calls to services - Gets token from auth server using client ID/secret - Required data in CSV (has associated SQL file to utilize) - member UUID 11 digit account number - plan branding - Required data in CSV (recipient only) - school	YES	- Goal 5 plans 20 users each - Stage 1 10/6/2025	
	up-get-metadata-cache-ms	- Get access token - GET metadata - GET plans - GET allocationfunds (autoselect) - GET allocationfunds (all) - GET fee - GET recipient	- Utilizes API calls to services - Gets token from auth server using client ID/secret - Required data in CSV (has associated SQL file to utilize) - member UUID 11 digit account number - plan branding - Required data in CSV (recipient only) - school	NO		

Taurus (For UI related execution)

Browser Execution	Script Name	Flow	Notes/Comments
Local	Blazemeter-Login-Local	PKCE	- Uses Apiritif scripting for selenium execution - Hardcoded username/password/url - Setup with reporting to Blazemeter - Accounts must have MFA disabled

Local	Blazemeter-Login-Local-PY	PKCE	• Uses python scripting for selenium execution • Requires data in CSV ◦ username ◦ password ◦ url • Setup with reporting to Blazemeter • Accounts must have MFA disabled
Internal Selenium Grid	Blazemeter-Login-Grid	PKCE	• Uses Apiritif scripting for selenium execution • Hardcoded username/password/url • Setup with reporting to Blazemeter • Accounts must have MFA disabled
Internal Selenium Grid	Blazemeter-Login-Grid-PY	PKCE	• Uses python scripting for selenium execution • Requires data in CSV ◦ username ◦ password ◦ url • Setup with reporting to Blazemeter • Accounts must have MFA disabled
Local	Blazemeter-UE-Local	Enrollment	• Uses Apiritif scripting for selenium execution • Requires data in CSV ◦ Utilize maven project in data folder to generate • Setup with reporting to Blazemeter
Local	Blazemeter-UE-Local-PY	Enrollment	• Uses python scripting for selenium execution • Hardcoded url • Requires data in CSV ◦ Utilize maven project in data folder to generate • Setup with reporting to Blazemeter
Internal Selenium Grid	Blazemeter-UE-Grid	Enrollment	• Uses Apiritif scripting for selenium execution • Requires data in CSV ◦ Utilize maven project in data folder to generate • Setup with reporting to Blazemeter
Internal Selenium Grid	Blazemeter-UE-Grid-PY	Enrollment	• Uses python scripting for selenium execution • Requires data in CSV ◦ Utilize maven project in data folder to generate • Setup with reporting to Blazemeter