

04a. AM Squad: Naming Conventions & Folder Structure Standards

**Page is about?**

*This page defines the **official naming conventions, folder structures, and file organization standards** for the AGS (Ascensus Government Savings) Automation Engineering team. It ensures **consistency, readability, scalability, and reusability** across all automation test assets—spanning frontoffice and backoffice implementations, including Java code, feature files, CSV datasets, SQL scripts, error messages, and locators.*

Section 1: Java Naming Conventions

These are applied consistently across **methods, variables, constants, classes, packages**, and more to ensure clarity and reusability.

Naming Convention	Application	Examples
Lower Camel Case	Variables and Methods	firstName, timeToFirstLoad, indexNumber
Upper Camel Case	Classes, Interfaces, Annotations, Enums, Records	TomcatServer, WriteOperation
Screaming Snake Case	Constants	MINIMUM_SALARY, EXTRA_SAUCE
Lower Dot Case	Packages and Property Files	java.util.logging, application.properties
Kebab Case	<i>Not recommended</i> for Java (used in web/html contexts)	landing-page.html, 404-error-page.jsf

Section 2: Folder Structure Standard

- Information is based on [Prime Documentation](#) and [Prime Folder Structure and Naming](#)

Adheres to [AGS – PRIME v3 Folder Structure & Naming] and aligns with src/main/java and src/test/resources structure.

Java Code Structure

Java Structure Example

```
<project-root>/
src/
  main/java/
    testsuite/
      frontoffice/
        csr/login/
        shared/           Shared methods across entities
      backoffice/
        venture/disbursement/
```

Resources Folder

Resources Folder Example

```
src/test/resources/
  testsuite/
    frontoffice/
      element_locators/
        common/
        csr/
    backoffice/
      atc/trade/
        sql/
        errors/
        feature/
        testcases/
```

Section 3: Java Class & Method Naming

Component	Convention	Example
Java Class (Steps)	UpperCamelCase + StepDefs suffix	LoginStepDefs, MyProfileStepDefs
Java Helper Classes	UpperCamelCase + Helper suffix	LoginHelper, WithdrawalHelper
Java Methods	lowerCamelCase	fillElement(), waitForElementText()

Section 4: Feature Files, CSVs & Test Assets

Artifact	Convention	Example
Feature File	UpperCamelCase or Descriptive Phrase	Registration.feature, LoginFlow.feature
CSV File	Same base name as the feature file	Registration.csv, LoginValidation.csv
SQL/Error/Locators	Use nested folders: common traunch	common.sql.login.validation, ors.errors.registration.email.missing

Section 5: Element Locator Naming

- Use the following priority for selectors:
id linktext css xpath (xpath as a last resort)
- Use **parametrized locators** for dynamic elements:

Element Locator Naming Example
// Example: css = "div[id*='\$\$param_1\$']" xpath = "//td[contains(text(), '\$\$param_1\$')]/../td/button"

- **Avoid redundancy:**
 - Do not redefine generic buttons like "Continue", "Cancel" multiple times.
 - Place shared locators under common/, and plan-specific under <traunch>/.

Section 6: Standards Summary

Best Practice	Implementation
All methods (except getters/setters) need Javadoc	Include @prime.usage for step usage reference
Keep folder names lowercase	E.g., employee, csr, login, shared
Code should be scalable and reusable across plans	No plan-specific hardcoding in step definitions
SQL and error messages should be externalized	Placed in /sql and /errors folders respectively
Avoid duplication	Use helper classes for shared functionality across step definitions
All scenarios must have a unique name	Especially for qTest reporting & parallel execution
Keep test cases independent and thread-safe	Each feature should not depend on another for setup

Section 7: Key References

- PRIME v2:
 - Master document versions can be found in GitLab: //depot/unite-<branch>/automation/prime/docs/
 - Additional References: L:\Departments\Financial Services\UII\UII\UII-QA\Cucumber_Automation\Documentation\v2
- PRIME v3:
 - Master document versions can be found in GitLab: //depot/unite-<branch>/automation/prime-test-automation/prime/prime-core/docs/

- Additional References : L:\Departments\Financial Services\UII\UII\UII-QA\Cucumber_Automation\Documentation\v3