

1. IDP Account Maintenance SQLs (Quick Reference) - MS SQL Server




IDP ACCOUNT MAINTENANCE & TROUBLESHOOTING SCRIPT

Description: This SQL script provides a consolidated set of commands to manage and troubleshoot Identity Provider (IDP) accounts in Stage1 and QC environments. It includes SQLs to:

- Retrieve accounts linked to specific plans (via ExternalSource)
- Reset or update passwords
- Disable MFA (Two-Factor Authentication)
- Update or verify phone numbers
- Clean up test accounts and related audit data

Target Databases:

- **Stage1** GWTQMSSQL02.rsd.crumprsd.com AGSAAuthStage1
 - **QC** GWTQMSSQL01.rsd.crumprsd.com AGSAAuthQC4 or AGSAAuthQC1
- Auth Type:** Windows Authentication (RSD\<username> – no password)



1 Get Plan Source ID

Find the SourceId for a specific plan (e.g., northdakota).

```
SELECT *
FROM ExternalSource
WHERE SourceCode = 'northdakota';
```

2 Fetch User Credentials for the Plan

Use SourceId or ExternalId to get all accounts for that plan.

```
SELECT pc.ID, pc.ProfileId, pc.UserName, pp.RowGuid
FROM person.Credential pc
JOIN person.Profile pp ON pp.ProfileId = pc.ProfileId
WHERE pc.ExternalId = '03E1B163-895A-EF89-E063-8D1F19AC1F78';
```

3 Delete Linked Profile Organization Record

Removes org linkage for the profile before deletion/migration.

```
DELETE FROM Person.ProfileOrganization
WHERE ProfileId IN (
    SELECT ProfileId FROM person.Credential WHERE UserName = 'pramodtest100'
);
```

4 Delete Credential Audit Trail

Cleans audit records before removing the credential.

```
DELETE FROM Person.CredentialAudit
WHERE CredentialId IN (
    SELECT ID FROM person.Credential WHERE UserName = 'pramodtest100'
);
```

5 Delete Credential & Profile

Completely removes the test account from IDP.

```
DELETE FROM person.Credential WHERE UserName = 'pramodtest100';
DELETE FROM person.Profile WHERE ProfileId = 1122200;
```

6 Update Password for a User

Sets a new password using another existing account's password (safe copy).

```
UPDATE person.Credential
SET Password = (SELECT Password FROM person.Credential WHERE UserName = 'TEST_84G19ULD09BG1NNDKR10'), Version=1
WHERE UserName = 'GPKUsername5824';
-- Note: Password for TEST_84G19ULD09BG1NNDKR10 = Newton@123
```

7 Disable MFA for an Account

Disables two-factor authentication for the target user.

```
UPDATE person.Profile
SET TwoFactorEnabled = 0
WHERE ProfileId IN (
    SELECT ProfileId FROM person.Credential WHERE UserName IN ('GPKUsername5824')
);
```

8 Update Phone Number

Use to reset or assign a test phone number.

```
UPDATE person.Profile
SET PhoneNumber = '+19782897549'
WHERE ProfileId IN (11001);
```

9 Verify Login After Migration

Test credentials after password and MFA updates.

```
Username: GPKUsername5824
Password: Newton@123
url: https://nmd.stage1.acs529.com/nmdtpl/al/list.cs
```

Removing Web Registration

If you encounter the following error while attempting to remove web registration for a specific account, please follow the steps below:

Unite Oracle Database:

1. Verify plan is IDP enabled:

```
SELECT ttm.*
FROM tu_traunch_metadata ttm, tu_traunch tt
WHERE ttm.attribute_key = 'IDP_WEB_ENABLED'
AND ttm.attribute_value = 'true'
AND tt.traunch_id = ttm.traunch_id
AND tt.branding = 'nyable';
```

2. Retrieve the UUID Member ID for the specified account using the following SQL query::

```

SELECT uuid_member_id
FROM tu_acct ta, tu_member tm
WHERE ta.uui_member_id = tm.uui_member_id
      AND ta.uui_acct_id = '928388947';

```

IDP SQL Server Database:

1. Execute the following SQL query using the UUID_Member_ID obtained in Step 2.

```

SELECT c.ProfileId, e.SourceCode, p.Email, p.PhoneNumber, p.SecondaryPhoneNumber, c.UserName,
p.SyncFlag prof_syncflag, c.SyncFlag cred_syncflag, e.SyncFlag external_syncflag, c.Id cred_id,
upper(c.RowGuid) ,
e.SourceId ExternalId,
c.*
from person.Credential c
join person.Profile p
on p.ProfileId = c.ProfileId
join externalsource e
on e.SourceId = c.ExternalId
where 1=1
and p.rowguid = '03E1AFF6-1041-EF89-E063-8D1F19AC1F78'
-----dbo.fn_sysguid_to_uniqueidentifier('03E1AFF61041EF89E0638D1F19AC1F78')

```

2. Interpretation of Results:

- If a record exists in the IDP database, it will be returned by the query in Step 3.
- If no record is returned, it indicates that the user does not exist in the IDP database.

Steps to Import a User into the IDP Database (a.k.a. "Try-Harder" Method):

1. Retrieve the Username

Obtain the username associated with the account from the Unite DB or CSR application.

Example: TEST_P74DXEVF71HH34YSP9ZZ

2. Launch the NYB Login Page

Open the appropriate plan-specific NYB login page.

3. Login Attempt

Enter the username from Step 1, leave the password field blank, and click the **Next** button.

4. User Entry into IDP DB

This action triggers the user to be added to the IDP database.

5. Validate the Import

Run the following SQL query to confirm the user has been added:

```

SELECT * FROM person.Credential WHERE username = 'TEST_2VTD4I3L50885ZK111Z9';

```

6. Verify Presence in IDP DB

Ensure the username appears in the query results, confirming successful import.

Verify and Update Phone Number (Before Performing "Forgot Password", "Forgot Username", or Logging into an Account):

1. Log in to the CSR Application.
2. Access the User's Account.
3. Update Contact Information:
 - Ensure the phone number and email address are present.
 - If either is missing, update the account with the correct information.
4. Proceed with Account Recovery or Login:
 - You can now perform actions such as **Forgot Password**, **Forgot Username**, or **Login**.

How to Use This File in SQL Server (Step-by-Step)

1. Open SSMS (SQL Server Management Studio)

- Connect using **Windows Authentication**
- Server:

◦ Stage1 GWTQMSSQL02.rsd.crumprsd.com

◦ QC GWTQMSSQL01.rsd.crumprsd.com

- Database: AGSAuthStage1, AGSAuthQC4, or AGSAuthQC1.

2. Open this SQL script file and review the user names and IDs before running.

3. **Run individual blocks** (highlight and execute with F5):

- Get plan info first find SourceId.
- Pull credentials confirm target account.
- Delete / update carefully execute updates or deletes.

4. **Validation:**

- Confirm person.Credential and person.Profile records exist.
- Run the password/MFA/phone updates last.
- Log in via IDP UI or Postman to verify.