

2. IDP Login – Automation Regression Suite (Prime Version 3, Stage 1)

 This module validates the **IDP Login** flow for all **Direct and State-Specific 529 plans** under the **Prime V3 framework**.

Owner	QA Automation Team
Module	IDP Login (member / front office)
Framework Version	Prime V3
Environment	Stage 1
Suite Name	Regression Test (Front Office) in Stage1 - IDP Login
Framework	core.runner.ParallelFeatureRunner, core.listener.PrimeResourceManager
Suite File Path	prime-test-automation/unite/unite-universal-enrollment/bin/regression/daily/idp-login-stage1.xml
Trigger	Manual / Scheduled via GitLab
Build Tool	Maven (clean test -Pstage1-ue-regression-test)
Artifact Repository	Nexus
Suite XML	suites/v3/universal-enrollment-stage1.xml
Parallelism	parallel="tests" thread-count="1" data-provider-thread-count="4"
Reporting	Surefire + TestNG HTML

IDP Login suite at a glance

Question	Answer
What we run	IDP login positive flows (multi-plan), lock/locked user, forgot username (unregistered), empty-field validation, forgot password negative.
When	As part of Stage 1 combined regression (after UE in master suite).
What plans	NMD, NYD, NJD, MDD, OHD, PAG, NDD (positive); NMD/MDD for selected negatives.
What cases	13 test blocks — see tables below.
Pipeline	https://gitlab.com/ascensus-gs/products/depot/qa-automation/prime-test-automation/-/pipeline_schedules

Latest report summary (IDP sub-suite, from combined HTML)

Metric	Value
Tests	13 tests
Methods	33 methods
Passed	14 passed
Failed	19 failed (TCs Pass locally)

Coverage summary

Attribute	Detail
Tests (XML)	13
Runner	ParallelFeatureRunner

Tags	@regression and @dailyrun
Commented out	NYD IDP MFA login (IDPMFALogin.feature) — needs valid MFA user in Stage 1

Module & plan coverage

Plan	Flow type	Feature file	Scenario count	qTest mapping	Tags
NMD	IDP Login – Positive	IDPLogin.feature	—	—	@regression, @dailyrun
NYD	IDP Login – Positive	IDPLogin.feature	—	—	@regression, @dailyrun
NJD	IDP Login – Positive	IDPLogin.feature	—	—	@regression, @dailyrun
MDD	IDP Login – Positive	IDPLogin.feature	—	—	@regression, @dailyrun
OHD	IDP Login – Positive	IDPLogin.feature	—	—	@regression, @dailyrun
PAG	IDP Login – Positive	IDPLogin.feature	—	—	@regression, @dailyrun
NDD	IDP Login – Positive	IDPLogin.feature	—	—	@regression, @dailyrun
NMD	IDP Lock User – Negative	IDPLockUser.feature	—	—	@regression, @dailyrun
NMD	IDP Locked User – Negative	IDPLockedUser.feature	—	—	@regression, @dailyrun
NMD	Forgot Username Unregistered – Negative	IDPForgotUsernameUnregisteredNegative.feature	—	—	@regression, @dailyrun
NMD	Login With Empty Field – Negative	IDPLoginWithEmptyField.feature	—	—	@regression, @dailyrun
MDD	Login With Empty Field – Negative	IDPLoginWithEmptyField.feature	—	—	@regression, @dailyrun
NMD	Forgot Password – Negative	IDPForgotPasswordNegative.feature	—	—	@regression, @dailyrun

Test scenarios (from idp- login- stage1.xml)

#	Test name	Traunch	Feature path
1	NMD IDP Login Flow - Positive Cases	nmd	frontoffice/login/common/feature/IDPLogin.feature
2	NYD IDP Login Flow - Positive Cases	nyd	frontoffice/login/common/feature/IDPLogin.feature
3	NJD IDP Login Flow - Positive Cases	njd	frontoffice/login/common/feature/IDPLogin.feature
4	MDD IDP Login Flow - Positive Cases	mdd	frontoffice/login/common/feature/IDPLogin.feature
5	OHD IDP Login Flow - Positive Cases	ohd	frontoffice/login/common/feature/IDPLogin.feature
6	PAG IDP Login Flow - Positive Cases	pag	frontoffice/login/common/feature/IDPLogin.feature
7	NDD IDP Login Flow - Positive Cases	ndd	frontoffice/login/common/feature/IDPLogin.feature
8	NMD IDP Lock User Login Flow - Negative Cases	nmd	frontoffice/login/common/feature/IDPLockUser.feature
9	NMD IDP Locked User Login Flow - Negative Cases	nmd	frontoffice/login/common/feature/IDPLockedUser.feature
10	NMD IDP Forgot Username Unregistered Flow - Negative Cases	nmd	frontoffice/login/common/feature/IDPForgotUsernameUnregisteredNegative.feature
11	NMD IDP Login With Empty Field Flow - Negative Cases	nmd	frontoffice/login/common/feature/IDPLoginWithEmptyField.feature
12	MDD IDP Login With Empty Field Flow - Negative Cases	mdd	frontoffice/login/common/feature/IDPLoginWithEmptyField.feature
13	NMD IDP Member Forgot Password Negative Flows - Negative Cases	nmd	frontoffice/login/common/feature/IDPForgotPasswordNegative.feature

What's covered

- Multi-plan **successful IDP login** (NMD, NYD, NJD, MDD, OHD, PAG, NDD).
- **Negative / edge:** lock user, locked user, unregistered forgot username, empty-field login (NMD, MDD), forgot password negative (NMD).
- **Not active in XML:** NYD MFA positive (IDPMFALogin.feature) — commented pending Stage 1 MFA test user.

TestNG report (GitLab Pages — job artifacts)

The HTML report is published from the **scheduled regression** job's artifacts. **Only the job ID changes each run**; swap [JOB_ID] for the latest job from the pipeline.

Item	Value
Pattern	https://ascensus-gs.gitlab.io/-/products/depot/qa-automation/prime-test-automation/-/jobs/[JOB_ID]/artifacts/unite/unite-universal-enrollment/target/surefire-reports/index.html
Example (sample run)	Job #13573736461 report

How to find [JOB_ID]: Open the pipeline **Jobs** select **scheduled_regression_job** use the job ID from the URL or job page.

Notes

- This page reflects **Stage 1** UE project layout (core.runner, core.listener), not legacy suites/v3/universal-platform/ CSR enrollment XMLs.
- For failure analysis, filter the combined report by sub-suite **Regression Test (Front Office) in Stage1 - IDP Login**.