

27.1.1 Java: NIELIT 2016 DEC Scientist B (IT) - Section B: 6



Earlier name of Java programming language was:

- A. OAK B. D C. Netbean D. Eclipse

nielit2016dec-scientistb-it non-gatecse java

Answer key

27.1.2 Java: NIELIT 2016 DEC Scientist B (IT) - Section B: 9



Which of the following is a platform free language?

- A. JAVA B. C C. Assembly D. Fortran

nielit2016dec-scientistb-it non-gatecse java

Answer key

27.1.3 Java: NIELIT 2017 July Scientist B (IT) - Section B: 41



Which of the following is/are true about packages in Java?

1. Every class is part of some package.
2. All classes in a file are part of the same package.
3. If no package is specified, the classes in the file go into a special unnamed package.
4. If no package is specified, a new package is created with folder name of class and the class is put in this package.

- A. Only 1,2 and 3 B. Only 1,2 and 4 C. Only 4 D. Only 1 and 3

nielit2017july-scientistb-it non-gatecse java

Answer key

27.1.4 Java: NIELIT 2017 July Scientist B (IT) - Section B: 42



Which of the following is false about abstract classes in Java?

- A. If we derive an abstract class and do not implement all the abstract methods, then the derived class should also be marked as abstract using 'abstract' keyword.
- B. Abstract classes can have constructors.
- C. A class can be made abstract without any abstract method.
- D. A class can inherit from multiple abstract classes.

nielit2017july-scientistb-it non-gatecse java

Answer key

27.1.5 Java: NIELIT 2017 July Scientist B (IT) - Section B: 43



Which of the following is true about interfaces in Java?

1. An interface can contain following type of members. . . . public, static, final fields(i.e., constants). . . default and static methods with bodies.
2. An instance of interface can be created.
3. A class can implement multiple interfaces.
4. Many classes can implement the same interface.

A. 1,3 and 4 B. 1,2 and 4 C. 2,3 and 4 D. 1,2,3 and 4

nielit2017july-scientistb-it non-gatecse java

Answer key

27.1.6 Java: NIELIT 2017 OCT Scientific Assistant A (IT) - Section B: 8



Is null an object?

A. Yes B. No C. Sometimes yes D. None of these

nielit2017oct-assistanta-it non-gatecse java

Answer key

27.1.7 Java: NIELIT Scientific Assistant A 2020 November: 107



In the given program:

```
class Dialog1
{
    public static void main(String args[])
    {
        Frame f1=new Frame("INDIA");
        f1.setSize(300,300);
        f1.setVisible(true);
        FileDialog d=new FileDialog(f1,"MyDialog");
        d.setVisible(true);
        String fname=d.getDirectory()+d.getFile();
        System.out.println("The Selection is"+fname);
    }
}
```

To make the Frame visible, which of the following statements are true?

- A. f1.setClear(true); B. f1.setVisible(true);
C. f1.setlook(true); D. f1.setclean(true);

nielit-sta-2020 java

Answer key

27.1.8 Java: NIELIT Scientific Assistant A 2020 November: 108



Which of the following are two main types of overloading in Java?

- A. Overloading and linking B. Overriding and linking
C. Reusability and data-hiding D. Overloading and Overriding

Answer key

27.1.9 Java: NIELIT Scientific Assistant A 2020 November: 110



In Java, for ensuring the persistence property, the class must implements:

- | | |
|---------------------------|---------------------------|
| A. Serializable Interface | B. Utilization Interface |
| C. Threadable Interface | D. Recognizable Interface |

Answer key

27.1.10 Java: NIELIT Scientific Assistant A 2020 November: 112



In Java, the Dynamic Array are known as :

- | | | | |
|------------|----------|-----------|---------------|
| A. Vectors | B. Cycle | C. Remote | D. Kubernetes |
|------------|----------|-----------|---------------|

Answer key

27.1.11 Java: NIELIT Scientific Assistant A 2020 November: 68



Which of the following construct is not supported by Java Server Pages?

- | | |
|-------------------|-------------------|
| A. JSP Directives | B. JSP Scriptlets |
| C. JSP Actions | D. JSP Reaction |

Answer key

27.1.12 Java: NIELIT Scientific Assistant A 2020 November: 74



What is the output of the following program?

```
abstract class sum
{
    public abstract int sumOfTwo(int n1, int n2);
    public abstract int sumOfThree(int n1, int n2, int n3);
    public void disp(){
        System.out.println("Method of class Sum");
    }
}

class DemoAbstract1 extends Sum
{
    public int sumOfTwo(int num1, int num2)
    {
        return num1+num2;
    }
    public int sumOfThree(int num1, int num2, int num3)
    {
        return num1+num2+num3;
    }
}

public static void main(String args[]){
    Sum obj=new DemoAbstract1();
}
```

```

System.out.println(obj.sumOfTwo(3,7));
System.out.println(obj.sumOfThree(4,3,19));
obj.disp();
}
}

```

- A. 10
26
Method of class Sum
- B. 26
10
Method of class Sum
- C. Method of class Sum
26
10
- D. Error

nielit-sta-2020 numerical-answers java

Answer key

27.1.13 Java: NIELIT Scientific Assistant A 2020 November: 84



The static keyword is used in public static void main() declaration in Java:

- A. To enable the JVM to make call to the main(), as class has not been instantiated
- B. To enable the JVM to make call to the main(), as class has not been inherited
- C. To enable the JVM to make call to the main(), as class has not been loaded
- D. To enable the JVM to make call to the main(), as class has not been finalized

nielit-sta-2020 java

Answer key

27.1.14 Java: NIELIT Scientific Assistant A 2020 November: 89



Which of the following Interface is not supported by JDBC for connecting to Database in Java Programming language?

- A. Statement Interface
- B. Prepared Statement Interface
- C. Callable Statement Interface
- D. Database Interface

nielit-sta-2020 java

Answer key

Answer Keys

27.1.1	A	27.1.2	A	27.1.3	A	27.1.4	D	27.1.5	A
--------	---	--------	---	--------	---	--------	---	--------	---

27.1.6	B
27.1.11	D

27.1.7	B
27.1.12	A

27.1.8	D
27.1.13	A

27.1.9	A
27.1.14	D

27.1.10	A
---------	---