

29.0.1 NIELIT 2017 OCT Scientific Assistant A (IT) - Section B: 24



Which of the following object types are generally autonomous, meaning that they can exhibit some behavior without being operated upon by another object.

- A. Passive
C. Both (A) and (B)
B. Active
D. None of the mentioned

nielit2017oct-assistanta-it non-gatecse

Answer key

29.1

Object Oriented Programming (13)

29.1.1 Object Oriented Programming: NIELIT 2016 DEC Scientist B (CS) - Section B: 30



The IOS class member function used for formatting IO is

- A. width(), precision(), read()
C. getch(), width(), lo()
B. width(), precision(), setf()
D. unsetf(), setf(), write()

nielit2016dec-scientistb-cs non-gatecse object-oriented-programming

Answer key

29.1.2 Object Oriented Programming: NIELIT 2016 DEC Scientist B (IT) - Section B: 1

Given a class named student, which of the following is a valid constructor declaration for the class?



- A. `Student student(){}`
B. `Private final student(){}`
C. `Student(student s){}`
D. `Void student(){}`

nielit2016dec-scientistb-it non-gatecse object-oriented-programming

Answer key

29.1.3 Object Oriented Programming: NIELIT 2016 DEC Scientist B (IT) - Section B: 24



An operation can be described as:

- A. Object behavior
B. Functions
C. Class behavior
D. (A),(B)

nielit2016dec-scientistb-it non-gatecse object-oriented-programming

Answer key

29.1.4 Object Oriented Programming: NIELIT 2016 DEC Scientist B (IT) - Section B: 3

An object can have which of the following multiplicities?



- A. Zero B. More than one C. One D. All of the above

nielit2016dec-scientistb-it non-gatecse object-oriented-programming

Answer key

29.1.5 Object Oriented Programming: NIELIT 2016 DEC Scientist B (IT) - Section B: 46



Object oriented inheritance models:

- A. "is a kind of" relationship. B. "has a" relationship.
C. "want to be" relationship. D. "contains" of relationship.

nielit2016dec-scientistb-it non-gatecse object-oriented-programming

Answer key

29.1.6 Object Oriented Programming: NIELIT 2017 July Scientist B (IT) - Section B: 39

Give the output



```
#include<iostream>
using namespace std;
class Base
{
public:
    int x,y;
public:
    Base(int i, int j){x=i;y=j;}
};
class Derived:public Base
{
public:
    Derived(int i,int j):x(i),y(j){}
    void print(){cout<< x << ""<<y ;}
};
int main(void)
{
    Derived q(10,10);
    q.print();
    return 0;
}
```

- A. 10 10 B. Compiler Error C. 0 0 D. None of the option

nielit2017july-scientistb-it non-gatecse object-oriented-programming

Answer key

29.1.7 Object Oriented Programming: NIELIT 2017 July Scientist B (IT) - Section B: 40

Give the output



```
#include<iostream>
```

```
using namespace std;
class Base1{
public:
~Base1() {cout<<"Base1's destructor"<<endl;}
};
class Base2
{
public:
~Base2(){cout<<"Base2's destructor"<<endl;}
};
class Derived : public Base1,public Base2{
public:
~Derived(){cout<<"Derived's destructor"<<endl; }
};
int main()
{
Derived d;
return 0;
}
```

- A. Base1's destructor
Base2's destructor
Derived's Destructor
- B. Derived's Destructor
Base2's destructor
Base1's destructor
- C. Derived's Destructor
- D. Compiler Dependent

nielit2017july-scientistb-it non-gatecse object-oriented-programming

Answer key 

29.1.8 Object Oriented Programming: NIELIT 2017 OCT Scientific Assistant A (IT) - Section B: 28



What is 'Basis of Encapsulation'?

- A. object
- B. class
- C. method
- D. all of the mentioned

nielit2017oct-assistanta-it non-gatecse object-oriented-programming

Answer key 

29.1.9 Object Oriented Programming: NIELIT 2017 OCT Scientific Assistant A (IT) - Section B: 4



If the objects focus on the problem domain, then we are concerned with

- A. Object Oriented Analysis
- B. Object Oriented Design
- C. Object Oriented Analysis and Design
- D. None of the above

nielit2017oct-assistanta-it non-gatecse object-oriented-programming

Answer key 

29.1.10 Object Oriented Programming: NIELIT 2021 Dec Scientist B - Section B: 17

Which is indicating use of virtual functions?



- A. Overloading
- B. Overriding
- C. Static binding
- D. Dynamic binding

nielit-2021-it-dec-scientistb object-oriented-programming

Answer key

29.1.11 Object Oriented Programming: NIELIT 2021 Dec Scientist B - Section B: 36

Match the following in from **List-1** and **List-2** :



List-1	List-2
(a) Create new classes from existing class	(i) Polymorphism
(b) Using similar operations to do similar things	(ii) Abstraction
(c) Hiding implementation details	(iii) Inheritance
(d) Wrapping both operator and attributes with operations for model object	(iv) Encapsulation
	(v) Performance

- (a) (b) (c) (d)
- (A) (iii) (i) (ii) (iv)
- (B) (v) (i) (iii) (ii)
- (C) (ii) (v) (iv) (iii)
- (D) (i) (ii) (iii) (iv)

nielit-2021-it-dec-scientistb object-oriented-programming is&software-engineering

Answer key

29.1.12 Object Oriented Programming: NIELIT 2021 Dec Scientist B - Section B: 63

In Software Modeling 'IS A' represents _____ relationship.



- A. Aggregation
- B. Over loading
- C. Inheritance
- D. Design Patterns

nielit2021dec-scientistb object-oriented-programming is&software-engineering

Answer key

29.1.13 Object Oriented Programming: NIELIT Scientific Assistant A 2020 November:



During exception handling, which of the following statements hold true?

- A. Single try can have multiple associated catch with it
- B. A single Catch can have multiple try associated with it
- C. Finally block execute only when the class is inherited
- D. For a given exception, multiple catch can execute

nielit-sta-2020 object-oriented-programming

Answer key

29.2

Operator Overloading (1)

29.2.1 Operator Overloading: NIELIT 2021 Dec Scientist B - Section B: 54



Which of the following operator cannot be overloaded?

- A. ++
- B. ::
- C. ~
- D. ()

nielit-2021-it-dec-scientistb programming-in-c object-oriented-programming operator-overloading

Answer key

Answer Keys

29.0.1	B	29.1.1	B	29.1.2	C	29.1.3	D	29.1.4	D
29.1.5	A	29.1.6	B	29.1.7	B	29.1.8	D	29.1.9	A
29.1.10	D	29.1.11	A	29.1.12	C	29.1.13	A	29.2.1	B