

34.1

Activex (1)

34.1.1 Activex: UGC NET CSE | December 2013 | Part 2 | Question: 41



Active X controls are Pentium binary programs that can be embedded in

- A. Word pages
- B. URL pages
- C. Script pages
- D. Web pages

ugcnetcse-dec2013-paper2 web-technologies activex

Answer key

34.2

Client Server Application (1)

34.2.1 Client Server Application: UGC NET CSE | June 2014 | Part 3 | Question: 26



Which one of the following is not a Client-Server application ?

- A. Internet chat
- B. Web browser
- C. E-mail
- D. Ping

ugcnetjune2014iii web-technologies client-server-application

Answer key

34.3

Data Warehousing (1)

34.3.1 Data Warehousing: UGC NET CSE | December 2014 | Part 2 | Question: 47



Fact-less fact table in a data warehouse contains

- A. Only measures
- B. Only dimensions
- C. Keys and measures
- D. Only surrogate keys

ugcnetcse-dec2014-paper2 data-warehousing

Answer key

34.4

E Commerce (1)

34.4.1 E Commerce: UGC NET CSE | December 2014 | Part 2 | Question: 48



Which e-business model allows consumers to name their own price for products and services ?

- A. B2B
- B. B2C
- C. C2C
- D. C2B

ugcnetcse-dec2014-paper2 e-commerce

Answer key

34.5

Edi Layer (2)

34.5.1 Edi Layer: UGC NET CSE | December 2013 | Part 2 | Question: 44



The document standards for EDI were first developed by large business house during the 1970s and are now under the control of the following standard organization.

- A. ISO
- B. ANSI
- C. ITU-T
- D. IEEE

ugcnetcse-dec2013-paper2 e-commerce edi-layer

Answer key

34.5.2 Edi Layer: UGC NET CSE | December 2013 | Part 2 | Question: 45



Electronic Data Interchange Software consists of the following four layers:

- A. Business application, Internal format conversion, Network translator, EDI envelop
- B. Business application, Internal format conversion, EDI translator, EDI envelop
- C. Application layer, Transport layer, EDI translator, EDI envelop
- D. Application layer, Transport layer, IP layer, EDI envelop

ugcnetcse-dec2013-paper2 e-commerce edi-layer

Answer key 

34.6 Html (5)

34.6.1 Html: UGC NET CSE | August 2016 | Part 3 | Question: 41



Which of the following tag in HTML is used to surround information, such as signature of the person who created the page?

- A. `<body></body>`
- B. `<address></address>`
- C. `<strong></strong>`
- D. `<em></em>`

ugcnetcse-aug2016-paper3 web-technologies html

Answer key 

34.6.2 Html: UGC NET CSE | December 2012 | Part 3 | Question: 66



Match the following with respect to HTML tags and usage

- | | |
|---------|---------------------------------------|
| a. CITE | i. Italic representation |
| b. EM | ii. Represents output from programmes |
| c. VAR | iii. Represents to other source |
| d. SAMP | iv. Argument to a programme |

Codes :

- A. a-iii, b-i, c-iv, d-ii
- B. a-ii, b-iii, c-i, d-iv
- C. a-iv, b-ii, c-iii, d-i
- D. a-i, b-iii, c-iv, d-i

ugcnetcse-dec2012-paper3 web-technologies html

Answer key 

34.6.3 Html: UGC NET CSE | January 2017 | Part 3 | Question: 41



Which of the following HTML code will affect the vertical alignment of the table content?

- A. `<td style="vertical-align:middle"> Text Here </td>`
- B. `<td valign="centre"> Text Here </td>`
- C. `<td style="text-align:center"> Text Here </td>`
- D. `<td align="middle"> Text Here </td>`

ugcnetcse-jan2017-paper3 web-technologies html

Answer key 

34.6.4 Html: UGC NET CSE | July 2016 | Part 3 | Question: 41



Which of the following statements is not correct?

- A. HTML is not screen precise formatting language
- B. HTML does not specify a logic
- C. DHTML is used to developing highly interacting webpages
- D. HTML is a programming language

Answer key **34.6.5 Html: UGC NET CSE | June 2012 | Part 3 | Question: 68**

HTML is defined using SGML – an _____ standard, information processing-text and office systems (SGML) for text information processing.

- A. ISO-8878 B. ISO-8879 C. ISO-8880 D. ISO-8881

ugcnetcse-june2012-paper3 web-technologies html

Answer key **34.7 Javascript (2)****34.7.1 Javascript: UGC NET CSE | December 2015 | Part 3 | Question: 34**

Javascript and Java have similar name because

- i. Javascript syntax is loosely based on Java's syntax
 - ii. Javascript is stripped down version of Java
 - iii. Java and Javascript are originated from island of Java
- A. i only B. i, ii, and iii C. i and ii D. i and iii

ugcnetcse-dec2015-paper3 web-technologies javascript

Answer key **34.7.2 Javascript: UGC NET CSE | July 2018 | Part 2 | Question: 1**

Consider the JavaScript Code:

```
var y="12"
function f() {
var y="6";
alert (this.y);
function g() {alert (y); }
g();
}
f();
```

If M is the number of alert dialog boxes generated by this JavaScript code and $D_1, D_2, \dots, D_M$ represents the content displayed in the each of the M dialog boxes, then:

- A. $M=3$; D_1 displays "12"; D_2 displays "6"; D_3 displays "12"
 B. $M=3$; D_1 displays "6"; D_2 displays "12"; D_3 displays "6"
 C. $M=2$; D_1 displays "6"; D_2 displays "12".
 D. $M=3$; D_1 displays "12"; D_2 displays "6"

ugcnetcse-july2018-paper2 javascript web-technologies

Answer key **34.8 Non Gatecse (1)****34.8.1 Non Gatecse: UGC NET CSE | June 2012 | Part 2 | Question: 9**

What deletes the entire file except the file structure?

- A. ERASE B. DELETE C. ZAP D. PACK

ugcnetcse-june2012-paper2 databases non-gatecse

Answer key **34.9 Transmission Media (1)**

34.9.1 Transmission Media: UGC NET CSE | December 2012 | Part 2 | Question: 28



Identify the Risk factors which are associated with Electronic payment system

- A. Fraudulent use of credit card
- B. Sending credit card details over internet
- C. Remote storage of credit card details
- D. All of the above

ugcnetcse-dec2012-paper2 computer-networks transmission-media

Answer key

34.10

Trojan Horse (1)

34.10.1 Trojan Horse: UGC NET CSE | December 2014 | Part 3 | Question: 74



A Trojan horse is

- A. A program that performs a legitimate function that is known to an operating system or its user and also has a hidden component that can be used for nefarious purposes like attacks on message security or impersonation.
- B. A piece of code that can attach itself to other programs in the system and spread to other systems when programs are copied or transferred.
- C. A program that spreads to other computer systems by exploiting security holes like weaknesses in facilities for creation of remote processes
- D. All of the above

ugcnetcse-dec2014-paper3 trojan-horse

Answer key

34.11

Web Technologies (8)

34.11.1 Web Technologies: UGC NET CSE | December 2013 | Part 3 | Question: 13



The document that is used by XSLT to indicate, how to transform the elements of the XML document to another format is

- A. HTML page
- B. DOC type procedure
- C. Style sheet
- D. Stored procedure

ugcnetcse-dec2013-paper3 web-technologies

Answer key

34.11.2 Web Technologies: UGC NET CSE | December 2015 | Part 3 | Question: 75



_____ tag is an extension to HTML that can enclose any number of Javascript statements.

- A. <SCRIPT>
- B. <BODY>
- C. <HEAD>
- D. <TITLE>

ugcnetcse-dec2015-paper3 web-technologies

Answer key

34.11.3 Web Technologies: UGC NET CSE | January 2017 | Part 3 | Question: 42



What can you say about the following statements?

- I. XML tags are case-insensitive
- II. In JavaScript, identifier names are case-sensitive
- III. Cascading Style Sheets (CSS) cannot be used with XML
- IV. All well formed XML documents must contain a document type definition

- A. only I and II are false
- B. only III and IV are false
- C. only I and III are false
- D. only II and IV are false

ugcnetcse-jan2017-paper3 web-technologies programming

Answer key

34.11.4 Web Technologies: UGC NET CSE | June 2012 | Part 2 | Question: 42



Identify the incorrect statement:

- A. The overall strategy drives the E-Commerce data warehousing strategy
- B. Data warehousing in an E-Commerce environment should be done in classical manner
- C. E-Commerce opens up an entirely new world web server
- D. E-Commerce security threats can be grouped into three major categories

non-gatecse web-technologies ugcnetcse-june2012-paper2

Answer key

34.11.5 Web Technologies: UGC NET CSE | June 2012 | Part 2 | Question: 44



_____ is not an E-Commerce application

- A. House banking
- B. Buying stocks
- C. Conducting an auction
- D. Evaluating an employee

non-gatecse web-technologies ugcnetcse-june2012-paper2

Answer key

34.11.6 Web Technologies: UGC NET CSE | June 2014 | Part 3 | Question: 54



Linking to another place in the same or another webpage requires two A (Anchor) tags, the first with the _____ attribute and the second with the _____ attribute.

- A. NAME & LINK
- B. LINK & HREF
- C. HREF & NAME
- D. TARGET & VALUE

ugcnetjune2014iii web-technologies

Answer key

34.11.7 Web Technologies: UGC NET CSE | June 2019 | Part 2 | Question: 25



Which of the following statements is/are true?

P : In a scripting language like JavaScript, types are typically associated with values, not variables.

Q : It is not possible to show images on a web page without the tag of HTML.

Select the correct answer from the options given below:

- A. P only
- B. Q only
- C. Both P and Q
- D. Neither P nor Q

ugcnetcse-june2019-paper2 web-technologies

Answer key

34.11.8 Web Technologies: UGC NET CSE | October 2020 | Part 2 | Question: 10



In HTML, < map > tag is used for

- A. defining a path between two nodes in an image
- B. defining clickable region in an image
- C. highlighting an area in an image
- D. defining the site-map of a web-site

ugcnetcse-oct2020-paper2 non-gatecse web-technologies

Answer key

34.12

Xml (7)

34.12.1 Xml: UGC NET CSE | December 2014 | Part 3 | Question: 40



The behaviour of the document elements in *XML* can be defined by

- A. Using document object
- B. Registering appropriate event handlers

C. Using element object

D. All of the above

ugcnetcse-dec2014-paper3 web-technologies xml

Answer key 

34.12.2 Xml: UGC NET CSE | December 2015 | Part 3 | Question: 35



Which of the following statements are true with reference to the way of describing XML data?

- i. XML uses DTD to describe the data
- ii. XML uses XSL to describe the data
- iii. XML uses a description node to describe the data

A. i only

B. ii only

C. i and ii

D. i and iii

ugcnetcse-dec2015-paper3 web-technologies xml

Answer key 

34.12.3 Xml: UGC NET CSE | July 2018 | Part 2 | Question: 2



The definitions in an XML document are said to be _____ when the tagging system and definitions in the DTD are all in compliance

A. well-formed

B. reasonable

C. valid

D. logical

ugcnetcse-july2018-paper2 xml web-technologies

Answer key 

34.12.4 Xml: UGC NET CSE | June 2019 | Part 2 | Question: 26



Which of the following statements is/are true?

P : An XML document with correct syntax as specified by W3C is called “Well Formed”.

Q : An XML document validated against a DTD is both “Well formed” and “valid”.

R : `<xml version="1.0" encoding="UTF-8">`

is syntactically correct declaration for the version of an XML document.

Select the correct answer from the options given below:

A. P and Q only

B. P and R only

C. Q and R only

D. All of P, Q and R

ugcnetcse-june2019-paper2 xml

Answer key 

34.12.5 Xml: UGC NET CSE | June 2015 | Part 3 | Question: 40



In XML we can specify the frequency of an element by using the symbols:

A. +*!

B. #*!

C. +*?

D. -*?

ugcnetcse-june2015-paper3 web-technologies xml

Answer key 

34.12.6 Xml: UGC NET CSE | June 2015 | Part 3 | Question: 41



In XML, DOCTYPE declaration specifies to include a reference to _____ file

A. Document type Definition

B. Document type declaration

C. Document transfer definition

D. Document type language

ugcnetcse-june2015-paper3 web-technologies xml

Answer key 

34.12.7 Xml: UGC NET CSE | September 2013 | Part 2 | Question: 38

The _____ language was originally designed as the Transformation Language for Style Sheet Facility

- A. XSTL B. XML C. XQuery D. XPath

ugcnetsep2013ii web-technologies xml html

Answer key

34.13**Xsl (1)****34.13.1 Xsl: UGC NET CSE | December 2012 | Part 3 | Question: 61**

Which one is a collection of templates and rules?

- A. XML B. CSS C. DHTML D. XSL

ugcnetcse-dec2012-paper3 web-technologies xsl

Answer key

Answer Keys

34.1.1	D	34.2.1	B	34.3.1	B	34.4.1	D	34.5.1	B
34.5.2	B	34.6.1	Q-Q	34.6.2	A	34.6.3	A	34.6.4	D
34.6.5	B	34.7.1	C	34.7.2	Q-Q	34.8.1	C	34.9.1	D
34.10.1	A	34.11.1	C	34.11.2	B	34.11.3	X	34.11.4	D
34.11.5	D	34.11.6	C	34.11.7	A	34.11.8	B	34.12.1	D
34.12.2	B	34.12.3	Q-Q	34.12.4	A	34.12.5	C	34.12.6	A
34.12.7	A	34.13.1	D						