

27.1.1 Circle: ISRO CSE 2014 | Question: 9



Let R be the radius of the circle. What is the angle subtended by an arc of length R at the center of the circle?

- A. 1 degree
C. 90 degrees
B. 1 radian
D. π radians

isro2014 circle geometry

Answer key

27.2.1 Geometry: ISRO CSE 2011 | Question: 76



What is the matrix that represents rotation of an object by θ^0 about the origin in 2D?

- A.

$$\begin{pmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{pmatrix}$$
B.

$$\begin{pmatrix} \sin \theta & -\cos \theta \\ \cos \theta & \sin \theta \end{pmatrix}$$
C.

$$\begin{pmatrix} \cos \theta & -\sin \theta \\ \cos \theta & \sin \theta \end{pmatrix}$$
D.

$$\begin{pmatrix} \sin \theta & -\cos \theta \\ \cos \theta & \sin \theta \end{pmatrix}$$

isro2011 geometry

Answer key

27.2.2 Geometry: ISRO CSE 2014 | Question: 54



The conic section that is obtained when a right circular cone is cut through a plane that is parallel to the side of the cone is called _____

- A. parabola
B. hyperbola
C. circle
D. ellipse

isro2014 non-gatecse geometry

Answer key

27.2.3 Geometry: ISRO CSE 2014 | Question: 65



A cube of side 1 unit is placed in such a way that the origin coincides with one of its top vertices and the three axes along three of its edges. What are the co-ordinates of the vertex which is diagonally opposite to the vertex whose co-ordinates are $(1, 0, 1)$?

- A. $(0, 0, 0)$
B. $(0, -1, 0)$
C. $(0, 1, 0)$
D. $(1, 1, 1)$

isro2014 geometry non-gatecse

Answer Keys

27.1.1	B
--------	---

27.2.1	A
--------	---

27.2.2	A
--------	---

27.2.3	B
--------	---